



TERMINAL

Net
Contents

ACTIVE INGREDIENTS

Diphacinone (2-Diphenylacetyl 1
3-indandione) 0.005%

INERT INGREDIENTS: 99.995%

TOTAL 100.000%

CAUTION

Keep Out Of
Reach Of
Children

(See Side Panel
For Other
Cautions.)

MFG. BY:
THE ARCHEM CORPORATION
1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614 353-1125

CAUTION

Keep away from humans, animals and pets. If swallowed by humans, animals or pets, this material will reduce the clotting ability of the blood, and will cause bleeding. Give intravenously. Vitamin K with blood transfusions.

INSTRUCTIONS

Paraffin baits are not to replace regular meal baiting. Use paraffin baits in areas that may have excess dampness that otherwise may ruin meal baits and make them unpalatable.

U.S.D.A. REG. NO. 7122-64
Date 4-17-69

FOR RATS... F.A. FOLLOWS

...to be used in areas where rats are present...

KEEP AWAY FROM CHILDREN OR PETS.

3 Bait must be exposed for a minimum of 10 days or until signs of feeding have ceased.

Place several feed stations in locations frequented by rats. Continuous feeding from 10 to 15 days should give more complete control. Replace all empty bait stations within 24 hours. Bait should be available to rats until complete lack of feeding is noticed. Sour or dirty bait should be replaced. Use one pound (1 lb.) of Terminal bait when there is more than one rat to be controlled.

TERMINAL

Net
Contents

ACTIVE INGREDIENTS

Diphacinone (2-Diphenylacetyl-1-
3-indandione) 0.005

INERT INGREDIENTS 0.995

TOTAL 1.000

CAUTION

Keep Out Of
Reach Of
Children

See Side Panel
For Other
Cautions

MFG BY

THE ARCHEM CORPORATION
1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614 353-1125

CAUTION

Keep away from humans, animals and pets. If swallowed by humans, animals or pets, this material will reduce the clotting ability of the blood, and will cause bleeding. Give intravenously, Vitamin K with blood transfusions.

INSTRUCTIONS

Paraffin baits are not to replace regular meal baiting. Use paraffin baits in areas that may have excess dampness that otherwise may ruin meal baits and make them unpalatable.

USDA REG NO 772754

DEC 6 1969

FOR RATS — USE AS FOLLOWS

1. Place $\frac{1}{2}$ to 1 pound of bait per station.
2. Bait stations should be put in places inaccessible to children or pets or in tamper proof boxes.

KEEP AWAY FROM CHILDREN OR PETS.

3. Bait must be exposed for a minimum of 10 days or until signs of feeding have ceased.

Place several feed stations in locations frequented by rats. Continuous feeding from 10 to 15 days should give more complete control. Replace all empty bait stations within 24 hours. Bait should be available to rats until complete lack of feeding is noticed. Sour or dirty bait should be replaced. Use one pound (1 lb) of Terminal bait when there is more than one rat to be controlled.