

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS - MAY BE FATAL IF SWALLOWED - MAY BE ABSORBED THRU SKIN
AVOID CONTACT WITH EYES, SKIN AND CLOTHING - AVOID BREATHING VAPORS OR SPRAY
MIST - KEEP AWAY FROM FOOD FEEDSTUFFS AND DOMESTIC WATER SUPPLIES -
WASH THOROUGHLY AFTER HANDLING

Physical or Chemical Hazards

Do Not Use or Store Near Heat or Open Flame. Do Not Store Below 32 Degrees F.

Environmental Hazards

This product is highly toxic to fish, birds, and other wildlife. Keep out of water streams, ponds, flood channels and ditches. Spraying and other use be limited to application rates recommended on this label. Do not apply where there are important resources. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of waste.

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
PRECAUTION: ALWAYS WEAR AN EYE PROTECTOR, AND WEAR GLOVES TO PROTECT YOUR HANDS FROM CONTACT WITH THIS PRODUCT.
TRANSLATION: (TO THE USER, IF YOU CANNOT READ ENGLISH, DO NOT USE THIS PRODUCT UNTIL THE LABEL HAS BEEN FULLY EXPLAINED TO YOU.)

STORAGE AND DISPOSAL

DO NOT STORE NEAR HEAT OR OPEN FLAME. STORE ONLY IN ORIGINAL CONTAINER IN A LOCKED STORAGE AREA. DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN BURNING IS PROHIBITED.

PATENTED MATERIAL. Patent rights are held by the manufacturer of this product.
USE OF THIS PRODUCT IS LIMITED TO THE PURPOSES AND CONDITIONS SPECIFIED ON THE LABEL.
USE OF THIS PRODUCT FOR ANY OTHER PURPOSE IS PROHIBITED.

NOTICE: Buyer warrants that the product conforms to its chemical description and is fit for the purposes stated on the label and that it is not adulterated or misbranded. Buyer warrants that the product is not adulterated or misbranded.

AA-418



CHLORPYRIFOS 2E

For use by Pest Control Operators, Public Health and other trained personnel only.
ACTIVE INGREDIENT: Chlorpyrifos (2-Ethoxyethyl) 20.0%
INERT INGREDIENTS 79.0%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN
WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting unless instructed to do so.
IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.
IF ON SKIN: Wash thoroughly with soap and water. Call a physician immediately.
IF ON CLOTHING: Remove clothing and wash separately. Wash clothing separately.

Keep in Original Container. Keep in a cool, dry place.
Keep out of reach of children.
Do not use if label is missing or illegible.
Do not use if container is damaged.

MANUFACTURED BY
The ArChem Corp.

PHONE 814/263-1170
1814 ELEVENTH STREET PORTSMOUTH, OHIO 43682

ACCEPTED
MAY 16 1995
Order for 7 cases of Insecticide.
Furcraea and Scabrous Ac.
7122-68

USE DIRECTIONS

Apply Chlorpyrifos 2E insecticide uniformly over the turf with sprayer according to the rates indicated in the accompanying table. Make the first treatment when insects first appear and re-treat as needed. The label should be noted at the time of application. For control of chinch bugs, etc. a 0.2% to 0.4% solution is suggested.

Table with 3 columns: Area to be Treated, Amount of Chlorpyrifos 2E Required, and Water to Use. Rows include 1000 sq. ft., 10000 sq. ft., 10,000 sq. ft., and One Acre.

Chlorpyrifos 2E insecticide mixes readily with water or oil. Dilute the required amount of Chlorpyrifos 2E in water or in a base oil such as kerosene or diesel oil to the extent of 0.2% to 0.4% Chlorpyrifos 2E in water or 0.2% to 0.4% Chlorpyrifos 2E in oil. Use the higher concentration (0.4%) to control house and garden insects and the lower concentration (0.2%) for light infestations. Chlorpyrifos 2E can be used in Postharvest, bare and vegetative to control mosquitoes if directions are followed.

Table with 3 columns: Amount of Spray Mixture Required, Amount of Chlorpyrifos 2E per acre for 0.2%, and Amount of Chlorpyrifos 2E per acre for 0.4%. Rows include 1 gallon, 2 gallons, 3 gallons, and 10 gallons.

Application: Apply Chlorpyrifos 2E to lawns and lawns. Apply to lawns and lawns. Apply to lawns and lawns.

For Spot Treatment Only - Apply to a small area of lawn with a spray nozzle. Apply to a small area of lawn with a spray nozzle.

NOTE: A period of 1 to 2 days is normally required for maximum effect on mosquitoes.

Chlorpyrifos 2E is used in Food Processing Plants should only be used in areas where exposed foods are not handled. Do not use in the entire products areas of Food Processing Plants.

NOTE: Where such "backwash" and/or "bleaching action" is desired, diatomaceous earth or pyrethrin may be added to the spray mixture containing Chlorpyrifos 2E insecticide. For best results, use diatomaceous earth or pyrethrin at a concentration of 0.2% in both water and oil-soluble sprays.

For control of chinch bugs, thoroughly apply a 0.2% spray as a spot treatment along backyards and edges of lawns, under eaves, and around porches.

For control of brown bug, thoroughly apply a 0.2% spray as a spot treatment to infested areas such as in grass and along borders where grass grows. Do not use in the entire products areas of Food Processing Plants.

Always (When Needed) Do not apply water-based sprays of this product to concrete, metal, masonry, plastic and wood. Do not apply to concrete, metal, masonry, plastic and wood. Do not apply to concrete, metal, masonry, plastic and wood.

Lot No. _____ Batch No. _____ Packed By _____ Date _____

BEST COPY AVAILABLE