

ACCEPTED

WARNING

EXTERNAL: Wash with warm water and soap.
 INTERNAL: Induce vomiting until clear with warm water and salt. One table-spoon of salt per glass. Give milk and white of eggs beaten in water. CALL A PHYSICIAN IMMEDIATELY. This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
 Do not contaminate feed or foodstuffs.

EPA Reg. No. 7122-73 Date ●
 Batch No. Packed By
 AR-207




Net Contents:

PENTACHLOROPHENOL — 5
WOOD PRESERVER and INSECTICIDE
PRODUCT NO. 6501

ACTIVE INGREDIENTS:		
Pentachlorophenol	4.5%	5.1%
Other Chlorinated Phenols	0.6%	
INERT INGREDIENTS:		94.9%
Total		100.0%

Contains 5.25% Technical Pentachlorophenol as defined by Federal Specifications TT-W570.



1514 Eleventh Street
 Portsmouth, Ohio 45662
 Phone 614/353-1125

DIRECTIONS

FOR TIMBER — TIMBER: A wood preservative which is required for the protection of timber used in the construction of wood work. It is most effective when used in a lower grade of lumber than that which is used in the construction of a building. It is most effective when used in a lower grade of lumber than that which is used in the construction of a building. It is most effective when used in a lower grade of lumber than that which is used in the construction of a building.

For use on wood work, apply liberally to all surfaces. Wood members should be treated with this solution either by spraying or by hand application. All work should be kept moist and saturated with the solution. The solution should be applied to prevent decay. Use 2 parts of 5% Pentachlorophenol solution to the volume of dry wood being treated. In areas where the humidity is high, it is often necessary to reapply this solution. For use on wood work, apply liberally to all surfaces. Wood members should be treated with this solution either by spraying or by hand application. All work should be kept moist and saturated with the solution. The solution should be applied to prevent decay. Use 2 parts of 5% Pentachlorophenol solution to the volume of dry wood being treated.

For use on wood work, apply liberally to all surfaces. Wood members should be treated with this solution either by spraying or by hand application. All work should be kept moist and saturated with the solution. The solution should be applied to prevent decay. Use 2 parts of 5% Pentachlorophenol solution to the volume of dry wood being treated.



WARNING

Pentachlorophenol is toxic and contact with the skin should be avoided. If不慎 contact with skin wash with warm water and soap.

Harmful if swallowed or absorbed through skin. Causes skin irritation.

Do not breathe vapor or spray mist. Do not get in eyes or on skin or on clothing.

Wash thoroughly after handling.

EXTERNAL: Wash with warm water and soap.

INTERNAL: Induce vomiting until clear with warm water and salt. One tablespoon of salt per glass. Give milk and white of eggs beaten in water. **CALL A PHYSICIAN IMMEDIATELY.** This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not contaminate feed or foodstuffs.

EPA Reg. No. 7122-73 Date

Batch No. **Packed By**

AR-207



Net
Contents:

PENTACHLOROPHENOL — 5
WOOD PRESERVER and INSECTICIDE
PRODUCT NO. 6501

ACTIVE INGREDIENTS:	5.1%
Pentachlorophenol	4.5%
Other Chlorinated Phenols ..	0.6%
INERT INGREDIENTS:	94.9%
Total	100.0%

Contains 5.25% Technical Pentachlorophenol as defined by Federal Specifications TT-WS70.

WARNING

KEEP Out Of Reach Of Children

(See other warnings on side panel)



1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614/353-1125

DIRECTIONS

FOR TERMITE CONTROL: A trench approximately 30 inches deep around the entire perimeter of the house should be dug but not below the top of the footing if this is shallower and a chemical barrier around entire perimeter of house should be established with this 5% solution. Wood to come into contact with the ground should be treated prior to construction. All wooden members should be treated with this solution either by spraying or brushing applications. All wall voids should be treated and all contact with ground structure to be treated should be broken to prevent reinfestation. Use 2 gallon 5% Penta per 5 cubic feet of soil, due to the difficulty of properly treating for termite infestation, and because of structural changes often necessary, we advise that this treatment be applied by a **PROFESSIONAL PEST CONTROL OPERATOR**. Special care should be taken to prevent damage to trees and shrubs. **PENTACHLOROPHENOL** is toxic and will kill plants and shrubs.

Fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry and well-seasoned and immersed in the product for a period of 12 to 48 hours to be an effective wood preserver.

Wear protective clothing and rubber gloves when handling the freshly treated lumber.