#### CTIONS

Japanese Beetles, Leaf Hoppers, and Rose Chafee, apply Guarrate of 2-3 quarts (1 to 11/2 lbs. water. Spray foliage thoroughly. -14 days.

1DA

ED UNI KA

S: For control of Barnflies mix 1 ater and apply two (2) quarts of al. For control of lice apply as ol of Hog Lice, mix 1 quart in apply as a drenching spray.

#### DAIRY ANIMALS OR IN DAIRY **PPING VATS.**

**TES AND RESTAURANTS:** Dilute 1 y good sprayer that will apply a y to all cracks and crevices where around window sills, sinks, pipes, action will provide control for llow approximately 10 to 12 days

Feb. 16 Net Contents: **METHOXYCHLOR 2E** Active Ingredients: Methoxychlor, Tech 25.0% Petroleum Distillate (Xylene Bottoms) 70.0% **Inert Ingredients:** (Wetting Agent) 5.0% Total 100.0% Equivalent to 22'; 2.2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 3% other isomers and reaction products. CAUTION Keep Out Of Reach Of Children (See side panel for additional cautions.) 1514 Eleventh Street UI Chem tong. Portsmouth, Ohio 45662 Phone 614/353-1125

CAUTION: Avoid contact with breathing of spray mist. Avoic stuffs.

Harmful if swallowed.

Do not use in commercial food products areas of food proces

This product is toxic to fish. K ponds.

Do not apply Methoxychlor in

Apply this product only as apply when weather condition treated. Rinse equipment and ( by burning in non-crop lands tainers should be disposed k burying with wastes or by bi

(Keep Out Of Smoke).

#### U.S.D.A. Reg. No. 7122-76

Date 10-12-70

#### DIRECTIONS

#### For Control Of Clover Mites On Lawns Or Shrubbery.

• • • • • • • • ; and the second 

- A BUE Nº 7422.95

• • •

· · ,

ACCEPTED 6 - C 👬 1



### CHLOROBENZILATE WE LITICIDE 25%

ACTIVE INGREDIENTS 55 25 - -· . INERT INGRED ONTS 00 1 of Al . . .

Keep Out Of Reach Of Children See side prine, for midition if a minors.

Image: State Eleventh StreetImage: Portsmouth StreetPhore 5.4735

#### WARNING

#### FLAMMABLE

#### Keep Away From Heat Or Open Flame CAUTION

.

.

Horse Mes.

t ked Bv

٠


S

#### es On Lawns Cr

to keep them from , use 1½ pints per an area of about 10 neter of the house. ental trees. Pay pararding and between reat walls up to the in 7 to 10 days if **CEPTED** 

# **9** 1972

IE FEDERAL INSECTICIDE E AND RODENTICIDE ACT IOMIC POISON REGISTER-NO. 7/22-95



U. S. Patent 2,747,780

Keep Out Of Reach Of Children (See side panel for additional cautions.)

1514 Eleventh Street Portsmouth, Ohio 45662 Phone 614/353-1125

# N

## FL

# Keep Away Fr

This product is tox streams or ponds. I favor drift from arec water by cleaning wastes. Apply this this label.

RINSE EMPTY ( WITH WATER AN

DO NOT REUSE EN IT BY PERFORATIN DISCARD IN A SA

Batch No.