

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

7122-124

8/27/87

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

The Archer Corporation
P.O. Box 77
Riverside, CA 92502

10/18
1991/11/3

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 7122-124" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 3(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

William H. Miller

DATE

8/27/87

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

85471; I: Palmateer; CBI-07; KENCO; 7/28/87; 8/6/87; SONJA; LISA; JH; SONJA

CAUTION: Keep away from humans, domestic animals and pets. May be fatal or harmful if swallowed. Do not breathe dust. Avoid eye or skin contact. Wash hands thoroughly after use, use rubber gloves if contact with skin may occur when placing bait. Avoid contamination of feed or foodstuffs. Avoid contact with acids.

This product is toxic to fish and wildlife. Birds and wildlife feeding on treated baits may be killed. Do not apply directly to lakes, streams or ponds.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original containers, in a dry place inaccessible to children, pets, and domestic animals. Do not contaminate water, feed or food by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are Acutely Hazardous. Improper disposal of excess pesticides, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Fiber drum with liner - Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment and dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

WARRANTY

Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

AR-436

For retail sale to and use only by Certified Applicators or persons who are under their direct supervision and only for those uses covered by the Certified Applicators Certification.

ROBAN II AG

For control of Cotton Rats, Roof Rats, Norway Rats, Polynesian Rats and Microtus in outdoor areas.

Active ingredient: Zinc Phosphide	2.80%
Inert ingredients:	97.20%
Total	100.00%

STATEMENT OF PRACTICAL TREATMENTS

Any person applying Zinc Phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness should be seen by a Physician immediately.

IF SWALLOWED: Call a physician or poison control center. Give 1 or 2 glasses of water and induce vomiting by touching finger to the back of the throat. Avoid the use of all oils. Have patient lie down and keep warm. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN OR IN EYES: Flush with plenty of water. Get medical attention immediately if irritation persists.

See side panel for additional cautions

MANUFACTURED BY

The ArChem Corp.

1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614/353-1125

EPA Reg. No.

Net

Contents

EPA Reg. No. 7122-00-1

USE RESTRICTED (VEGETABLES), and PESTICIDE BAITING SUGAR broadcast by air exceed 4 per 2 of bait per crop DO NOT TREAT TREATMENT.

USE RESTRICTED apple orchard. A drops if feasible orchards.

Where birds and may be necessary the season.

HAND BAITING: to 4 locations, burrow systems. into place. Do systems. Bait at

TRAILBUILDING: trail made by the rate of 2 to 3 po

BROADCAST BA (wear rubber glo cover. Do not br

per acre.

Lot No.

ACCEPTED
AUG 27 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 7122-124

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons who are under their direct supervision and only for those uses covered by the Certified Applicators Certification.

ROBAN II AG

For control of Cotton Eats, Roof Rats, Norway Rats, Polynesian Rats and Microtus in outdoor areas.

Active ingredients: Zinc Phosphide	2.50%
Inert ingredients:	97.50%
Total	100.00%

~~RESTRICTED USE PESTICIDE~~
~~CAUTION~~

STATEMENT OF PRACTICAL TREATMENTS

Any person applying Zinc Phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness should be seen by a Physician immediately.

IF SWALLOWED: Call a physician or poison control center. Give 1 or 2 glasses of water and induce vomiting by touching finger to the back of the throat. Avoid the use of all oils. Have patient lie down and keep warm. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN OR IN EYES: Flush with plenty of water. Get medical attention immediately if irritation persists.

See side panel for additional cautions

MANUFACTURED BY

The ArChem Corp.

1514 Eleventh Street
Portsmouth, Ohio 45662
Phone 614/353-1125

EPA Reg. No. 7122-01-1

Net

Contents

ACCEPTED
AUG 27 1987
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7122-124

APPLICATION DIRECTIONS

SUGAR CANE

USE RESTRICTIONS: For control of POLYNESIAN, (*RATTUS exulans*) NORWAY (*R. NORVEGICUS*), and ROOF RATS (*R. RATTUS*) in sugar cane fields.

BAITING SUGAR CANE FIELDS: Broadcast at the rate of 5 pounds of bait per acre. Bait may be broadcast by aircraft, ground driven devices or by hand. The number of applications shall not exceed 4 per 2 year crop, 2 per 1 year crop. The total application shall not exceed 20 pounds of bait per crop cycle. Do not apply within 90 days of harvest.

DO NOT TREAT THE SAME AREA WITH ZINC PHOSPHIDE FOR 30 DAYS AFTER FIRST TREATMENT.

APPLE ORCHARDS

USE RESTRICTIONS: For control of MEADOW and PINE VOLES (*MICROTUS SPP*) in apple orchard. Apply toxic bait in fall immediately after harvest and before leaf fall. Pick up drops if feasible. Do not allow animals to graze orchards or to eat drops and hay from orchards.

Where birds and other wildlife are present, handbaiting is the preferred method. Retreatment may be necessary if heavy rains follow soon after baiting or if mice move into the area later in the season.

HAND BAITING: Near the base of each infested tree, place teaspoonfuls quantities of bait at 2 to 4 locations, either on surface trails or at the mouth of the holes leading to underground burrow systems. Cover bait artificially (e.g. mats, boards) or by pulling overhanging grass back into place. Do not allow bait to be exposed on bare ground. Do not disturb the runway systems. Bait at the rate of 2 to 3 pounds per acre of infested trees.

TRAILBUILDING: Drop teaspoonfuls quantities of bait at 4 to 5 foot intervals in the artificial trail made by the machine just inside the drop line on both sides of the trees. Apply at the same rate of 2 to 3 pounds per acre.

BROADCAST BAITING: Under infested trees broadcast evenly by cyclone seeder or by hand (wear rubber gloves during hand broadcast). Concentrate in areas with the heaviest vegetative cover. Do not broadcast on bare ground or growing crops. Apply at the rate of 6 to 10 pounds per acre.

Lot No. _____ Batch No. _____ Packed By _____

BEST AVAILABLE COPY