

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER: Irritant. Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Irritates to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

FIRST AID: (Practical Treatment): If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with combustible organic matter, other chemicals, or any foreign matter, may start a fire. A reaction with generation of heat, liberation of hazardous gases and possible generation of fire.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams, ponds or public waters. Do not use for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

SPECIAL PRECAUTIONS

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through the skimmer or into prescribed feeder to avoid discoloration of liners or paint.
3. When adding this product to skimmer or feeder, make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If this product is used to shock a superchlorinate pool, after treatment it is important to brush walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.

nu-clo

CHLORINATING TABLETS

ACTIVE INGREDIENT

Trichloro-s-triazinetriume* 66%

INERT INGREDIENT 34%

* Provides 56% Available Chlorine

**KEEP OUT OF REACH OF CHILDREN
DANGER
SEE FIRST AID STATEMENT AND OTHER
PRECAUTIONS ON SIDE PANEL
NET WEIGHT 3 LBS. 48 OZ.**

6. This product, because of its pot mix with any other chemicals. This this product in a closed container. When adding this product to skimmer is drawn into recirculation system generated may cause an explosion.

It is a violation of federal law to use:
1. Adjust pool water pH to 7.2-7.6.
2. If the pool has not been previously add the correct dosage. Follow the
3. Add 3 tablets for every 2,000 G. be sufficient to satisfy demand of chlorine residual on the following before feeding at least in the amount as needed to maintain a minimum test kit. During heat waves or per day to maintain chlorine residual on chlorine action. These tablets should be brought back into range or any other reason. Add tablets. Tablets will dissolve in approximately
STORAGE AND DISPOSAL: Keep in a cool, dry, well ventilated area container in open area if possible container. Rinse empty container. Place in trash collection or dispose

MANUFACTURED BY ALD

7124-1
9 MAY 1977
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

WARNING STATEMENTS
USE AND DOMESTIC ANIMALS
May be fatal if swallowed. Do not get in eyes, on skin.
Avoid breathing dust. May cause burns to broken
active clothing when handling. Wash hands after

ed feed grain, cooked cereal, or bread soaked in
se of personal contact. Remove excess material and
15 minutes. For eyes get medical attention as soon
nothing before reuse.
gent. Do not use moist or damp utensils. Con-
other chemicals, or any foreign matter, may start
at liberation of hazardous gases and possible

is toxic to fish. Keep out of lakes, streams, ponds,
in discharges containing this pesticide into public
of the Environmental Protection Agency.

PRECAUTIONS
Hold away from face when opening to avoid

undissolved state and vinyl liners or painted sur-
nt. Introduce this product through the skimmer or
liners or paint.
er make sure there are no other chemicals present
gerous to mix chemicals.
ins on label. Do not take advice from others or ex-

orinate a pool, after treatment it is important to
be in cracks or wrinkles that might protect algae
algae will begin to reproduce again when high

m-clo

CHLORINATING TABLETS

ACTIVE INGREDIENT

Trichloro-s-triazinetriene* 66%

INERT INGREDIENT 34%

* Provides 56% Available Chlorine

**KEEP OUT OF REACH OF CHILDREN
DANGER**

**SEE FIRST AID STATEMENT AND OTHER
PRECAUTIONS ON SIDE PANEL**

NET WEIGHT 3 LBS. 48 OZ.

6. This product, because of its potent formulation can be dangerous if not used properly. Do not mix with any other chemicals. This could result in a violent chemical reaction. Do not add to this product in a closed container. Do not add this product to a small amount of water in a pail. When adding this product to skimmer make sure pump is on and water is circulating so that material is drawn into recirculation system. Do not allow build-up of dry material in skimmer as gases generated may cause an explosion.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
1. Adjust pool water pH to 7.2-7.6. For pools with copper plumbing best pH factor is 7.6-7.8.
2. If the pool has not been previously stabilized with stabilizer and conditioner (Cyanuric Acid) add the correct dosage. Follow the directions for use on a label for that product.
3. Add 3 tablets for every 2,000 gallons of pool water. Each tablet weighs 13 grams. This should be sufficient to satisfy demand of raw water and establish a chlorine residual. If there is no chlorine residual on the following day repeat dosage until chlorine is found on the following day before feeding at least in the amount of 1.0 ppm. Thereafter use 1 tablet per 2,000 gallons daily or as needed to maintain a minimum chlorine residual of 1.0 ppm to 1.5 ppm as determined by a test kit. During heat waves or periods of heavy bathing loads more tablets will be required per day to maintain chlorine residual. Also check pH to keep in proper range as pH has a direct effect on chlorine action. These tablets reduce the need for addition of chemicals to adjust pH. But pH should be brought back into range if it falls or climbs due to rain, makeup water, windblown dust, or any other reason. Add tablets through skimmer or in an appropriate floating chlorinator. Tablets will dissolve in approximately 15 minutes.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

E.P.A. Reg. No. 7124-1-AA

E.P.A. Est. No. 7124-N.J.-1

MANUFACTURED BY ALDEN-LEEDS INC. 55 Jacobus Ave So. Kearny, N.J. 07032

54

7124-1
9 MAY 1977

DER THE FEDERAL INSECTICIDE
ICIDE AND RODENTICIDE ACT
ECONOMIC POISON REGISTER
UNDER NO.