# nu-clo-Algaestroy

✓ Economical 
✓ 50% Strength

✓ Initial Dose: 6 ozs. per 10,000 gallons

✓ Weekly Dose: 1-1/2 ozs. per 10,000 gallons

Keep out of reach of children, Corrosive. causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling Harmful or fatal if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

PRACTICAL TREATMENT: In case of contact. immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelating solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucousal damage may contramdicate the use of gastric

ENVIRONMENTAL HAZARDS: This product is 24 toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, consens public waters unless this product is specifically addressed in an NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying these sewage treatment plant authority. For guidance call your State Water 20 -Board or Regional office of the E.P.A.

## **DIRECTIONS FOR USE**

It is in violation of lederal law to use this product in a manner inconsistent with its labeling.

When this algaecide is used as directed, it will control and-inhibit the development of Chlorella. Pyrenoidosa (Green), Phormidium Inumdatum Black Algae), Phordium Retzii (Square D Algae), Lynoba Versicolor (Blue-Green) and other swimming pool algae. This algaecide is compatible. with most commonly used swimming pool chemicals but should not be mixed with soap or other cleaners or premixed with other water treating chemicals. This algaecide works best when added by itself to pool water.

Initial Dose 6 Gunces of this algaecide to 10,000 g insichwater

Maintenance Dose: 1-1/2 ounces of this algaecide to 10,000 gailons of water Initial dose is used when filling pool at beginning of swimming season if pool has visible algae growth, the initial dose should be repeated within 48 hours after 3'gae debt sils removed from the pool. When pool. is free of visible algae, use the recommended. maintenance dose. Maintenance dose should be

added at least once every 7 days. If high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently. If makeup water is added at the rate of more than 10% per week of pool capacity, add 1-1/2 cunces 16 of this algaecide for each 10,000 gallons of fresh makeup water addid per week. When swimming season is over, add 6 ounces of this algaecide to each 10,000 gallons left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

STORAGE AND DISPOSAL: Keep container closed when not in use. Leaking or damaged containers should be placed in plastic bag and discarded in trash. Mop spills with clean water. All pesticides.

should be kept out of reach of children and stored away from food.

DISPOSAL: Do not reuse empty container Rinse thoroughly. Securely wrap in several layers of newspaper and discard in /2025

E P A REG. NO 7124-19 E.P.A. EST. NO. 7124-NJ-1

> Manufactured by: ALDEN LEEDS, INC. 55 Jacobus Ave., So. Kearny, NJ 07032



A **ACTIVE INGREDIENTS.** #-Albyl (68% C 14, 30% C16, 5% C12, 5% C18) Directly I Benzyl Ammonium Chlorides **KEEP OUT OF REACH** diamyl (60% C 14, 30% C16, 5% C12, 5% C18) OF CHILDREN Methyl Benzyl Ammonium Chlorides 0.7% INERT INGREDIENTS DANGER **SEE SIDE PANEL FOR ADDITIONAL** NET CONTENTS ONE QUART (32 FL. OZ.)

32oz.— 31 ---

30 —

## nuclo Algaestroy

✓ Economical 
✓ 50% Strength

✓ Initial Dose: 6 ozs. per 10,000 gallons

✓ Weekly Dose: 1-1/2 ozs. per 10,000 gallons

Keep out of reach of children, Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water and discard it.

PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelation solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucousal damage may contraindicate the use of gastric

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically addressed in an NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying these sewage treatment plant authority. For guidance call your State Water Board or Regional office of the E.P.A.

## **DIRECTIONS FOR USE**

It is in violation of federal law to use this product in a manner inconsistent with its labeling.

When this algaecide is used as directed, it will control and-inhibit the development of Chlorella Pyrenoidosa (Green), Phormidium Inumdatum (Black Algae), Phordium Retzii (Square D Algae), Lynoba Versicolor (Blue-Green) and other swimming pool algae. This algaecide is compatible with most commonly used swimming pool chemicals but should not be mixed with soap or other cleaners or premixed with other water treating chemicals. This algancide works best when added by itself to pool water.

Initial Dose: 6 Ounces of this algaecide to 10,000 gallons of water.

Maintenance Dose: 1-1/2 ounces of this algaecide to 10,000 gallons of water. Initial dose is used when filling pool at beginning of swimming season, if pool has visible algae growin, the initial dose should be repeated within 48 hours after algae debris is removed from the pool. When pool is free of visible algae, use the recommended maintenance dose, Maintenance dose should be

added at least once every 7 days. If high

should be placed in plastic bag and discarded in trash. Mop spills with clean water. All pesticides

from food.



temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently. If makeup water is added at the rate of more than 10% per week of pool capacity, add 1-1/2 ounces of this algaecide for each 10,000 gattons of fresh makeup water added per week. When swimming season is over, add 6 ounces of this algaecide to each 10,000 gallons left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned

to use the following season.
STORAGE AND DISPOSAL: Keep container closed when not in use. Leaking or damaged containers

should be kept out of reach of children and stored away

DISPOSAL: Do not reuse empty container, Rinse thoroughly. Securely wrap in several layers of newspaper and discard in

E.P.A. REG. NO.7124-19 E.P.A. EST. NO. 7124-NJ-1

> Manufactured by: ALDEN LEEDS, INC. 55 Jacobus Ave., So. Kearny, NJ 07032



**KEEP OUT OF REACH** OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Dimethyl Benzyl Ammonium Chlorides... diality| |60% C 14, 30% C16, 5% C12, 5% C Methyl Banzyl Ammanium Chlorides ...... INERT INGREDIENTS:

> **NET CONTENTS** ONE QUART (32 FL. C

BEST AVAILABLE COPY