

7124-20

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER:** Corrosive. Causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

**PRACTICAL TREATMENT (FIRST AID):** If swallowed: feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before re-use.

**CHEMICAL HAZARDS:** Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals, or any other foreign matter, may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

**SPECIAL PRECAUTIONS (PLEASE READ)**

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through skimmer or in a prescribed feeder to avoid discoloration of liners or paint.
3. When adding this product to skimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush the walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.
6. This product, because of its potent formulation can be dangerous if not used properly. Do not mix with any other chemicals. This could result in a violent chemical reaction. Do not add water to this product in a closed container. Do not add this product to a small amount of water in a pail. When adding this product

FOR SPARKLING POOLS

# mu-clo

## CONCENTRATED POOL CHLORINATING GRANULES

Dissolves Quickly & Completely Holds Available Chlorine Longer

Active Ingredient:

Sodium Dichloro-s-Triazinetrione\* 100%

\*Provides 63% Available Chlorine

KEEP OUT OF REACH OF CHILDREN  
**DANGER**  
SEE FIRST AID STATEMENT AND OTHER  
PRECAUTIONS ON SIDE PANELS  
BEFORE OPENING CONTAINER

NET WEIGHT 2 LBS. (32 OZ.)

to skimmer. Make sure pump is on and water is circulating so that material is drawn into recirculation system. Do not allow buildup of dry material in skimmer as gases generated may cause an explosion.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. Add 2 oz. of this product per 1000 gallons which will provide 9.6 ppm available chlorine. Test with a reliable chlorine test kit. Bathers should not be allowed to enter the pool until the chlorine residual has dropped to 3 ppm or less. The next morning, add Conditioner and Stabilizer (cyanuric acid) according to the direction on the label to stabilize the pool.

Concentrated Granules should be added daily or as needed at the rate of 1/4 to 1/2 oz. per 1000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in a pail. A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of Concentrated Granules per 1000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual falls to 3 ppm or less. Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

**STORAGE AND DISPOSAL:** Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

MANUFACTURED BY  
**ALDEN-LEEDS INC.**

55 Jacobus Ave. So. Kearny, N.J. 07032

E.P.A. Reg. No. 7124-20-AA  
E.P.A. Est. No. 7124-N-J-1