UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

September 8, 2004

Mark Visconti Manager Alden Leeds, Inc. 55 Jacobus Avenue So. Kearny, NJ 07032

Subject:

Nuclo Concentrated Chlorinating Granules

EPA Registration No. 7124-22

Application Date: February 17, 2004

Receipt Date: June 15, 2004

Dear Mr. Visconti:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the condition below.

Revision to First Aid Statement in accordance with PR Notice 2001-1

Conditions

1. Revise the Ingredient Statement to read as follows:

ACTIVE INGREDIENT: Trichloro-s-Triazinetrione*......99.0% OTHER INGREDIENTS:.....1.0% TOTAL.....100.0%

*Provides 89% Available Chlorine

General Comments

A stamped copy of the labeling accepted with conditions is enclosed. Submit one (1) copy of your final printed label before distributing or selling the product bearing the revised labeling.

CONCURRENCES							
SYMBOL 75/0 C	75700						
SURNAME & BOYM	Es Mit Lui				}		
DATE 9-08-04	9-9-24					·	
EBA Form 1320 14 (1/00)			Dainer de Dennie	. >		OFFICE	11 EII E CABY

EPA Form 1320-1A (1/90)

Printed on Remorted Paner


UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Should you have any questions or comments concerning this letter, please contact Wanda Mitchell at 703-308-6345.

Sincerely,

Emily H. Mitchell Acting Product Manager (32) Regulatory Management Branch II Antimicrobials Division (7510C)

CONCURRENCES								
SYMBOL 7510 C								
SURNAME E. Becg								
DATE 19-08-04								
EPA Form 1320-14 (1/00)	Printed on D J. J. D	OFFICIAL FILE CORY						



SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON BACK PANEL BEFORE OPENING CONTAINER

DANGER

PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin,

ciciting. Wear goggles or face shield, protective clothing rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse FIRST AND:

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SIGN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may

contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. PHYSICAL AND CHEMICAL NAZARDS: STRONG OXIDIZING

AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gasses and possible generation of fire and explosion. SPECIAL PRECAUTIONS

PLEASE READ BEFORE OPENING CONTAINER PREVENTION OF PHYSICAL INLIGHY

1. This product emits a powerful chlorine gas. Do not open container indoors.

Hold away from face when opening to avoid breathing

This product is dangerous when not used properly:
 MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY

REQUIRING HOSPITALIZATION RFLATED COMPLICATIONS MAY LEAD TO DEATH Do not mix with any other chemicals Mixing with other chemicals may cause a violent and

instantaneous chemical reaction Do not add water to this product Do not add this product to water in a pail Do not take advice from others. Do not experiment Follow label instructions exactly.

PREVENTION OF PROPERTY DAMAGE: Contact between this product in its undissolved state and vinyl liners, painted surfaces or other property in or around the pool will result in permanent bleaching of the color. E.P.A. REG. NO. 7124-22

E.P.A. EST. NO. 7124-NJ-1

This product is the most highly concentrated stabilized cyanunic based disinfectant developed to establish an initial chlorine residual through superchlorination and to maintain proper levels of available chlorine through normal daily maintenance.

This product is easy to dispense and 100% soluble.

DIRECTIONS FOR USE:

It is in violation of federal low to use this product in a magner inconsistent with its labeling.

INITIAL DOSAGE: When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish an available chloring residual of 1.0 to 1.5 pom. Add 1 to 1-1/2 ounces of this product per 1,000 gallons which will provide 6.7-10 ppm available chlorine. Test with a reliable chlorine test kit. The next morning add Conditioner and Stabilizer (cyanuric acid to stabilize the pool, according to the directions on that label. Bathers should not be allowed to enter the pool until the chloring residual has dropped to 3 ppm

MAINTENANCE DOSE: Add 1/4 to 1/2 ounce per 1,000 gallons per day to maintain a chlorine residual at all times of 1.0 to 1.5 ppm, as determined by a suitable test kit, pH should be maintained in the range of 7.2-7.5.

SHOCK TREATMENT: A shock treatment should be made every week during hot weather or after heavy rains, less frequent shock treatments may be made during cool weather. Add 1-1/2 ounces per 1,000 pool until chlorine residual has dropped to 3 ppm or less. gallons. Bathers should not be permitted to enter the

Note that daily dosages should vary to compensate for heavy accumulations of dust and dirt caused by storms or heavy bather loads. Additional dosages may be required to maintain a chlorine residual of 1.0-1.5 Application should be made using one of the

Under

following methods: SKIMMER METHOD: Use this method to avoid Meaching viny! liner or paint. Empty skimmer of all chemicals and debris. Make sure that filter is on and that water is properly recirculating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Pour this product slowly into skimmer, making sure that the material is drawn into the system at the same rate; do not allow this material to accumulate as gases generated may cause an explosion.

DOSE DIRECTLY INTO POOL: Broadcast dosage across surface of water. To provent liner damage, use -- method abov

POOL GALLON CALCULATOR (all dimensions in feet) Square or Rectangular.

Length x Width x Average Depth x7.5 = GallonsRound or Oval:

Length x Width x Average Depth x 5.9 = Gallons

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventillated area away from heat or open flame. In case of decomposition isolate container in open area if possible, and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved lendfill area.

THE FACTORY THANKS YOU FOR BUYING NU-CLO PRODUCTS.

nu·clo: Manufactured by: ALDEN LEEDS, INC.

55 Jacobus Ave., So. Kearny, NJ 07032