

## DIRECTIONS

The purpose of this product is to provide a shock treatment to pools that are unacceptable for use due to the presence of algae, or discolored water because of neglect, or the presence of minerals such as iron or manganese.

**TO AVOID POSSIBLE BLEACHING ON VINYL LINERS  
BRUSH LIGHTLY ANY PARTICLES THAT REACH POOL  
BOTTOM TILL THEY DISSOLVE.**

1. Remove as much as possible any floating, suspended and or sunken matter that may be present by use of a hand skimmer, net, or vacuuming to waste.
2. Adjust pool water pH to 7.2 - 7.6.
3. Start filter and add Hit Hard at the rate of 1 lb. per 6,000 gallons of water. Dose by casting Hit Hard over the surface of the water. Allow filter to run continuously being careful to empty strainer basket in front of pump if suction is impeded. Also there may be a tendency for the filter to clog due to the accumulation of dead algae. Backwash filter if this occurs. Repeat dosage on the second day if necessary. If there is no improvement on the third day consult your dealer or the manufacturer of this product for further advice. Do not resume regular chlorine dosages till residual reads between 1 and 3 p.p.m.

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**  
**KEEP AWAY FROM HEAT OR OPEN FLAME**  
**STORE IN A COOL DRY PLACE**

Strong oxidizing agent. May be fatal if swallowed. Contact with heat, moisture, foreign materials or contamination from any source that may result in fire with the release of irritating and hazardous gases. Avoid breathing dust. Do not get in eyes or skin. Container is not intended for re-use. Rinse container thoroughly before placing in garbage. In case of spillage sweep carefully and place sweepings in sewer or flush down toilet. Hose area completely after sweeping with copious amounts of water.

## FIRST AID

**INTERNAL ANTIDOTE:** Drink large quantities of water or milk followed with milk of magnesia, vegetable oil, or beaten eggs. Call a physician immediately.

**EXTERNAL ANTIDOTE:** Bathe complete area with cold water continuously. In eyes, flush with large amounts of cold water. Call a physician immediately.

## DO NOT MIX WITH ANY OTHER POOL CHEMICALS

This product is toxic to fish. Do not discharge treated effluent where it will drain into lakes, streams or ponds

## DANGER

**KEEP OUT OF REACH OF CHILDREN**  
**SEE ANTIDOTE STATEMENT AND OTHER**  
**REQUIRED WARNING STATEMENTS ON BACK PANEL**



# HIT HARD

## (SHOCK TREATMENT)

Designed to be used in . . .

- Pools with green water due to algae
- Pools with visible algae on floor and sides
- Pools starting up using water from previous season
- Pools freshly filled that are green or brown due to mineral impurities
- Pools with cloudy water
- Pools as a periodic shock treatment in regular maintenance

ACTIVE INGREDIENT: 70% Calcium Hypochlorite


INERT INGREDIENT: 30%

70% Available Chlorine

Add directly to water.

Avoid contact with any other chemicals.

**ALDEN - LEEDS, INC. 55 JACOBUS AVENUE, SO. KEARNY, N. J. 07032**



This material be-  
tion can be dang-  
Do not mix with al-  
as directed in pre-  
duct is present in p-  
other chemical th-  
chemicals directly  
chemicals must b-  
first carefully rem-  
place this produ-  
chemicals are flus-  
tem. Do not add  
closed container.  
a small amount of  
generated may ca-

WA

NET

3

EPA Re

S

vide a shock treatment to  
due to the presence of  
neglect, or the presence  
e.

G ON VINYL LINERS  
S THAT REACH POOL  
DISSOLVE.

floating, suspended and  
esent by use of a hand  
e.

e rate of 1 lb. per 6,000  
t Hard over the surface of  
nuously being careful to  
pump if suction is im-  
ncy for the filter to clog  
algae. Backwash filter if  
second day if necessary.  
e third day consult your  
his product for further  
rine dosages till residual

OF CHILDREN  
OPEN FLAME  
PLACE

f swallowed. Contact with  
contamination from any  
e release of irritating and  
. Do not get in eyes or  
re-use. Rinse container  
In case of spillage sweep  
er or flush down toilet.  
with copious amounts of


quantities of water or milk  
vegetable oil, or beaten

ate area with cold water  
ge amounts of cold water.

POOL CHEMICALS

ot discharge treated eff-  
, streams or ponds.

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**  
SEE ANTIDOTE STATEMENT AND OTHER  
REQUIRED WARNING STATEMENTS ON BACK PANEL



# HIT HARD

## (SHOCK TREATMENT)

Designed to be used in . . .

- Pools with green water due to algae
- Pools with visible algae on floor and sides
- Pools starting up using water from previous season
- Pools freshly filled that are green or brown due to mineral impurities
- Pools with cloudy water
- Pools as a periodic shock treatment in regular maintenance

ACTIVE INGREDIENT: 70% Calcium Hypochlorite  
INERT INGREDIENT: 30%  
70% Available Chlorine      Add directly to water.  
Avoid contact with any other chemicals.

ALDEN - LEEDS, INC. 55 JACOBUS AVENUE, SO. KEARNY, N. J. 07032

UNDER THE FEDERAL INSECT  
PUNGICIDE AND RODENTICIDE ACT  
ECONOMIC POISON REGISTER  
NO. 7124-29

## WARNING

This material because of its potent formula-  
tion can be dangerous if not used properly.  
Do not mix with any other chemicals. Use only  
as directed in prescribed feeders. If this prod-  
uct is present in pool skimmer do not add any  
other chemical through skimmer. Add other  
chemicals directly to pool at deep end. If other  
chemicals must be added through skimmer,  
first carefully remove this product. Do not re-  
place this product in skimmer until other  
chemicals are flushed completely through sys-  
tem. Do not add water to this product in any  
closed container. Do not add this product to  
a small amount of water in a pail. The gas  
generated may cause an explosion.

NET WEIGHT

3 LBS.

E P A Reg. No. 7124 29

## DIRECTIONS

Adjust and maintain pH of pool water at 7.2 to 7.6 as determined by a test kit.

For newly filled pool use at the rate of 2 quarts per 20,000 gallons to impart 1.0 ppm of available chlorine to the pool water. Repeat dosage, if necessary, until a chlorine residual of 1.0-1.5 ppm is obtained as determined by a test kit. Thereafter use at the rate of 1 quart per 20,000 gallons of pool water daily or as needed to maintain 1.0 to 1.5 ppm as determined by use of a proper test kit. Add directly to pool water near inlet to aid dispersion.

This product degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

E.P.A. Reg. No 7124-30

**ALDEN - LEEDS, INC.**

55 JACOBUS AVENUE, SO. KEARNY, N. J. 07032

