

**New Fire Resistant
Nu-Clo
Concentrated Pool Chlorine**

- Features a dry chlorine that dissolves immediately
- A most effective germicide and algacide
- Will not cause cloudiness in water
- Will not add scale forming minerals in the water
- Will maintain your pool crystal clear
- Flame-resistant

The control of pH is greatly simplified using NU-CLO Concentrated Pool Chlorine. In fact you will require from 1/2 to 1/4 the amount of acid usually applied. NU-CLO Concentrated Pool Chlorine provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply NU-CLO Concentrated Pool Chlorine less often.

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. NU-CLO Concentrated Pool Chlorine per 1,000 gallons of pool water. The next morning, add NU-CLO cyanuric acid at the rate of 4 oz. per 1,000 gallons to stabilize the pool.

NU-CLO Concentrated Pool Chlorine should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in a pail.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 oz. of NU-CLO Concentrated Pool Chlorine per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.



NEW FIRE RESISTANT

Concentrated Pool Chlorine

GRANULAR CHLORINE

ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE ...100%

AVAILABLE CHLORINE 56%

CONTENTS: NET WEIGHT 2 LBS. (32 OZ.)

Repackaged by:

ALDEN LEEDS, INC. 55 JACOBUS AVE., SO. KEARNY, N. J. 07032

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive Causes eye damage. Do not get in eyes or on skin. Do not breathe vapors. May cause skin, nose and throat irritation. Fatal if swallowed. May cause burns on skin.

FIRST AID

In case of personal contact remove contaminated material and flush skin or eyes with water for at least 15 minutes. For eye irritation seek medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked rice followed by olive oil or cooking oil. Do not induce vomiting unless directed by a physician immediately.

DANGER

Strong oxidizing agent. Moisture may liberate irritating and chlorine-containing gases. Decomposes at 350-475°F with liberation of hazardous fumes. In case of decomposition, if possible, move container in open air or well ventilated area. Flood with large volume of water immediately. Mix only with water directly in pool. Do not mix in a pail. Do not mix with other chemicals. Use only dry clean utensils. Store in a cool dry place when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. The effluent water should not be discharged into lakes, streams or public water. Do not contaminate ground water. Do not use for cleaning of equipment or disposal.


Apply this product only as specified on label.

E. P. A. Reg. No. 7124

esistant
 lo
 Pool Chlorine
 e that dissolves
 icide and algaecide
 ess in water
 ning minerals in th
 d crystal clear

atly simplified using
 ol Chlorine. In fact
 to 1/4 the amount of
 J-CLO Concentrate
 more stable form of
 enance of an effec-
 pool water for disin-
 less storage space
 rength regardless of
 nical to use in that,
 d, you will need to
 ed Pool Chlorine less

INSTRUCTIONS
 Pool, superchlorinate
 d and to establish a
 m to 1.5 ppm avail-
 lish this, add 2 oz.
 l Chlorine per 1,000
 e next morning, add
 the rate of 4 oz. per
 the pool.
 l Chlorine should be
 at the rate of 1/8 to
 pool water to main-
 at all times of 1.0
 mined by a suitable
 maintained between
 ge should be broad-
 pool. Apply dosage
 not mix in a pail.
 be made every week
 er heavy rains. Less
 i may be made dur-
 e shock treatment,
 entrated Pool Chlor-
 pool water. Swimmers
 n the pool after the
 e chlorine residual
 to 2.0 ppm range.
 t flexibility must be
 of heavy accumula-
 used by storms or
 i which require ad-
 ed to maintain the
 1.0 ppm and 2.0



**UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. 7124-31**

NEW FIRE RESISTANT

Concentrated Pool Chlorine

GRANULAR CHLORINE

ACTIVE INGREDIENT
 SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE ...100%
 AVAILABLE CHLORINE 56%

CONTENTS: NET WEIGHT 2 LBS. (32 OZ.)



**Repackaged by:
 ALDEN LEEDS, INC. 55 JACOBUS AVE., SO. KEARNY, N. J. 07032**

DANGER
KEEP OUT OF REACH OF CHILDREN

Corrosive Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID

In case of personal contact remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Clean contaminated clothing before reuse.
 If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call a Physician immediately.

DANGER

Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350-475°F with liberation of harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary.
 Mix only with water directly in pool. Do not mix in a pail. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool dry place. Keep closed when not being used.
 Do not reuse container. Rinse empty container thoroughly with water and discard.
 This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.
 Apply this product only as specified on this label.

E. P. A. Reg. No. 7124-31

CHLORINE

ACTIVE INGREDIENT: CHLORINE 100%



NET CONTENTS pounds

"EPA Reg. No. 7151-4"

DANGER-POISON

KEEP OUT OF REACH OF CHILDREN

NONFLAMMABLE LIQUID AND GAS UNDER PRESSURE

Do not heat container

Do not breathe air containing this gas

Do not store in or near furnace room Do not get in eyes or on skin

Have available gas masks approved by the U. S. Bureau of Mines for chlorine service.

Handle and use only in accord with practice recommended in the Chlorine Manual published by The Chlorine Institute, Inc., New York.

IN CASE OF EXPOSURE, move patient to fresh air, keep him warm and quiet. Call a Physician.

DISTRIBUTED BY **ALEXANDER CHEMICALS**

DIVISION OF NORTH AMERICAN CAR CORP.

77 S. WACKER DRIVE

CHICAGO, ILL. 60606

ACCEPTED

5-5-72

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR THE YEAR 1972 BY THE REGISTERED
ED UNDER NO. 7151-4