

BCP

KEEP YOUR POOL CLEAR & SANITARY

DIRECTIONS

1. Adjust pool water pH to 7.2 to 7.6 as necessary with pH Increaser or Pool Acid.
2. Proper conditioning of pool water with POOL CONDITIONER & STABILIZER is necessary to ensure maximum effectiveness of pool chlorine. To freshly filled or previously unconditioned and stabilized pool water add 1½ lbs. of CONDITIONER & STABILIZER for each 5000 gallons of pool water capacity.
3. To a pH adjusted and preconditioned pool as recommended in steps 1 & 2, add 2 oz. Granular Chlorine for every 4000 gals. of fresh water to super chlorinate and satisfy the chlorine demand of the fresh water. Test water after 1 to 4 hours with a chlorine test kit. If there is no chlorine residual recheck pH with test kit and readjust as in step 1. Repeat above chlorine dosage until a reading of 0.8 ppm or more residual chlorine is found with test kit. Thereafter periodically add 2 oz. Granular Chlorine for each 8000 gallons of water daily or as needed to maintain 0.8 to 1.5 ppm residual chlorine at all times. Add Granular Chlorine by broadcasting at the deep end of the pool by the main drain or through the skimmer. It will dissolve quickly, leaving no residue, contains no scale forming minerals. Test water at least daily for pH as well as chlorine residual as pH has a direct effect on chlorine action. 2 oz. of Granular Chlorine added to 8000 gallons of pool water will provide 1.1 ppm available chlorine.

FB

Pool Brite

STABILIZED CHLORINE GRANULAR


Active Ingredient: Sodium Dichloro S-Triazine Trione 100%
 Inert Ingredient: None

NET WT. 5 10 25 50

WARNING: KEEP OUT OF REACH OF CHILDREN
 SEE PANEL FOR ADDITIONAL PRECAUTIONS

7124-41

Pool Brite



NET WT.
5 10 20 LBS.

STABILIZED
CHLORINE GRANULAR

Active Ingredient Sodium Dichloro S-Triazinetrione 100%
Inert Ingredient None

WARNING - KEEP FROM REACH OF CHILDREN
SEE INSTRUCTIONS FOR ADDITIONAL PRECAUTIONS

U.S.D.A. Reg. No. 9556-6

WARNING

Harmful if swallowed. Strong oxidizing material. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Avoid breathing dust. Contact with organic matter may cause fire. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Keep away from open flame. Keep container closed and in a cool dry place when not in use. Do not reuse container. Destroy when empty.

POISON

External antidote — Immediately flush with plenty of cold water.

Internal antidote — Feed bread soaked in milk followed by olive oil or cooking oil.
Call a physician.

Manufactured for

Ortex Products Inc.

560 Ferry St., Newark, N. J. 07105