



UNDER THE 1. ANSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNDER NO.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing, Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after

FIRST AID (PRACTICAL TREATMENT): If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by alive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals, or any foreign matter, may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

SPECIAL PRECAUTIONS (PLEASE READ)

- 1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
- 2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through the skimmer or in a prescribed feeder to avoid discoloration of liner or paint
- 3. When adding this product to skimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
- 4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
- 5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high
- 6. This product, because of its potent formulation, can be dangerous if not used properly. Do not mix with any other chemicals. This could result in a violent chemical reaction. Do not add water to this product in a closed container. Do not add this product to a small amount of water in a pail. When adding this product to skimmer make sure pump is on and water is circulating so that material is drawn into recirculation system. Do not allow build-up of dry material in skimmer as gases generated may cause an explosion.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible, and flood with large amounts of water. Do material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.



## 7 DAY SLOW DISSOLVING CHLORINATING TABLETS

ACTIVE INGREDIENT Trichloro-s-triazinetrione.....

\*Provides 85% Available Chlorine KEEP OUT OF REACH OF CHILDREN

SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON SIDE PANEL **BEFORE OPENING CONTAINER** 

NET WEIGHT & LBS. (64 OZ.)

DIRECTIONS FOR USE It is a violation of federal law to use this product in a manner inconsistent with its labeling

## Designed to be used in Floating or Automatic Chlorinators Continuous 24 hour available chlorine residuals/100% soluble Once a week application or as needed

- 1. Adjust water pH to 7.2-7.6 as determined by a test kit. For pools with copper plumbing best pH factor is 7.6-7.8.
- 2. If the pool has not been previously stabilized add conditioner and stabilizer (cyanuric acid). Follow the directions for use on the label for that product.

  3. Secure chlorinator in the area of pool that is agitated by return flow from filter. If residual remains too high, chlorinator should be moved further from the agitated area which will slow the dissolving action of the tablets.
- 4. In newly filled pools, follow steps 1 through 3 then add 2 tablets per 7,500 gallons of pool water to establish a chlorine residual of 1.0 to 1.5 p.p.m. as determined by a test kit. repeat dosages as needed to maintain a residual of 1.0 to 1.5 p.p.m. at all times. Thereafter, add tablet per 7,500/gallons per week or as needed to maintain chlorine residual of 1.0 to 1.5 p.p.m. at all times as determined by a test kit. For pools with stabilizer, follow steps 1 and 3

then add 1 tablet per 7.500gallons per week or as needed to maintain a chlorine residual of 1.0 to 1.5 p.p.m. at all times as determined by a test kit.

Please note: The pH of 7-Day slow dissolving chlorinating tablets is on the acid side and will tend to reduce the pH and alkalinity of the pool water. Proper pH should be maintained at pH 7.2 to 7.5 as determined by a test, by periodic additions of sodium carbonate or sodium places and the purpose of the periodic additions of sodium carbonate or sodium.

Each tablet weighs 227 grams or 8.0 ounces.
Use also in Automatic Divert-A-Trol chlorine feeder

E.P.A. Reg. No. 7124-53 E.P.A. Est. No. 7124-N.J.-1

6/8

ORTEX PRODUCTS DIV. OF ALDEN LEEDS INC. 55 Jacobus Ave., So. Kearny N.J. 07032