# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAR 3 0 2004

Mr. Mark Visconti Alden Leeds, Inc. 55 Jacobus Avenue South Kearny, N.J. 07032

Subject:

Nuclo Quick Dissolving, Chlorinating Tablet One-A-Day 5,000 Gal.

EPA Registration Number 7124-61

Application Date: 2/2/04 Receipt Date: 2/17/04

Dear Mr. Visconti:

The following submission submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

To update the "First Aid" Statement in accordance with PR Notice 2001-1

# **General Comments**

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

Emily Mitchell Acting Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510C)

CONCURRENCES								
SYMBOL		15/02					* *********	
SURNAME )		E Mulin	,					
DATE		3/2/24						

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

\*U.S. Government Printing Office: 1992 - 620-856/4067



# Quick Dissolving, Chlorinating TABLET One-A-Day 5,000 gal.

**ACTIVE INGREDIENT:** 

Trichloro-s-Triazinetrione:\*... 66.0% OTHER INGREDIENTS: .......34.0% \* Frovides 59% Available Chlorine

NET WT. 6 LBS. (2.7 kg)

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE FIRST AID STATEMENT AND OTHER

PRECAUTIONS ON BACK PANEL

BEFORE OPENING CONTAINER

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive Causes irreversible eye damage. Causes burns. Harmful it swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, tace shield or safety glasses. Wear protective ciothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID:
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have persons judgess of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING: Take off contaminated clothing, flines skin immediately with plenty of water tor 15-20 minutes. Call a poison control center or doctor for

IF INIALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye, Call a poison control center or doctor for treatment advice.

Note to physician Probable mucosal damage may

contraindicate use of gastric lavage

Commandate so a gaster, dayer.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System INPDES) permit and the permitting authority has been notified in writing prior to discharge or not discharge effluent containing this product to sewer systems without previously notifying the local sewage truatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG

OXIDIZING AGENT. Mix only with water. Use clean dry utensits. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a wident reaction leading to fine or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gasses and possible generation of five and explosion.

# SPECIAL PRECAUTIONS PLEASE READ BEFORE OPENING CONTAINER PREVENTION OF PHYSICAL INJURY

PREVENTION OF PHYSICAL INJURY

1. This product emits a powerful chlorine gas. Do not

open container indoors:
-Hold away from face when opening to avoid breathing tumes.

This product is dangerous when not used properly:

### MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY REQUIRING HOSPITALIZATION RELATED COMPLICATIONS MAY LEAD TO DEATH

Do not mix with any other chemicals
Mixing with other chemicals may cause a violent and
instantaneous chemical reaction
Do not add water to this product
Do not add this product to water in a pail
Do not take advice from others.
Do not experiment
Follow label instructions exactly.

PREVENTION OF PROPERTY DAMAGE: Contact between this product in its undissolved state and viny! liners, painted surfaces or other property in or around the pool will result in permanent bleaching of the color.



## **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. Adjust water pH to 7.2 - 7.6. For pools with copper plumbing best pH factor is 7.6 -7.8.

2 If the pool has not been previously stabilized with conditioner and stabilizer (cyanuric acid) add correct dosage. Follow the directions for use on the label for that product.

Dose using the method below best suited for your particular pool:

INITIAL DOSE: Add three tablets for every 5,000 gallons of pool water. Each tablet weighs 32 grams. This should be sufficient to satisfy demand of raw water in establishing a chlorine residual. It there is no chlorine residual on the following day repeat dosage until chlorine residual of 1 ppm-1.5 ppm is found 24 hours later prior to any additional dosages. Test water frequently with a reliable test kit.

MAINTENANCE DOSE: Thereafter, feed one tablet per 5,000 gallons daily or as needed to maintain a minimum chlorine residual of 1.0 ppm to 1.5 ppm as determined by a test kit. During heat waves or periods of heavy bathing load, more tablets will be required per day to maintain chlorine residual. Also check pH to keep in proper range, as oH has a direct effect on chlorine action. These tablets reduce the need for addition of chemicals to adjust oH, but pH should be brought back into range if it falls or climbs due to rain, makeup water, wind blown dust, or any other reason. Reentry into treated swimming pools is prohibited above 'evels of 3 ppm of chlorine.

Application should be made using one of the following methods:

FLOATING CHLORINATOR: An appropriate floating chlorinator is one that is designed for quick dissolving tablets. Follow the manufacturers directions for use

SKIMMER METHOD: Empty skimmer of all chemicals and/or debris. Make sure the filter is on and that water is properly recirculating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Place tablets in skimmer, they will dissolve in approximately 15 minutes.

# POOL GALLON CALCULATOR (all dimensions in feet)

Square or Rectangular: Length x Width x Average Depth x 7.5 = Gallons Round or Oval: Length x Width x Average Depth x 5.9 = Gallons

STORAGE AND DISPOSAL: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible and flood with large amounts of water. Do not reuse empty container. Binse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area.

EPA REG. NO. 7124-817 [7] E.P.A. EST. NO. 7124-817 [7] [7]

MAR 30 2004

in Sungicide, and

THE FACTORY THANKS YOU FOR BUYING NU•CLO PRODUCTS FOR

nucle " 7124-6

Manufactured by: ALDEN LEEDS, INC. 55 Jacobus Ave., So. Kearry, NJ 07032