
7124-61





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 9, 2010

Mark Visconti Alden Leeds, Inc. 55 Jacobus Avenue South Kearny, NJ. 07032

Subject:

Nuclo Quick Dissolving Chlorinating Tablet One-A-Day 5,000 gallon

EPA Registration 7124-61

Application Date: September 1, 2010

Dear Mr. Visconti:

The Agency has reviewed your submission in accordance with continuing registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as amended, and determined the action to be acceptable with the following conditions:

- Move the Precautionary Statements for Hazards to Humans and Domestic Animals section underneath the First Aid statements directly above the Environmental Hazards.
- Under Hazards to Humans and Domestic Animals, change "Wash thoroughly with soap and water after handling" to "Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."
- In accordance with PR Notice 2007-4 revise the Storage and Disposal instructions as follows:

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container, tightly closed away from heat or open flame. Store in a cool, dry, well ventilated place. Keep container off wet floors. PESTICIDE DISPOSAL: Do not put spilled product, filled or partially filled containers in the trash. In case of decomposition, isolate container in open area if possible and flood with large amounts of water. Dispose of waste material according to label use directions otherwise call 1-800-CLEANUP for guidance from your local solid waste agency.

• Under CONTAINER DISPOSAL change 3/4 full to 1/4 full.

In summary, your request to update the Storage and Disposal instructions is approved.

A stamped copy of the labeling accepted with conditions is enclosed. Submit one copy of your final printed labeling before distributing or selling the product bearing the revised labeling. If you have any questions, please contact Tom Luminello by telephone, (703) 308-8075, or by e-mail at luminello.tom@epa.gov.

Sincerely,

Vanda Y. Henson

Acting Product Manager 32

Regulatory Management Branch II Antimicrobials Division (7510 P)



Quick Dissolving, Chlorinating TABLET One A Day 5 000 gal

One-A-Day 5,000 gal.

ACCEPTED
with COMMENTS
m EFA Lener Dotted:

DEC 0 9 2010

ACTIVE INGREDIENT:

Trichloro-s-triazinetrione:*... 66.0% OTHER INGREDIENTS:34.0% TOTAL:100.0%

* Provides 59% Available Chlorine

NET WT. 6 LBS. (2.7 kg)

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON BACK PANEL BEFORE OPENING CONTAINER

the the Reder-Lingeoficide,
the control to control of the second of the posticide,
the control of the posticide,
the control of the control o

1200 F

DANGER: Corrosive: Causes irreversible eye damage. Causes burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear gogales, face shield or safety glasses. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. - see lefter

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment

Note to physician: Probable mucosal damage may contraindicate use of gastric lavage.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge.

Do not discharge effluent containing this product to discharge effluent containing this product to TEPTE to sewer systems without previously notifying the local Section sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gasses and possible generation of fire and explosion.

SPECIAL PRECAUTIONS PLEASE READ BEFORE OPENING CONTAINER PREVENTION OF PHYSICAL INJURY

1. This product emits a powerful chlorine gas. Do not open container indoors:

-Hold away from face when opening to avoid breathing fumes.

2. This product is dangerous when not used properly:

MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY REQUIRING HOSPITALIZATION RELATED COMPLICATIONS MAY LEAD TO DEATH

Do not mix with any other chemicals Mixing with other chemicals may cause a violent and instantaneous chemical reaction Do not add water to this product Do not add this product to water in a pail Do not take advice from others. Do not experiment Follow label instructions exactly.

PREVENTION OF PROPERTY DAMAGE: Contact between this product in its undissolved state and vinyl liners. painted surfaces or other property in or around the pool will result in permanent bleaching of the color.

DIRECTIONS FOR USE

use may cause a violent reaction leading to fire or 1. Adjust water pH to 7.2 - 7.6. For pools with copper plumbing best pH factor is 7.6 -7.8.

in a manner inconsistent with its labeling.

2. If the pool has not been previously stabilized with conditioner and stabilizer (cyanuric acid) add correct dosage. Follow the directions for use on the label for that product.

3. Dose using the method below best suited for your particular pool:

INITIAL DOSE: Add three tablets for every 5,000 gallons of pool water. Each tablet weighs 32 grams. This should be sufficient to satisfy demand of raw water in establishing a chlorine residual. If there is no chlorine residual on the following day, repeat dosage until chlorine residual of 1 ppm-1.5 ppm is found 24 hours later prior to any additional dosages. Test water frequently with a reliable test

per 5,000 gallons daily or as needed to maintain a Do not reuse or refill this container. Triple rinse minimum chlorine residual of 1.0 ppm to 1.5 ppm as determined by a test kit. During heat waves or Triple rinse as follows: Empty the remaining periods of heavy bathing load, more tablets will be contents into application equipment or a mix tank. required per day to maintain chloring residual. Also Fill the container/3/4 full with water and recap. check pH to keep in proper range, as pH has a Shake for 10 seconds. Pour rinsate into application direct effect on chlorine action. These tablets equipment or a mix tank or store rinsate for latter reduce the need for addition of chemicals to adjust use or disposal. Drain for 10 seconds after the flow pH, but pH should be brought back into range if it—begins to drip. Repeat this procedure two more falls or climbs due to rain, makeup water, wind times. Offer for recycling, if available, or discard in blown dust, or any other reason. Reentry into trash. treated swimming pools is prohibited above levels of 3 ppm of chlorine.

Application should be made using one of the following methods:

FLOATING CHLORINATOR: An appropriate floating chlorinator is one that is designed for quick dissolving tablets. Follow the manufacturer's directions for use.

EXIMMER METHOD: Empty eximmer of all It is a violation of federal law to use this product "chemicals and/or debris. Make sure the filter is on and that water is properly recirculating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Place tablets in skimmer, they will dissolve in approximately 15 minutes.

POOL GALLON CALCULATOR (all dimensions in feet)

Square or Rectangular: Length x Width x Average Depth x 7.5 = Gallons Round or Oval:

Length x Width x Average Depth x 5.9 = Gallons

STORAGE AND DISPOSAL: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible and flood with Jarde amounts of water

MAINTENANCE DOSE: Thereafter, feed one tablet CONTAINER DISPOSAL: Nonrefillable container. container (or equivalent) promptly after emptying.

> E.P.A. REG. NO. 7124-61 E.P.A. EST. NO. 7124-NJ-1

THE FACTORY THANKS YOU FOR BUYING NU•CLO PRODUCTS.

nu·clo.

Manufactured by: ALDEN LEEDS. INC. 55 Jacobus Ave., So. Kearny, NJ 07032

Under the Paders' ".... Functions :

1174-61