

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed, contacted in eyes, or inhaled or clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact the regional office of EPA.

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. It is possible that the container is open and well-ventilated area. Flood with large volumes of water if necessary.

If swallowed, feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

1. This product has a powerful chlorine odor. Move away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and any non-painted surfaces will result in etching of the surface. Introduce this product through the skimmer or in a prescribed feeder to avoid discoloration of the surface.
3. When adding this product to skimmer or feeder, make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush walls and floor to expose a gas that may be in cracks or wrinkles that might protect a gas from high chlorine residual. Such protected gas will begin to reproduce again when high chlorine residual falls.
6. This product, because of its potent formulation, can be dangerous if not used properly. Do not

FOR SPARKLING POOLS

WUCLO

QUICK DISSOLVING CHLORINATING TABLETS

ONE-A-DAY 10,000 GALLONS

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE
100% AVAILABLE CHLORINE
100% AVAILABLE CHLORINE
EPA REG. NO. 7124-63-00

**KEEP OUT OF REACH OF CHILDREN.
DANGER**
SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON SIDE PANELS BEFORE OPENING CONTAINER

NET WEIGHT 15 LBS

Do not mix with other chemicals. This product may have a violent chemical reaction. Do not add water to this product. If it is necessary to add water to this product, add a small amount of water in a container that is not used for swimming pool chemicals. Do not use this product in a swimming pool unless the water is clear and the water is not too hot. Do not use this product in a swimming pool unless the water is clear and the water is not too hot.

ONE-A-DAY SHOULD BE ALL THAT YOU NEED

Adjust pool water pH to 7.2-7.6. For pools with copper plumbing, best pH is 7.2-7.4. If the pool has not been previously stabilized with Stabilizer and Conditioner, cyanuric acid and the correct dosage. Follow the directions for use on the label for that product. Add 3 tablets for every 10,000 gallons of pool water. Each tablet weighs 2.50 ounces. This is the minimum necessary dose and may vary with the hardness of the water. If there is no chlorine residual in the pool, repeat dosage until chlorine is found on the following day. Before feeding, wash the amount of 100 ppm. If the water is too hot, use 1 tablet per 10,000 gallons daily. This is needed to maintain a minimum chlorine residual of 1.0 ppm to 1.5 ppm as determined by test kit. During heat waves or periods of heavy bathing, add more tablets as determined by test kit. Maintain chlorine residual. A shock dose to keep in proper range as pH has a direct effect on chlorine action. These tablets reduce the need for addition of chemicals to adjust pH. Butch should be brought back to range if it is too high due to rain, make up water, wind blown dust, or any other reason. Add tablets through skimmer or in an appropriate floating chlorinator. Tablets will dissolve in approximately 15 minutes.

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, so the container is shatterable and flood with large amount of water to dissolve all material before disposing. Place in trash container and dispose in approved area or bury in a safe place.

EPA REG. NO. 7124-63-00
EPA REG. NO. 7124-63-00

MARLBOROUGH, ALDEN, LEEDS, NC
10000 Ave. S., Albany, N.Y. 12212

11

7124-63-00
11/11/11