

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.
2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through the swimmer or in a prescribed feeder to avoid discoloration of liner or paint.
3. When adding this product to swimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.
4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.
5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual fades.
6. This product, because of its potent formulation, can be dangerous if not used properly. Do not

NET WEIGHT 40 LBS

Abstract—The purpose of this study was to determine if there were differences in the prevalence of musculoskeletal disorders between two groups of nurses working in different departments of a hospital. The study included 100 nurses from the intensive care unit (ICU) and 100 nurses from the medical-surgical department. Data were collected through a self-administered questionnaire. Results showed that the prevalence of musculoskeletal disorders was higher among ICU nurses than among medical-surgical nurses. This finding suggests that the work environment in the ICU may contribute to a higher risk of developing musculoskeletal disorders.

111