

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water if necessary.

If swallowed feed bread soaked in milk followed by water or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

1. This product has a powerful chlorine odor. Hold away from face when opening to avoid breathing fumes.

2. Prolonged contact between this product in its undissolved state and vinyl liners or painted surfaces will result in bleaching of the vinyl or paint. Introduce this product through the skimmer or in a prescribed feeder to avoid discoloration of liner or paint.

3. When adding this product to skimmer or feeder make sure there are no other chemicals present as a violent reaction may occur. It is always dangerous to mix chemicals.

4. Use this product as directed as per instructions on label. Do not take advice from others or experiment by yourself.

5. If this product is used to shock or superchlorinate a pool, after treatment it is important to brush walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residual. Such protected algae will begin to reproduce again when high chlorine residual falls.

6. This product, because of its potent formulation, can be dangerous if not used properly. Do not

FOR SPARKLING POOLS



QUICK DISSOLVING CHLORINATING TABLETS

ONE-A-DAY 35,000 GALLONS

ACTIVE INGREDIENT

Trichloro-s-triazine-triazin

VERT. INGRED. ENT

*Provides 60% A.V. as a sanitizer

BACTERICIDE-ALGAEKILLER-DEINFECTANT

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE FIRST AID STATEMENT AND OTHER
PRECAUTIONS ON SIDE PANELS
BEFORE OPENING CONTAINER

NET WEIGHT 40 LBS

Do not mix with other chemicals. This could result in a violent chemical reaction. Do not add water to this product in its undissolved state. Do not add this product to a small amount of water in a pail. Always, when using this product in a skimmer, make sure pump is on and water is circulating so that water is drawn into recirculation system. Do not allow build up of dry material in skimmer as fumes generated may cause an explosion.

ONE-A-DAY SHOULD BE ALL THAT YOU NEED

1. Adjust pool water pH to 7.2-7.6. For pools with copper plumbing best pH factor is 7.5-7.8.

2. If the pool has not been previously shocked with Stabilizer and Conditioner, Cyanuric and add the correct dosage. Follow the directions for use on a label for that product.

3. Add 1 tablet for every 35,000 gallons of pool water. Each tablet weighs 8.75 ounces. This should be sufficient to satisfy demand of raw water and establish a chlorine residual. If there is no chlorine residual on the following day repeat dosage until chlorine is found on the following day before feeding at least the amount of 1.00 p.p.m. thereafter use 1 tablet per 35,000 gallons daily, unless needed to maintain a minimum chlorine residual of 1.00 p.p.m. to 1.5 p.p.m. as determined by test kit. During heat waves or periods of heavy bathing load, more tablets will be required per day to maintain chlorine residual. Also check pH to keep in proper range as pH has a direct effect on chlorine action. These tablets reduce the need for addition of chemicals to adjust pH. But pH should be brought back to range if it is so low as to cause a make-up water and blow dust or any other reason. Add tablets through skimmer or in an appropriate floating chlorinator. Tablets will dissolve in approximately 15 minutes.

4. Keep product dry in tightly closed container when not in use. Store in a cool dry, well-ventilated area away from heat or open flame. In case of decomposition isolate container if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

9-80

EPA REG. NO. 7124-66-AA
EPA EST. NO. 7124-A-1

Manufactured by ALGEN LEEDS, INC.
55 Lakewood Ave. So. Kearny, N.J. 07032

AC-CP-1

7/24-68
001 2 4 1340

ALGEN LEEDS, INC.
55 Lakewood Ave. So.
Kearny, N.J. 07032