

<p>ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREГИSTRATION</p> <p>Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended</p>	<p>EPA REGISTRATION NO. 7124-72 TERM OF REGISTRATION</p> <p>6/30/94</p> <p>NAME OF PESTICIDE PRODUCT 7 Day Slow Dissolving Chlorinating Tablets One-A- Week 15,000 Gallons</p>
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <p>Alden Leeds, Inc. 55 Jacobus Avenue South Kearny, NJ 07032</p>	
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>	
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.</p> <p>Make the following labeling changes before you release the product for shipment:</p> <ol style="list-style-type: none">1. Revise the precautionary and practical treatment statements in your labeling in accordance with the enclosed Attachment A. <p>A stamped copy of the product label is enclosed for your records.</p> <p>Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.</p> <p><input type="checkbox"/> ATTACHMENT A APPLICABLE</p> <p>SIGNATURE OF APPLICANT (OFFICIAL) _____ DATE _____</p>	

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



Ruth G. Douglas
Product Manager 32
Antimicrobial Program Branch
Registration Division (7505C)

Enclosures

ISOCYANURATE RED ATTACHEMENT A

LABELING: (Statements are based on review of referenced acute toxicity data)

1. The signal word is "DANGER"

(2) Revise the Precautionary Statements to read *(in the paragraph beginning with "DANGER")*

DANGER: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

(3) Revise the Statement of Practical Treatment to read:

STATEMENT OF PRACTICAL TREATMENT.


IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



7 DAY SLOW DISSOLVING CHLORINATING TABLETS

ONE-A-WEEK 15,000 GALLONS

Designed to be used in Floating Chlorinators • Continuous 24 hour available chlorine residuals • 100% Soluble • Once a week application or as needed

nu-clo

ACTIVE INGREDIENT:
Trichloro-S-Triazinetrione
& Related Compounds* 99.0%
INERT INGREDIENT: 1.0%
* Provides 89% Available Chlorine

NET WT. ■ 40 LBS. (18 kg)
NET WT. ■ 50 LBS. (22.5 kg)

**KEEP OUT OF REACH
OF CHILDREN
DANGER**

SEE FIRST AID STATEMENT AND
OTHER PRECAUTIONS ON BACK PANEL
BEFORE OPENING CONTAINER

BEST AVAILABLE COPY



✓ UV Stabilized - 24 hour chlorine residual:

✓ Disinfects, kills algae and bacteria

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

PRACTICAL TREATMENT: First Aid: If swallowed: Promptly drink a large quantity of water. Do not induce vomiting. Avoid alcohol. Call a physician immediately. If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention. If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry tools. Do not add this product to any dispensing device containing remnants of any other product. Such combination may start a violent reaction leading to fire or explosion. Contamination with strong organic matter and other chemicals may start a chemical reaction with generation of heat, formation of hazardous gaseous products, or generation of fire and explosion.

**PLEASE READ BEFORE OPENING CONTAINER
PREVENTION OF PHYSICAL INJURY**

MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY REQUIRING HOSPITALIZATION.

RELATED COMPLICATIONS MAY LEAD TO DEATH

On 10/16/80, "The Boston Globe"

May 16th: "The morning's may cause a violent and instantaneous storm" - a lightning

Copyright © 1997 by John Wiley & Sons, Inc.

Do not add to speed of travel in a car.

Do not take advice from others.

Second experiment: Examine late postnatal effects of

PREVENTION OF PROPERTY DAMAGE. Contact between the production is to be maintained to prevent damage to other property, including the party's health, property, or equipment.

These tablets are manufactured with the most concentrated form of dry chlorine available today. They are consistent in size and slow dissolving in nature to allow you to reliably dose your pool from a convenient 1" tablets contain no odor and a stabilizer that prevents ultra violet light from breaking down the chlorine from the pool for up to 90 days. These tablets allow you to easily maintain proper chlorine residuals and help you to produce beautiful, clear sparkling water.

It is in violation of federal law to use this product in a manner inconsistent with its labeling.

1. Adjust water pH to 7.2-7.6 as determined by a test kit. For pools with copper plumbing, adjust to 7.2-7.4.

2. If the part has not been previously stabilized and Conditioner and Stabilizer have not been applied, follow the directions for use on the label for that product.

UNSTABILIZED POOLS: Follow steps 1 and 2 and then add two (2) tablets per 15,000 gallons of water. Wait 12 hours and then test the residual. If 1.0-1.5 ppm as determined by test kit. Repeat dosages as needed until the residual is 1.0-1.5 ppm at all times. Therefore, add (1) tablets per 15,000 gallons per week or as needed to maintain a chlorine residual of 1.0-1.5 ppm at all times as determined by a test kit.

STABILIZED POOLS: Follow step 1 and then add 1) test per 15,000 gals. per week to maintain a chlorine level of 1.0-1.5 ppm at all times as determined by a test kit. Maintain a consistent level of free chlorine in the water to avoid many problems caused by varying pool water conditions. Factors such as air and water temperature, bather load, frequency and intensity of rain or other interstorms and pool exposure to sunlight will all affect chlorine demand. Adjusting the chlorine level according to the weather and less frequent dosing periods according to instructions provided with the test kit. Chlorine should be maintained with the test kit provided at the low end of the scale 1.0 ppm.

Application should be made using one of the following methods:

FLOATING CHLORINATOR Load floating chlorinator with prescribed dosage as per label. Place floating chlorinator. Allow chlorinator to float freely. It will increase chlorination by 100% in 24 hours. To insure proper chlorination, ventilate area of the pool. Decrease chlorination by decreasing dosage and increase dosage if necessary. Do not use in areas of high ventilation.

IN-LINE EROSION CHLORINATOR - This product changes into differential and differential control, and is used with the generator. An external controller controls valves to a dual manifold which directs the flow of chlorine.

Please Note: The correlation statistics in the analysis and are intended to represent the correlation between the two variables. The correlation coefficient of 0.7276 is determined by a test statistic.

1. The first step is to identify the problem or question that needs to be answered.

POOL GALLON CALCULATOR all dimensions in feet

For $\alpha = 1$, the above result reduces to the following:

① 1992年10月1日起，凡在境内销售应税消费品的单位和个人，均应按销售额征收消费税。

STORAGE AND DISPOSAL: Keep and store in tightly closed containers when not in use. Do not store near food, feed, or water. Dispose of decompression equipment in accordance with applicable regulations. Do not dispose of empty cylinders in the trash. Empty cylinders should be thoroughly washed with water before discarding. Place in trash only if completely empty and approved by local agency.

004 050 10 7124 72

57457 507219.2

nu. clo

Manufactured by **ALDEN LEEDS, INC.**
55 Jacobus Ave., Sec. Kearny, NJ 07032

BEST AVAILABLE COPY