PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: | Harmful if swallowed, Avoid breathing vapors. Avoid contact with skin,

leyes, or clothing. FIRST AID: [It swallowed, drink promptly a urge quantity of milk, egg whites, gelatin solution, or, if these are not available, drink targe quantities of water, Avoid alcohol. Call a physician immediately

Ī

ŧ

ENVIRONMENTAL HAZARDS: 1 This pesticide is toxic to fish. Keep out of lakes. streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance, contact the regional office of the Environmental Protection Agency

STORAGE & DISPOSAL : | Keep container closed when not in use. Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Do not reuse empty container. Triple rinse (or equivalent) and dispose of container in an incinerator or in an approved landfill, or bury in a safe place. Rinsate that cannot be used or reprocessed should be disposed of in a landfill approved for pesticides of buried in a sale place away from water supplies. Open dumping is rohibited.

E.P.A. Reg. No. 7124-77 E.P.A Est. No. 7124-N.J.-1 Manufactured by ALDEN LEEDS INC. 55 Jacobus Ave., So, Kearny N.J. 07032 FOR SPARKLING POOLS **BLACK ALGAECIDE**

POLY-60

ACTIVE INGRECIENT

Poly oxyethyrene aimethylimina ethylene dimethylimino, ethylene dichloride INERT INGREDIENT

60 O This product contains 5.76 bill at active ingredient per gallon and weight 9 6 ib per gallon

KEEP OUT OF REACHOUGH CHILDREN

SEE FIRSE AID STATE MENT AND OTHER PRECALLIONS ON SIDE PANEL BEFORE OPENING CONTAINER NET. 32FL OZ. ONE QUARTA

DIRECTIONS FOR USE GENERAL CLASSIFICATION it is a violation of Fodoral law to use this 32-31-30-29-28-27-26-

25-

24--

23-

22-

21--

20-

19-

18--

17-

16---

15-

14--

13--

12-

11-

10-

9-

8-7-

6--

3—

2-1-oz.

product in a manner inconsistent with its NuClo Black Algaecide is used to control the

growth of algae in swimming pools. For maximum effectiveness pools containing heavy growth of algae should be cleaned prior to using NuClo Black Algaecide.

For pools having just visible algae growth add an initial dose of 11 to 17 fluid ounces of NuClo Black Algaecide per 10,000 gallons of water and remove settled algae debris by

For treatment of a freshly cleaned and filled pool, add initially 6 to 11 fluid ounces of NuClo Black Algaecide per 10,000 gallons of

To maintain pools free of visible algae growth, subsequent additions of 2 to 4 fluid ounces of NuClo Black Algaecide per 10,000 gations of water should be made every 5 to 7 days after the initial treatment.

NuClo Black Algaecide is compatible with those chemicals normally used to treat pools and effective at both acid and alkaline pH. NuCio Black Algaecide can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix NuClo Black Algaecide with concentrated dry or liquid chlorine products.

ACCEPTED 7124-77 DFn 0 1 1999 . Financial Commence Co uner add 1 - 13 requested and a red to the formation of the red to the red FPA Re 1 N

19

BEST DOCUMENT AVAILABLE