

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 07 1990

Alden Leeds, Inc.
55 Jacobus Avenue
South Kearny, NJ 07032

Attention: Steven Epstein
Vice President

Gentlemen:

Subject: Nu-clo Vinyl Pool Shock
EPA Registration No. 7124-84
Your Amendment Application Dated August 29, 1989

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

1. Make the following labeling revisions before you release the product for shipment bearing the amended labeling.
 - a. Revise the ingestion statement to read:

If swallowed, promptly drink a large quantity of water. Do not induce vomiting. Call a physician immediately.
 - b. Place a colon after the "Physical and Chemical Hazards" heading. Place a period after "strong oxidizing agent."
 - c. Relocate the "Practical Treatment (First Aid)" statements so that they appear as the second paragraph on the left panel.

57299:1:Douglas:LK-4:KENCO:1/26/90:2/21/90:dg:sw:vo:ek:dg

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

-2-

2. Submit the revised final printed labeling for inclusion in the product file.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Walter C. Francis
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosure

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the Regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to a fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

PRACTICAL TREATMENT. (First Aid) If swallowed, feed bread soaked in milk followed by olive oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

**SPECIAL PRECAUTIONS
PLEASE READ BEFORE OPENING CONTAINER
PREVENTION OF PHYSICAL INJURY:**

1. This product emits a powerful, chlorine gas. Do not open container indoors.
Hold away from face when opening to avoid breathing fumes.

2. This product is dangerous when not used properly.

FOR SPARKLING POOLS

WUCLO

Vinyl Pool SHOCK

Helps Prevent Bleaching And Discoloration Of Vinyl Liners
And Painted Surfaces When Used As A Periodic Shock
Treatment In Regular Maintenance And In

1. Pools with green water due to algae
2. Pools with visible algae on floor and sides
3. Pools starting up using water from previous season
4. Pools freshly filled that are green or brown due to mineral impurities
5. Pools with cloudy water

ACCEPT