	·	
U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO.	DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS	7124-86	JAN 8 1985
REGISTRATION DIVISION (WH-367) WASHINGTON, D.C. 20480	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	SPA*RKLE Indicide Industrial Algaecide	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
, · r	٦	
Alden Leeds, Inc.	•	
55 Jacobs Avenue	BEST AVAILABL	E CUPY 1
South Kearny, NJ 07032	BEST MINISTRE	
*1		
· L	ك	
*		
NOTE: Changes in labeling formula differing in substance fr submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numb	to use of the label in commerce,	In any correspondence on this
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereby R ;	egistered/Reregistered under
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is returne	ed herewith.
Registration is in no way to be construed as an indorsement	or approval of this product by this	Agency. In order to protect
Thealth and the environment, the Administrator, on his motion leide in accordance with the Act. The acceptance of any name Act is not to be construed as giving the registrant a right to by others.	ne in connection with the registra	tion of a product under this
This product is conditionally registrated (3(c)(7)(A) provided that you:		
1. Submit and/or cite all data recof your product under FIFRA sec. 3(c)(5) when the Agency requ	
registrants of similar products to sub-		lease the product
for shipment:		
: a. Add the phrase "EPA Registration of the control of the contro	•	
5. b. Delete the statement "General (3. Submit five (5) copies of your		a before you
3. Submit five (5) copies of your release the product for shipment. Refe		
description of final printed labeling.	to did N-15 microsu	re rox a raremer
If these conditions are not complications	ed with, the registrat	ion will be
subject to cancellation in accordance		
for shipment of the product constitutes		
;/		
	Mario	/
A stamped copy of the label is enc	E. Castillo	
/ Pr	oduct Manager (32)	
	sinfectants Branch	
Re	gistration Division (TS-767C)
Enclosure		
ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

ACCEPTED with COMMENTS in EPA latter Dated:

Spa*rkle Indicide Industrial Algaec

per gallon.

CTIVE INGREDIENT: Poly{oxyethylene (dimethyliminio) ethylene-	
(dimethyliminio) ethylene dichloride]	60.0%
INERT INGREDIENT	40.0%
This product contains 5.76 lb. of active ingredient per gallon and weight	9.6 lb.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors, Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, bonds, or public system. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR

It is a violation of Federal law to use this product in a me

Indicide is used to control the growth of signs, becteris industrial water cooling towers. Prior to the use of Indicide be cleaned to remove sigal growth, microbiological slime stug addition of 0.9 to 2.2 fluid cunces of Indicide per 1000 dicide, based on the total weight of water in the system. If Make subsequent slug additions of 0.2 to 2.2 fluid ounces 20 ppm Indicide) every 2 to 5 days or as needed. The frequ amount of bleedoff and the severity of the microbiological the sump of water cooling towers.

indicide is used to control becterie in industrial air was eliminating components. Prior to its use, systems should other deposits. An initial stug dose of 3.33 to 5.55 fluid our recommended. Repeat initial dosage until control is evid 5.55 fluid ounces of Indicide per 1000 gallons of weter sh needed. The frequency of addition depends upon the rela becterial problem. Slug additions may be made to the sum

wash system.

Indicide is used to control the growth of algae in decora growths of algae should be manually cleaned prior to tr growth require an initial dose of 1.0 to 2.0 fluid ounces of system. To treat a freshly cleaned and filled fountain, add gallons of water. Maintanance dosages of 0,2 to 0,5 fluid of should be added every 5 to 7 days as needed. Additions of sure uniform distribution throughout the system, indicid chlorine chemicals, but do not mot Indicide with concent

Indicide will retard microbial growth that causes degr manufacture. Indicide is added at a rate of 25 to 250 pomil water. The treatment rate necessary to retard spoilage of tamination of the make-up water and the length of storag board that will contact food,

STORAGE AND DI

Do not conterningto water, food, or feed by storage or disposal, STORAGE: Do not stack more than four drums high. Leaking of

drums for disposal. Spills should be absorbed in sawdust or sand tainer closed when not in use. PESTICIDE DISPOSAL: Wastes resulting from the use of this

proved weste disposal facility. CONTAINER DISPOSAL:

- □ PLASTIC: Triple rines for equivalent). Then offer for recycling of earitary landfill, by incineration, or, if allowed by state and loc
- ☑ METAL: Triple rines (or equivalent). Then offer for recycling or sanitary landfill, or by other procedures approved by state and

Manufactured I Alden Leeds, Ir 55 Jacobus Ave

South Kearny, NJ EPA REG. NO. __ EPA

NET CONTENTS