er da de les sais de de des de la composition della composition de

5 Same		**** * * * * * * * * * * * * * * * * *
pessonic numbed under EPA Reg. No.		
Uncorrection Act, as amended, for the pesticide regimered under EPA Reg. No. 7/34-104	3 oz. 2" Diameter	
100% AMERICAN MADE	Slow Dissolving BROMINATING TABLETS FOR SWIMMING POOLS	
ACTIVE INGREDIENT: 1-Bromo-3-chloro-5, 5-dimethylhydantoin INERT INGREDIENTS: Provides: 61% Available Bromine 27% Available Chlorine	925% NET WEIGHT 25 LBS. NET WEIGHT 45 LBS. SEE ADDIT	OUT OF THE REACH OF CHILDREN DANGER IONAL PRECAUTIONS ON BACK PANEL SEFORE OPENING CONTAINER

HYDROBROM Slow Dissolving - 3 ounce - 2" Diameter BROMINATING TABLETS FOR SWIMMING POOLS

BACTERICIDE - ALGAECIDE - DISINFECTANT - NO CHLORINE ODOR

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling, fritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID): If swallowed: Drink large quantities of water. Avoid Alcohol. Do not

induce vomiting. Get prompt medical attention. (For small children, give one oz. of water per pound of child)

If on skin; Remove contaminated clothing immediately, Brush off excess chemical and wash skin with large volumes of soap and water, flushing the skin with water for at least 15 minutes, If skin irritation develops, seek medical attention.

For eye contact: Irrigate eyes with large volumes of room temperature water for at least 15 minutes, then seek medical attention promptly.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aguatic organisms. Do not discharge effluent containing this product into lakes, streams, gonds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong exidizing agent. Mix only with water. Use clean, dry utensits and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of hear, hazardous gases and possible fire and explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well ventilated area. If necessary, flood with large volumes of water.

SPECIAL PRECAUTIONS PLEASE READ BEFORE OPENING CONTAINER

PREVENTION OF PHYSICAL INJURY

- 1. This product emits a powerful chlorine/promine gas. Do not open container indoors: -Hold away from face when opening to avoid breathing fumes.
- 2. This product is denoerous when not used properly:

MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY REQUIRING HOSPITALIZATION RELATED COMPLICATIONS MAY LEAD TO DEATH

Do not mix with any other chemicals

Mixing with other chemicals may cause a violent and instantaneous chemical reaction

Do not add water to this product Do not add this product to water in a pail

Do not take advice from others concerning the use of this product.

Do not experiment with this product beyond the use directions given on the product label for risk of potential serious harm. Follow label instructions exactly.

PREVENTION OF PROPERTY DAMAGE: Contact between this product in its undissolved state and viryl liners, painted surfaces or other property in or around the good will result in permanent bleaching of the color.

DIRECTIONS FOR USE FOR SWIMMING POOLS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. When used as directed, these tablets are effective as a swimming pool water sanitizer and disinfectant. The filtration system should be in proper working order, the pH adjusted between 7.2 and 7.5, the total alkalinity maintained between 100 and 150 ppm, and the calcium hardness maintained between 150 to 300 ppm. A bromine or chlorine residual of 1.0 to 2.0 ppm-must first be established in the pH adjusted pool. If this is accomplished with a granular hypochlorite product, follow use directions on that product's label. If the residual is established with these tablets in a prominator, use the brominator at the highest feed rate following manufacturer's recommendations. When the bromine residual reaches 1.0 to 2.0 ppm, adjust the feeder accordingly. To maintain a bromine residual, adjust the brominator feed rate to assure a constant treatment level of 1.0 to 3.0 ppm in residential pools and 3.0 to 5.0 ppm in commercial pools (normally, 30 to 180 grams of this product per 10,000 gallons daily). Each tablet weighs about 3 oz. (85 grams). Actual use rates will vary depending on organic load and environmental conditions. The regular use of a good test kit will determine if further adjustments are needed. Do not swim in the water if the bromine residual is above 8 ppm.

FOR SPAS & HOT TUBS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

When used as directed, bromine tablets are effective as a soa and hot tub sanitizer and disinfectant. To keep soa and hot tub water sparkling clean and odor free, place bromine tablets in a feeder. Use 1 tablet per 150 gallons, or fraction, of water to be treated. Add new tablets as needed to maintain an active bromine residual between 2 to 4 ppm in residential soas and 4 to 6 opm in commercial spas. The feeder, filled with bromine tablets, should then be operated as per manufacturer's recommendations. The pump and filter should be operated for at least three hours every day. To conserve energy, use the heater only when spa or hot tub is to be used. Do not heat water above 104 F. Keep the spa free of leaves and other debris. Backwash or clean the filter often. In heavily used commercial spas or hot tubs, drain and refill with fresh water every 4 days. In commercial spas or hot tubs with average use, drain and refill with fresh water every 8 days. Residential spas and hot tubs should be drained and refilled with fresh water every 60 days. Before refilling, clean the sides with a non-abrasive, lowfoaming cleaner and rinse thoroughly each time the spa or hot tub is drained. Keep pH between 7.2 and 7.5 and never allow to fall below 7.0. Maintain total alkalinity of 100-150 ppm and calcium hardness of 150 to 300 ppm at all times. Use a good test kit often to test bromine residual, old, total alkalinity, and calcium hardness.

Each tablet weighs about 3 oz. (85 grams)

STORAGE AND DISPOSAL: Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area away from heat, open flames, sunlight and other chemicals. Do not reuse empty container. Rinse empty container thoroughly with water and discard in trash.

> E.P.A. REG. NO. 1724-104 F.P.A. EST. NO. 7124-N.I-1

Manufactured by: ALDEN LEEDS, INC. 55 Jacobus Ave., So. Keamy, NJ 07032

EPTED pesticide in Latered under 174 Reg. No. 7,24-102 VAXIBROM Slow Dissolving **BROMINATING TABLETS** FOR SWIMMING POOLS AMERICAN MADE SPAS & HOT TUBS **BACTERICIDE - ALGAECIDE - DISINFECTANT** NO CHLORINE ODOR **ACTIVE INGREDIENT:** KEEP OUT OF THE REACH OF CHILDREN NET WEIGHT 25 LBS. 1-Bromo-3-chloro-5, 5-dimethylhydantoin..... NET WEIGHT 45 LBS. **INERT INGREDIENTS:**. Provides: 61% Available Bromine TOTAL 100% NET WEIGHT 50 LBS. SEE FIRST ADDITIONAL PRECAUTIONS ON SIDE PANEL 27% Available Chlorine **BEFORE OPENING CONTAINER**

TAXIBROM Slow Dissolving BACTERICIDE - ALGAECIDE - DISINFECTANT - NO CHLORINE ODOR

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful or fatal if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and

wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID): If swallowed: Drink large quantities of water. Avoid Alcohol, Do not induce vomiting. Get prompt medical attention. (For small children, give one oz. of water per pound of child.)

If on skin: Remove contaminated clothing immediately. Brush off excess chemical and wash skin with large volumes of soap and water, flushing the skin with water for at least 15 minutes. If skin irritation develops, seek medical attention.

For eye contact: irrigate eyes with large volumes of room temperature water for at least 15 minutes, then seek medical attention promotiv.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, hazardous gases and possible fire and explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well ventilated area. If necessary, flood with large volumes of water.

SPECIAL PRECAUTIONS PLEASE READ REFORE OPENING CONTAINER

PREVENTION OF PHYSICAL INJURY

- 1. This product emits a powerful chlorine/bromine das. Do not open container indoors: -Hold away from face when opening to avoid breathing fumes.
- 2. This product is dangerous when not used properly;

MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY REQUIRING HOSPITALIZATION RELATED COMPLICATIONS MAY LEAD TO DEATH

Do not mix with any other chemicals

Mixing with other chemicals may cause a violent and instantaneous chemical reaction Do not add water to this product

Do not add this product to water in a pail

Do not take advice from others concerning the use of this product.

Do not experiment with this product beyond the use directions given on the product label for risk of potential serious harm. Follow label instructions exactly.

PREVENTION OF PROPERTY DAMAGE: Contact between this product in its undissolved state and vinyl liners, painted surfaces or other property in or around the gool will result in permanent bleaching of the color.

DIRECTIONS FOR USE FOR SWIMMING POOLS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. When used as directed, these tablets are effective as a swimming pool water sampler and disinfectant. The filtration system should be in proper working order, the pH adjusted between 7.2 and 7.6, the total alkalinity maintained between 100 and 150 ppm, and the calcium hardness maintained between 150 to 300 ppm. A bromine or chlorine residual of 1.0 to 2.0 ppm-must first be established in the pH adjusted pool. If this is accomplished with a granular hypochlorite product, follow use directions on that product's label. If the residual is established with these tablets in a brominator, use the brominator at the highest feed rate following manufacturer's recommendations. When the bromine residual reaches 1.0 to 2.0 ppm, adjust the feeder accordingly. To maintain a bromine residual, adjust the brominator feed rate to assure a constant treatment level of 1.0 to 3.0 ppm in residential pools and 3.0 to 5.0 ppm in commercial pools (normally, 30 to 180 grams of this product per 10,000 gallons daily). Each tablet weighs about 0.7 oz. (20 grams). Actual use rates will vary depending on organic load and environmental conditions. The regular use of a good test kit will determine if further adjustments are needed. Do not swim in the water if the bromine residual is above 8 ppm.

FOR SPAS & HOT TUBS

When used as directed, bromine tablets are effective as a spa and hot tub sanitizer and disinfectant. To keep spa and hot tub water sparkling clean and odor free, place bromine tablets in a feeder. Use three tablets per 100 gallons, or fraction, of water to be treated. Add new tablets as needed to maintain an active bromine residual between 2 to 4 ppm in residential spas and 4 to 6 ppm in commercial spas. The feeder, filled with bromine tablets, should then be operated as per manufacturer's recommendations. Each bromine tablet weighs about 0.7 oz. (20 grams). The pump and filter should be operated for at least three hours every day. To conserve energy use the heater only when spa or hot tub is to be used. Do not heat water above 101 F. Keep the spa free of leaves and other debris. Backwash or clean the filter often. In heavily used commercial spas or hot tubs, drain and refill with fresh water every 4 days. In commercial spas or hot tubs with everage use, drain and refill with fresh water every 8 days. Residential spas and hot tubs should be drained and refilled with fresh water every 60 days. Before refilling, clean the sides with a non-abrasive, low-foaming cleaner and rinse thoroughly each time the spa or hot tub is drained. Keep pH between 7.2 and 7.6 and never allow to fall below 7.0. Maintain total alkalinity of 10-150 ppm and calcium hardness of 150 to 300 ppm at all times. Use a good test kit often to test bromine residual, pH, total alkalinity, and calcium

STORAGE AND DISPOSAL: Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area away from heat, open flames, sunlight, and other chemicals. Do not reuse empty container. Rinse empty container thoroughly with water and discard in trash.

E.P.A. REG. NO. 7124-102 E.P.A. EST. NO. 7124-NJ-1

Manufactured by: ALDEN LEEDS, INC. Jacobus Ave., So. Kearny, NJ 07032

EVA Reg No. 7,24-102