

7124-108

1-10-2000

1 of 3



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:

7124-108

Date of Issuance:

JAN 10 2000

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Nu-Clo

Name and Address of Registrant (include ZIP Code):

Alden Leeds, Inc.
55 Jacobus Avenue
So. Kearny, NJ 07032

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 7124-108".
- b. Under the "Environmental Hazards" Statement revise the first sentence to read: "This product is toxic to fish and aquatic organisms".
- c. On front panel, revise "Destroys algae and algal slime" to read: "Destroys algae and algae slime".

Page 1 of 2

Signature of Approving Official:

Robert S. Brennis, PM 32

Date:

JAN 10 2000

Page 2 of 2
EPA Reg. No. 7124-108

3. Submit two copies of the revised final printed label for the record.

4. The nominal concentration for the active ingredient from each supplier is not 100% as shown on the CSF. These must be corrected to reflect the true nominal values as per MSDSheets for each source of the active ingredient. You must update the CSF and submit a MSDS for each source of sodium dichloro-s-triazinetriene.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

) A stamped copy of the label is enclosed for your records.

A handwritten signature in black ink, appearing to be 'JRB', is located below the text 'A stamped copy of the label is enclosed for your records.'.

AGREED
with COMMENTS
in EPA's on dated:

JAN 10 2000

Under the Federal Insecticide,
Fungicide and Rodenticide Act as
amended for the pesticide

for Sparkling Pools A Reg. No. 7124-108

Muclo

**Clear
Shock**

- For all pools and surfaces
- Economical • Dissolves instantly
- Will not cloud water
- Destroys algae and algal slime
- Excellent for use in vinyl pools

ACTIVE INGREDIENT:

Sodium Dichloro-s-Triazinetrione* 57%

OTHER INGREDIENTS: 43%

* Provides 35% Available Chlorine

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE FIRST AID STATEMENT AND OTHER

PRECAUTIONS ON SIDE PANEL BEFORE OPENING CONTAINER

DIRECTIONS FOR USE:

It is in violation of federal law to use this product in a manner inconsistent with its labeling.

This product provides an easy instant method for superchlorination. When starting up a pool at the beginning of the pool season, proper application of this product will provide a high chlorine residual in minutes without the cloudiness associated with other commonly used chemicals.

ALGAE CONTROL

This product is designed for the quick and easy control of green slime due to algae growth. Within minutes after proper application, algae will begin to be destroyed. This product will dissolve quickly without leaving a residue. Dead algae will drop to the bottom of the pool while the unsightly green color of the water disappears.

SUPERCHLORINATION: When starting a new pool, superchlorinate to satisfy chlorine demand and to establish an available chlorine residual of 1.0-1.5 ppm (parts per million). To superchlorinate add 1 to 2 lbs. (16 to 32 ozs.) per 7,500 gallons of pool water to provide 5 to 10 ppm available chlorine. Use the appropriate application guideline below. The following morning, if not done previously, stabilize the water by adding Conditioner and Stabilizer (cyanuric acid) according to the directions on label. Test with a reliable test kit. Bathers should not be allowed to enter the pool until the chlorine residual has dropped to 3 ppm or less.

SHOCK TREATMENT: Dose at the rate of 1-2 lbs. (16 to 32 ozs.) per 7,500 gallons of pool water to yield 5 to 10 ppm available chlorine, using the appropriate application guideline below. In some cases when the extent of organics present in the pool does not allow water to respond to the initial dose, a second treatment may be necessary.

Allow filter to run continuously, being careful to empty strainer basket in front of pump if suction is impeded. Also, there may be a tendency for the filter to clog due to the accumulation of dead algae. Backwash filter if this occurs. Repeat dosage on second day if necessary. If there is no improvement on the third day, consult your dealer or the manufacturer of this product for further advice. Bathers should not be allowed to enter the pool until the chlorine residual has dropped to 3 ppm or less.

Application should be made by using one of the following methods:

SKIMMER: Use this method to avoid bleaching vinyl liner or paint. Empty skimmer of all chemicals and/or debris. Make sure that filter is on and that water is properly recirculating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Pour this product slowly into skimmer, making sure that the material is drawn into the system at the same rate; do not allow this material to accumulate as gasses generated may cause an explosion.

DOSE DIRECTLY INTO POOL: Broadcast dosage across surface of water. To prevent liner damage, use skimmer method above.

NOTE ON POOLS TREATED FOR ALGAE: If this product is used to shock or superchlorinate an algae infested pool, after treatment it is important to brush the walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residuals. Such protected algae will begin to reproduce again when high chlorine residual falls.

STORAGE AND DISPOSAL: Keep product dry, in tightly closed container, when not in use. Store in cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection, or dispose in approved landfill area.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive: Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PRACTICAL TREATMENT: First Aid:

If Swallowed: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Call a physician or Poison Control Center.

If in Eyes: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Get medical attention.

If on Skin: Wash with plenty of soap and water. Get medical attention.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gasses and possible generation of fire and explosion.

SPECIAL PRECAUTIONS

PLEASE READ BEFORE OPENING CONTAINER

PREVENTION OF PHYSICAL INJURY

1. This product emits a powerful chlorine gas. Do not open container indoors:
 - Hold away from face when opening to avoid breathing fumes.

2. This product is dangerous when not used properly.

MISUSE MAY RESULT IN SERIOUS PERSONAL INJURY REQUIRING HOSPITALIZATION

RELATED COMPLICATIONS MAY LEAD TO DEATH

Do not mix with any other chemicals

Mixing with other chemicals may cause a violent and instantaneous chemical reaction

Do not add water to this product

Do not add this product to water in a pail

Do not take advice from others.

Do not experiment

Follow label instructions exactly.

PREVENTION OF PROPERTY DAMAGE: Contact between this product in its undissolved state and vinyl liners, painted surfaces or other property in or around the pool will result in permanent bleaching of the color.

Manufactured by: ALDEN LEEDS, INC.
55 Jacobus Ave. So. Kearny, NJ 07032

NET WT.
2 LBS.
(.9 kg)

3 of 3