

7138-14

05/16/2001

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance: MAY 16 2001

7138-14

Term of Issuance: Conditional

NOTICE OF PESTICIDE:

Registration

Reregistration

(under FIFRA, as amended)

Name of Pesticide Product:

Carpetmaker with
Atrazine

Name and Address of Registrant (include ZIP Code):

Mr. H. R. McLane
Authorized Agent for
SOUTHERN STATES COOP., INC.
7210 Red Road, Suite 206
Miami, FL 33143-5321

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5), 3(g), or 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the following label changes:

a. Revise the EPA Registration Number to read, "EPA Reg. No. 7138-14".

b. It is recommended that the "First Aid Statement" be changed to read as follows:

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.

Signature of Approving Official:

Jim Tompkins, PM-25
Herbicide Branch
Registration Division, (7505C)

Handwritten signature of Jim Tompkins
(for)

Date:

5/16/2001

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

If on skin:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

3. Submit one (1) copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

CARPETMAKER® with ATRAZINE

(A Weed & Feed) For St. Augustine and Centipede Lawns

PREMIUM LAWN FOOD WITH WEED CONTROL

50 POUND COVERS 9,800 sq.ft. of turf
EPA REG. NO. 7138- EPA EST. NO. 7138-FL-1

Controls ; Florida Pusley, Lippia, Pigweed and certain Broadleaf Weeds as listed. Prevents Crabgrass, Paspalums, and Spotted Spurge and many other weeds as listed.

ONLY FOR USE ON ST. AUGUSTINE AND CENTIPEDE LAWNS

ACTIVE INGREDIENT:
Atrazine: CAS [1912-24-9] - - - 0.90%
OTHER INGREDIENTS: - - - - 99.10%
Total : 100.00%

Contains 18 lbs. of Atrazine per ton. When used according to label directions applies 2 lbs. a.i. atrazine per acre.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID AND STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

SEE SIDE OR BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid inhalation or contact with eyes. Wash after handling or using. Keep away from feed or food products.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product.

NET WEIGHT 50 POUNDS

ACCEPTED with COMMENTS In EPA Letter Dated MAY 16 2001 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 7138-14

(Location for EPA "ACCEPTED" stamp)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale, or other commercial uses, as for commercial seed production, or for research purposes. For use on St. Augustine and Centipede turf-grass being grown in parks, on golf courses and lawns.

WHERE TO USE

This material is for use only on St. Augustine and Centipede lawns. On newly seeded centipede, delay application until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. Do not plant any crop (flower or vegetable plants) to treated areas for 18 months or injury may result. Apply only when grass foliage is dry.

DO NOT USE ON BAHIA, BENT, BERMUDA, BLUEGRASS, DICHONDRA LAWNS, FESCUE OR RYE, GRASSES, BECAUSE SERIOUS TURF DAMAGE CAN OCCUR.

WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a Pre-Emergent and also as a Post Emergent weed killer. Established weeds are harder to kill and may require an additional application in the fall or spring. Apply January 1st up to March 1st for best control otherwise product may be applied up to June 15th with good weed control. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture, a repeated application may be necessary. Time required for complete kill of mature weeds may be 4 to 5 weeks. Wait 2 months for repeat application. Apply when air is calm to prevent particle wind drift.

HOW TO APPLY

This product may be applied with either a drop type or broadcast type spreader. Apply evenly across the entire lawn at a rate of 50 pounds to treat 9,800 Sq.Ft. — 40 lbs. to treat 7,840 sq.ft. of lawn (equivalent to 5.1 pounds per 1,000 Sq.Ft). Do not exceed recommended rates. Sprinkle the area immediately after application with water to wash granules off the grass blades and down to soil level.

USE PRECAUTIONS

Do not apply this product on or over the root zone of ornamental trees, shrubs, bedding plants, flowers, or garden plants because injury to them may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses as recommended on this label, because serious injury to those other grasses may result.

SPREADER SETTINGS for 5.1 lbs./ 1,000 sq.ft.

CYCLONE 4.5 SCOT 7

NOTE: Spreader rate varies with walking speed. Check spreader over a known square foot area.

(atr90p-1/F 6/1/28-00)

SOUTHERN STATES COOPERATIVE, INC.
P.O. Box 26234 · Richmond VA 23260

CARPETMAKER with ATRAZINE

A Weed & Feed

For St. Augustine & Centipede Lawns

EPA REG. NO. 7138-__


EPA EST. NO. 7138-FL-1

NET WEIGHT 40 (50) POUNDS

**WEEDS CONTROLLED
OR SUPPRESSED**

- | | |
|-------------------------------------|--|
| Annual Bluegrass
(Poa Annuua) | Henbit |
| Annual Sowthistle | Knotweed |
| Clover | Lambsquarter |
| Black Medic | Lespedeza |
| Blue Toadflax | Lippia (Matchweed) |
| Bull Paspalum | Moneywort |
| Buckhorn Plantain | Morning Glory |
| Bur Clover | Narrowleaf Vetch |
| Carolina Geranium
(Cranesbill) | Parsley-Piert |
| Chickweed (Common and
Mouse Ear) | Oxalis (Common and
Yellow Woodsorrel) |
| Cocklebur | Pigweed |
| Common Dandelion | Purslane |
| Common Purslane | Ragweed |
| Crabgrass | Red Sorrel |
| Crowfoot Grass | Rescuegrass |
| Cudweed | Sandspur |
| Cutleaf Evening Primrose | Sedges* |
| Dichondra | Shepards Purse |
| Dollar Weed | Sicklepod |
| Florida Beggarweed | Spotted Spurge |
| Florida Betony | Spurweed |
| (Rattlesnake Weed) | Stinging Nettle |
| Florida Pusley | Swinecrest |
| Fragrant Cudweed | Venus Looking Glass |
| (Rabbit Tobacco) | Virginia Creeper |
| | Wild Mustard |
| | Wood Sorrel |

*Repeat applications are required for control of Nutsedge grasses.



GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N) - - - - -	variable%
Nitrate Nitrogen	variable%
Ammoniacal Nitrogen	variable%
Water Soluble Nitrogen (and/or Urea Nitrogen)	variable%
Water Insoluble Nitrogen	variable%
Available Phosphoric Acid (P ₂ O ₅) - - - - -	variable%
Soluble Potash (K ₂ O)- - - - -	variable%
Chlorine not more than	variable%

Derived from Sulfate of Ammonia, Ammonium Phosphate, Muriate of Potash, Sulphate-Potash-Magnesium. Potential Acidity Equivalent to (variable) lbs. of Calcium Carbonate per ton.

Statement of Secondary Plant Foods

Total Magnesium as Mg - 1.20%; Iron as Fe - 1.00%; Water Soluble Magnesium Mg - 1.20%; Zinc as Zn - 0.05% Manganese as Mn - 0.50%; Boron as B 0.02% Copper as Cu - 0.02%; Molybdenum as Mo - 0.002% Derived from: Manganese Sulphate, Iron Oxide, Manganese Oxide, Copper Oxide, Zinc Oxide, Borax, Sodium Molybdate.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. **HOUSEHOLD:** Do not reuse empty bag. Wrap in several layers of newspaper and discard in trash.

READ ENTIRE LABEL BEFORE USING

Read the entire Directions for Use, Conditions, Disclaimer of Warranties, and Limitation of Liability before using this product. If the terms are not acceptable, return the unopened container at once. By using this product, user and buyer accept the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However it is impossible eliminate all risks associated with the use of this product. Injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Southern States Cooperative. All such risks shall be assumed by the user or buyer.

Disclaimer of Warranties: There are no warranties express or implied, of merchantability or of fitness for a particular purpose or otherwise, which extend beyond the statements made on this label. No agent of Southern States Cooperative is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein.

Southern States Cooperative disclaims any liability whatsoever for special, incidental, or consequential damages resulting from the use or handling of this product.

LIMITATION OF WARRANTIES: The exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price, or at Southern States Cooperative's option, the replacement of the product. (SRS 90-2-P65/ 12-22-00)

**SOUTHERN STATES
COOPERATIVE, Inc.**

P.O. Box 26234 - Richmond VA 23260