

1 GALLON

AMCOSAN

50%

For Veterinary Use Only

Active Ingredients:
 Methyl dodecyl benzyl Trimethyl and
 Methyl dodecyl xylylene Bis tri-
 methyl Ammonium Chlorides 50%
 Inert Ingredients:
 Water 50%

Phenol Coefficient 100%
 125
 (S. Typhosa at 20° C. AOAC
 method)

CAUTION:

Keep Out of Reach of
Children.

See Side Panels for Further
Precautions

CAUTION: AMCOSAN 50% may
cause irritation. Avoid contact with
the skin. Wash off with water im-
mediately.

CAUTION: Harmful if swallowed.
Avoid getting in eyes. In case of
contact wash thoroughly with water.
If eye irritation persists, get medi-
cal attention.

Sold to Graduate Veterinarians
Only

U.S.D.A. Reg. No. 7150-3

DIRECTIONS

Mix 1 part AMCOSAN 50% to
four parts water and agitate until
thoroughly mixed to make a 10%
solution.

To make a use dilution, add 1 oz.
of the 10% solution to each gallon
of water and mix thoroughly.

For best results dilute with soft
water. Not intended for use unless
diluted as per above directions.

CAUTION: Not intended for use on
Animals. Avoid contamination of
food. Do not use in conjunction
with soap or anionic wetting agents.

Amco Drug Products Co., Inc. - Dist.
NORTH OLMSTED, OHIO

ACCEPTED

MAY 9 9 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 7150-3