

HYPO

FOR

Effective Chlorinating

OF

SWIMMING POOLS

2 LBS. NET

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetriene dihydrate 100%

Available Chlorine 56%

EPA Registration No. 7151-5

EPA EST. NO. 7151-IL-1

DANGER

KEEP OUT OF REACH OF CHILDREN

See side panels for precautions and First Aid.

REPACKAGED BY

ALEXANDER CHEMICALS

DIVISION OF NORTH AMERICAN CAR

222 South Riverside Plaza

Chicago, Illinois 60606



DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply HYPO only as mentioned on this label.

FIRST Treat water with a stabilizer, CYCLO according to the label directions.

THEN Use HYPO daily.

When placing a pool in service for the season clean walls and floor thoroughly. Treat water as soon as the pool is full with 6 heaping tablespoons of HYPO for each 10,000 gallons of water which will provide 1.3 ppm available chlorine. Continue to add increments of 2 teaspoons until a residual of 1.0 to 1.5 ppm is maintained. Use test kit frequently.

HAND APPLICATION

3 ounces (6 heaping tablespoons) daily for each 10,000 gallons. Distribute HYPO over surface of the pool. Heavy pool usage or high temperature will require more HYPO. Treat as often as needed to keep chlorine at 1.0 to 1.5 ppm. Use test kit frequently.

HYPO depresses algae growth, and kills many pathogenic bacteria most effectively at pH 7.2 to 7.6. Keep pH at this range. Use pH test kit.

FIRST AID

EXTERNAL Flush with copious amounts of water for eyes with a doctor. Remove all contaminated clothing. Wash thoroughly.

INTERNAL Drink two to four glasses of water. Do not induce vomiting. Call a doctor.

Jolt

SHOCK TREATMENT


ACTIVE INGREDIENTS:
TRICHLORO-S-TRIAZINETRIONE 100%

EPA Reg. No. 7152-9

**DANGER: KEEP OUT OF REACH
OF CHILDREN**

See side panel for antidote and other precautions.

NET WT. 2 lbs.



**SEABOARD
INDUSTRIES**
HAWTHORNE, NEW JERSEY

DIRECTIONS:

For newly-filled pools.
To establish a chlorine residual of 1.0 to 1.5 ppm is determined by the use of a test kit.
Thereafter, repeat the above dosage or as needed to maintain 1.0 chlorine residual at all times.
Test water frequently with a test kit. Keep the pH of the pool in the 7.2 to 7.6 range.

Danger: Keep out of reach of children. This material may be fatal if swallowed. Strongly irritant material. May cause eye damage. Avoid contact with eyes when handling. Dust may be harmful if inhaled. Avoid contact with skin and clothing. May cause skin irritation. In case of contact with broken skin, immediately flush skin and eyes with water for at least 15 minutes. If swallowed, get medical attention. Avoid contact with dust. Contact with organic materials may cause fire. Moisture contaminated with chlorine may liberate chlorine-containing gas. Keep away from open flames. Keep container closed and in a cool place until use. Rinse container thoroughly after use.

ANTIDOTE

EXTERNAL: Immediately flush with large amounts of cold water.

INTERNAL: Feed bread soaked in water followed by olive oil. Call a physician.

ACCEPTED