

DIRECTIONS

FOR NEWLY FILLED POOLS:

To establish a chlorine residual, add 1 pound of **JOLT** for every 8,000 gallons water. Repeat dosage until a chlorine residual of 1.0 to 1.5 PPM is obtained as determined by the use of a chlorine test kit.

When this residual has been obtained, add **SEA CHLOR** chlorine stabilizer at the rate of 2½ pounds for every 10,000 gallons of water. This is equivalent to 30 PPM of stabilizer.

MAINTENANCE DOSAGE:

Add to an automatic feeder or the skimmer, one 4 oz. slow dissolving tablet per 2500 gals. of water each week. This dosage will supply an average residual chlorine value of 1.2 PPM. Check chlorine level daily with a suitable test kit. The amount and the frequency of application will vary with water temperature and bather load.

Maintain pool water ph in the 7.2 to 7.8 range. For every 1 pound of tablets added to the feeder or skimmer, broadcast ½ pound plus into the pool water to balance the normal low ph of these tablets.

PRECAUTION: Never put tablets directly into pool, as they may bleach the liner or paint surface.

DO NOT REUSE CONTAINER.

DESTROY WHEN EMPTY.

ANTIDOTE

EXTERNAL: Immediately flush with copious amount of cold water.

INTERNAL: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician.

sea/chlor

CHLORINE TABLETS
FOR ALL SWIMMING POOLS

4 oz. SLOW DISSOLVING

Active Ingredients: Trichloro-s-Triazinetrione 100%
Available chlorine 85%

DANGER!

KEEP OUT OF REACH OF CHILDREN

See side panel for antidote and other precautions

EPA REG. No. 7152-12

NET WT.

10 lbs.



SEABOARD INDUSTRIES

HOWARDVILLE, TEXAS 75842

DANGER

KEEP OUT OF REACH OF CHILDREN.

May be fatal if swallowed. Strong oxidizing material. May cause eye damage. Protect eyes when handling. Dust may be harmful if inhaled. Avoid contact with skin, eyes and clothing. May cause burns to broken skin. In case of contact, immediately flush skin and eyes with cold water for at least 15 minutes. For eyes get medical attention. Avoid breathing dust. Contact with organic matter may cause fire. Moisture contamination may liberate chlorine containing gases. Keep away from open flames. Keep container closed and in a cool place when not in use. Rinse container thoroughly when empty.


ACCEPTED
July-5-1971
UNION...
FUNGICIDE
to: 7152-12

SWEEPS
FOR NEWLY FILLED POOLS
ADULT
DO NOT USE IN CHILDREN'S POOLS
DO NOT USE IN HOT TUBS

WASH HANDS
AFTER CHECK
SAFETY INCE DOSAGE

PRECAUTION
DO NOT REUSE CONTAINER
WASH WHEN EMPTY

EXTERNAL
INTERNAL



ACCEPTED
JUL 20 11
10