

# SEABOARD

## Jolt-It

### SHOCK TREATMENT

above 80°F. This is best done in the morning when the pool will not be in use for a minimum of 12 hours. In the evening, check available chlorine with a test kit, and maintain a chlorine residual of 1.0 to 1.5 PPM.

If chlorine residual has been established, condition the pool by adding 4 oz. of ascorbic acid to every 1000 gallons of water.

If chlorine residual is above 2.0 PPM, do not allow swimming until residual is established below 2.0 PPM.

Use our regular swimming pool sanitizer according to package directions to maintain a minimum chlorine residual of 1.0 PPM at all times.

Excess chlorine should not be discharged into the sewer.

Proper disposal of wastes.

**ACTIVE INGREDIENT:**


Sodium Dichloro-S-Triazinetrione Dihydrate. . . . . 100%  
 Available Chlorine . . . . . 56%

EPA REG. No. 7152-17

**DANGER KEEP OUT OF REACH OF CHILDREN**  
**SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS**

NET WT. 4 lbs.

REPACKED BY:



SEABOARD  
 INDUSTRIES  
 HAWTHORNE, NEW JERSEY

**DANGER:** Keep out of reach of children. Corrosive. Causes eye damage. Do not get into eyes or on skin. Do not breathe vapors. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to exposed skin.

**FIRST AID:** In case of personal contact, remove excess material and flush skin with cold water for at least 15 minutes. For eyes—get medical attention. Clean contaminated clothing before reuse. If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call Physician immediately.

**ACCEPTED**

MAY 9 1974

UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTERED  
 PRODUCT NO. 7152-17

# ARD

# TMENT

hydrate. . . . . 100%  
..... 56%

152-17

REACH OF CHILDREN  
AID AND ADDITIONAL  
ONS  
4 lbs.

BOARD  
JSTRIES  
RNE, NEW JERSEY

**DANGER:** Keep out of reach of children. Corrosive. Causes eye damage. Do not get into eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. ~~Wear safety goggles, dust respirator and protective clothing when handling.~~ May be fatal if swallowed. May cause burns to broken skin.

**FIRST AID:** In case of personal contact, remove excess material and flush skin and eyes with cold water for at least 15 minutes. For eyes—get medical attention. Clean contaminated clothing before reuse. If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call Physician immediately.

**DANGER:** Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350°-475°F. with liberation of harmful gases. In case of contamination, if possible, isolate container in open air or well ventilated area. Flood with large volume of water. Do not mix with other pool chemicals. Use only dry, clean measuring utensils. Store in a cool dry place. Keep closed when not in use. Do not reuse container. Rinse empty container thoroughly with water and discard. Apply this product only as specified on this label. Do not add directly to pool as it may cause discoloration of the liner or paint.

**ACCEPTED**  
  
MAY 9 1974  
  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 7112-17

**HOW TO STORE AND HANDLE**

- Store in a cool, dry place. Do not transfer into unlabeled containers. Close containers tightly after each use.
- Protect from moisture and heat.
- Add material only to water.
- May cause fire or explosion if mixed with other chemicals.
- Use only glass, plastic or enamel ware cups and spoons in measuring product. Make sure they are clean and dry. Wash hands thoroughly with water after use. If spilled, hose down thoroughly. Never dispose of material by throwing into refuse bins.
- Rinse empty container thoroughly with water and discard it.

**WARNING:** May be fatal or harmful if swallowed. Strong oxidant. May produce chemical burns. Do not handle with wet hands. Fire may result from contact with acids, organic or combustible matter. Do not get on skin or in eyes.

**FIRST AID:**

**External:** In case of skin and eye contact, flush with plenty of water. If skin irritation persists, get medical attention. For eyes, get prompt medical attention.

**Internal:** If swallowed, drink mucilage, raw egg white, milk or rice gruel. Follow with emetic (tablespoon of mustard in a glass of warm water). CALL A PHYSICIAN IMMEDIATELY

# SEABOARD Sea/cure SHOCK TREATMENT

Active ingredient . . . lithium hypochlorite 29%  
Inert ingredients . . . . . 71%

Contains 35% available chlorine.


**WARNING:** Keep out of children's reach

**SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS**


EPA REG. No. 7152-19

**NET WT. 4½ lbs.**

Repacked by



SEABOARD  
INDUSTRIES  
HAWTHORNE, NEW JERSEY



REPRODUCED FROM THE ORIGINAL DOCUMENT

**INSTRUCTIONS FOR USE:**

1. Adjust the pool water pH to 7.2 to 7.6 as necessary with "PLUS" or "MINUS".
2. Superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 to 1.5 PPM. To accomplish this, add 2.0 oz. of "JOLT-IT" Shock Treatment per every 1000 gallons of pool water.
3. Test pool water after 4 hours with a chlorine test kit. If there is no chlorine residual, recheck pH with test kit and readjust as in step No. 1. Then repeat above chlorine dosage until a reading of 1.0 to 1.5 PPM is determined by test kit.
4. Water should be superchlorinated every two weeks when temperature of water is below 80°F., and weekly when temperature is above 80°F. This is best done in the evening when the pool will not be in use for a minimum of 12 hours. In the morning, check available chlorine with a chlorine test kit, and maintain a chlorine residual of 1.0 to 1.5 PPM.
5. After a chlorine residual has been established, condition the pool by adding 4 oz. of cyanuric acid to every 1000 gallons of water.
6. If chlorine residual is above 2.0 PPM, do not allow swimming until residual is decreased below 2.0 PPM.
7. Add your regular swimming pool sanitizer according to package directions to maintain a minimum chlorine residual of 1.0 to 1.5 PPM at all times.

**CAUTION:** This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water.

Do not contaminate water by cleaning of equipment or disposal of wastes.

# SEABOARD Jolt-It SHOCK TREATMENT

**ACTIVE INGREDIENT:**  
Sodium Dichloro-S-Triazinetrione Dihydrate..... 100%  
Available Chlorine..... 56%  
EPA REG. No. 7152-17

**DANGER** KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL  
PRECAUTIONS  
NET WT. 4 lbs.

REPACKED BY:



ACC

# SEABOARD Jolt-It SHOCK TREATMENT

**FIVE INGREDIENT:**

Hexam Dichloro-S-Triazinetrione Dihydrate..... 100%  
Available Chlorine..... 56%


EPA REG. No. 7152-17

**DANGER** KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL  
PRECAUTIONS  
NET WT. 4 lbs.

REPACKED BY:



SEABOARD  
INDUSTRIES  
HAWTHORNE, NEW JERSEY



**DANGER:** Keep out of reach of children. Corrosive. Causes eye damage. Do not get into eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

**FIRST AID:** In case of personal contact, remove excess material and flush skin and eyes with cold water for at least 15 minutes. For eyes—get medical attention. Clean contaminated clothing before reuse. If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call Physician immediately.

**DANGER:** Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350°-475°F. with liberation of harmful gases. In case of contamination, if possible, isolate container in open air or well ventilated area. Flood with large volume of water. Do not mix with other pool chemicals. Use only dry, clean measuring utensils. Store in a cool dry place. Keep closed when not in use. Do not reuse container. Rinse empty container thoroughly with water and discard. Apply this product only as specified on this label. Do not add directly to pool as it may cause discoloration of the liner or paint.