SEABOARD

GRANULAR ABILIZED CHLORINE

INGREDIENT:

Dichloro-S-Triezinetrione Dihydrate 100%

EPA REG. No. 7152-21

NGER KEEP OUT OF REACH OF CHILDREN IDE PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS.

NET WT. 4 lbs.

ACKED BY:



DANGER: Strong oxidizing agent.

Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350°F-475°F, with the liberation of harmful gases. In case of contamination, if possible, isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in cool dry place. Keep closed when not being used.

Do not reuse container. Rinse empty container with water and discard.

Apply this product only as specified on this label.

7/52-21

DANGER: Keep out of reach of children. Corrosive. Causes eye damage. Do not get into eyes or on skin. Do not breath dust. May cause skin, nose and throat irritation. Wear safety goggles, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

FIRST AID: In case of personal contact, remove excess material and flush skin of eyes with cold water for at least 15 minutes. For eyes—get medical attention. Clean contaminated clothing before reuse. If swallowed, feed gruel or cooked cereal followed by olive oil or cooking oil. Call Physician immediately.

CAUTION: This product is toxic to fish. Treated effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning equipment or disposal of wastes.

ACCEPTED

MAY 1 1974

UNDER THE PEDERAL MEETICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 222 SUBJECT TO ATTACHED COMMENTS.



ECCODINE I

SANITIZING AND GERMICIDAL CLEANER AND RINSE

FOR USE IN HOSPITALS, RESTAURANTS, FOOD PLANTS AND DAIRIES

ACTIVE INGREDIENTS:

Nonylphenoxy polyoxyethylene-ethanol-iodine complex (provides 1.75% iodine)

9.5%

Phosphoric acid

8.5%

INERT INGREDIENTS:

82.0%

Total

100.0%

CAUTION Keep Out of Reach of Children.

See Left Panel for Additional Cautions.

ACCEPTED

8-3/-67

UNDER THE FEDER/ INTERTIONS
FUNGICIDE AND RD HIS ELECTION
FOR EUG MAIS PLANTED ED INCLUSION
ED INCLUS NO. 72 11 12 202

ECCO CHEMICALS INC. > DALLAS, TEXAS

Commit

DIRECTIONS FOR USE

Surfaces to be sanitized should be thoroughly cleaned and rinsed with a solution of Eccodine 1 as directed below. Grossly contaminated surfaces should be cleaned using a solution of Eccodine 1 with agitation and then rinsed with a freshly prepared solution.

Solution contact with the surface to be sanitized should be at

DESCRIPTION

Eccodine 1 is a quick acting germicidal rinse and cleaner. It is based on an iodine complex and is formulated for food plant cleaning and sanitizing. In

MAINTENANCE:

Granular stabilized chlorine should be added deily or as needed at the rate of % to % oz. per 1000 gallons of pool water to maintain a chlorine residual of 1.0 PPM to 1.5 PPM as determined by a suitable test kit. pH should be maintained between 7.2 and 7.6.A superchlorination treatment should be made every week during hot weather or after heavy rains, and less frequently during cooler

ather. Keep in mind that a slight flexibility must be maintained in the event of neavy accumulations of dust and dirt caused by storms or super heavy bething loads which require additional dosages as needed to maintain the chlorine residual between 1.0 PPM and 1.5 PPM. Do not add directly to pool, as it might cause discoloration of liner or paint.

DIRECTIONS: For New Pool,

- 1. Adjust pool water pH to 7.2 to 7.6 as necessary with "PLUS" or "MINUS"
- Superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 to 1.5 PPM available chlorine. To accomplish this, add 2 oz. of stabilized chlorine granular for every 1000 gallons of water.
- 3 Test pool water with a suitable chlorine test kit about 4 hours after treatment. If there is no chlorine residual, recheck pH with a test kit, and if necessary, readjust as in step No. 1. Repeat the above chlorine dosage until a reading of 1.0 to 1.5. PPM is determined by a test kit.
- 4. After chlorine residual has been established, condition the pool water with cyanuric acid, 4 oz. for every 1000 gallons of water.
- If chloring resistant is above 2.0 PPM is a not allow awarming until research to below 2.0 PPM.



SEABOARD

GRANULAR STABILIZED CHLORINE

DANGER KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL
PRECAUTIONS.

NET WT. 4 lbs.

REPACKED BY:



Apply this lab

DAN

Moist

ing al

Deco

#ion

nation

air or

volum

Mix o

pool

uring :

closed

Do no

tainer



MAY 1

CNUCH THE PLEAR A. C. I. C. I.

8

SEABOARD

GRANULAR STABILIZED CHLORINE

ACTIVE INGREDIENT:

oodium Dichloro-S-Triezinetrione Dihydrate 100% \vailable Chlorine

EPA REG. No. 7152-21

DANGER KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS.

NET WT. 4 lbs.

REPACKED BY:



DANGER: Strong oxidizing agent.

Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350°F-475°F, with the liberation of harmful gases. In case of contamination, if possible, isolate container in open air or well ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in cool dry place. Keep closed when not being used.

Do not reuse container. Rinse Empty container with water and discard

Apply this product only as specified on this label

taminated clothing before reuse. If swall lowed, feed greet or cooked cereal followed by olive oil or cooking oil. Call Physician immediately. CAUTION: This product is toxic to fish.

Treated effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning equipment or disposal or waites.

DANGER: Keep out of reach of children.

Corrosive. Causes eye damage. Do not get

into eyes or on skin. Do not breath dust.

May cause sk nose and throat irritation.

Wear safety goggles, dust respirator and

protective clothing when handling May be

fatal if swallowed. May cause burns to bro-

FIRST AID: In case of personal contact,

remove excess material and flush skin of

eyes with cold water for at least 15 minutes.

For eyes-get medical attention. Clean con-

7/3 2- 1

ACCEPTED

MAY 1 1974

UN. P. C. FreER. H. PLINE PHR 115 AND ESPENT HES SET UND AND ESTERN AS AST FOR ECONOMIC POSON REPERING POSON REPERENT TO UNDERSTRAND CONCERN.

8