UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

June 22, 2005

Heather R. Bjornson Regulatory Assistant to Seaboard Industries 185 Van Winkle Avenue Hawthorne, NJ 07507

Subject:

Seaboard Stabilized Chlorinating Granules

EPA Registration No. 7152-21 Application Date: May 24, 2005 Receipt Date: May 24, 2005

Dear Ms. Bjornson:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

addition of alternate brand name "Jolt-It-Shock-Treatment"

General Comments

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510C)

			 · · · · · · · · · · · · · · · · · · ·
		CONCURRENCES	
34MBOL 75/00 75	700		
TURNAME & Berg He	15m		
TATE 16/22/03/6-2	208		
EPA Form 1320-14 (1/00)		Printed on Demolar Demo	DECICIAL DIS D. C. C.

EPA Form 1320-1A (1/90)

Printed on Remoded Panel

Please reed instructions on I	reverse before comple	<u>rting form.</u>		Form App	roved. O	MB No. 7	<u> 1070-0060</u>	Approval expires 2-28-9		
United States Environmental Protection Ages Washington, DC 20460					П Аг	egistra mendn ther		OPP Identifier Number		
		Application	n for Pesticid	le - Secti	ion I					
1. Company/Product Number 7152-21			1	Product Mana				posed Classification None Restricted		
4. Company/Product (Name) Seaboard Stabilized Ch		es	PM# 32							
5. Name and Address of Applicant (Include ZIP Code) Seaboard Industries 185 Van Winkle Avenue Hawthorne, NJ 07507 Check if this is a new address			(b)(i), my to: EPA Ro	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name						
L!			Section - II							
Amendment - Explain Resubmission in resp. Notification - Explain Explanation: Use addition This submission is a label not This notification is consistent labeling of the Confidential st EPA. I further understand the FIFRA and I may be subject to	below. nel page(s) if necessary otification to add the alter t with the provisions of P tatement of formula of tr at if this notification is no	ry. (For section I emate brand name PR Notice 98-10 a this product. I und not consistent with	I and Section II.) ne "Jolt-It-Shock Trea and EPA regulations iderstand that it is a vi	Final printed Agency letter "Me Too" Ap Other - Expla atment" to this s at 40 CFR 18 violation of 18 otice 98-10 an	er dated application. ain below. is product's 152.46, and B U.S.C. Se	's registrati	tion and is no r changes ha to willfully m	have been made to the make any false statement to		
			Section - III							
1. Material This Product Will	Be Packaged in:									
Child-Resistant Packaging Yes No	Unit Packaging Yes No If "Yes"	No. per	Water Soluble Packaging Yes No		2. 1	Type of C	Container Metal Plastic Glass Paper			
artification must be submitted	If "Yes" Unit Packaging wgt.		If "Yes" Package wgt	No. per container			Other (Spe	ecify)		
3. Location of Net Contents Information 4. Size(s) R Lebel Container			etail Container 5. Location of Label Directions graph Other					•		
		Lithogra Paper gli Stanciled								
			Section - IV							
1. Contact Point (Complete i	items directly below fo	· · · · · · · · · · · · · · · · · · ·		contected, if	necessar					
Name Heather R. Bjornson, Tech	nology Sciences Gro		Fitle Regulatory Assista	int to Seabo	ard Indus		Telephone N (202) 828-8	No. (Include Area Code) 8945		
I certify that the staten I acknowledge that any both under applicable is	y knowlin glly false or n		ill attachments there				plete.	S. Daté Application Received (Stamped)		
2. Signature Heatrer R. Bjer			3. Title Regulatory Assistant					6 4 600007 0000 0000 00000 00000 00000 00000 00000 000007		
4. Typed Name Heather R. Bjornson			5. Date May 24, 2005					0000 0 000 000		
riedine it. Djollison			IVIAY 24, 2005				1	ું છે લાસ્ક		



May 24, 2005

WASHINGTON

1101 17th Street, N.W.

Suite 500

Washington, D.C. 20036

Telephone 202 223-4392

Fax 202 872-0745

Emily Mitchell

Project Manager 32

Office of Pesticide Programs, EPA 1801 South Bell Street (Room 266A)

Arlington, VA 22202

RE: Seaboard Industries, Seaboard Stabilized Chlorinating Granules; EPA Reg. No. 7152-21

Notification to add an alternate brand name per PR-Notice 98-10

SACRAMENTO

712 Fifth Street

Dear Ms. Mitchell:

Suite A

Davis, CA 95616

Telephone 530 757-1298

Fax 530 757-1299

Deal MS. Millellell.

Technology Sciences Group, on behalf of Seaboard Industries is submitting a notification to add the alternate brand name "Jolt-It-Shock Treatment" to the above product registration.

You will find the following included with this submission:

1) EPA Form 8570-1;

eather R. 13,02

- 2) One redline copy of the label (highlighting label changes); and
- 3) Five (5) clean copies of the label.

If you have any questions, please do not hesitate to contact me at (202) 828-8945 or via e-mail: hbjornson@tsgusa.com.

CANADA

275 Slater Street

Suite 900

Ottawa, Ontario

K1P 5H9

Telephone 613 247-6285

Fax 613 236-3754

Sincerely,

Heather R. Bjornson

Regulatory Assistant to Seaboard Industries

E-mail tsg@tsgusa.com

http://www.tsgusa.com


Seaboard Stabilized Chlorinating Granules

Master Label includes:

- Main Label
- Optional Label Claims
- Label text specific to the Alternate Brand Name: Jolt-It-Shock Treatment

EPA Reg. No. 7152-21 EPA Est. No. 7152-NJ-1

Manufactured for: Seaboard Industries 185 Van Winkle Ave. Hawthorne, NJ 07506 Tel.: (201) 427-8500



(Front Panel)

[Alternate Brand Name Jolt-It- Shock Treatment]

Seaboard Stabilized Chlorinating Granules

 Active Ingredient:
 99.0%

 Sodium Dichloro-s-triazinetrione*
 99.0%

 Other Ingredients:
 1.0%

 Total:
 100.0%

 *Provides 63% Available Chlorine

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for additional precautionary statements

Net Contents:

EPA Reg. No. 7152-21 EPA Est. No. 7152-NJ-1

Manufactured for:

Seaboard Industries 185 Van Winkle Ave. Hawthorne, NJ 07506 Tel.: (201) 427-8500

	FIRST AID		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. 		
if swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
if inhaled	 Move person to fresh air. If person if not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 		
	ct container or label with you when calling a poison control center or doctor, or going for . For emergency assistance involving chemicals call CHEMTREC day or night at: 1-800-424-9300.		
NOTE TO P	HYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.		

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feets etc.) will release chlorine gas which is irritation to eyes, lungs and mucous membranes.

To Open: Place coin in groove, pry and lift off.

To close: Place lid on container, press edges down snapping lid on.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Precaution: Never add directly into pool as it will bleach the liner or painted surface.

DIRECTIONS FOR NEWLY FILLED POOLS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual value of 1.0 – 1.5 ppm available chlorine. Add 2 oz. of this product per 1,000 gallons which will provide 9.8 ppm available chlorine. Test with a reliable chlorine test kit. Bathers should not be allowed to enter the pool until the chlorine residual has dropped to 3 ppm or less. The next morning add conditioner and stabilizer (cyanuric acid), according to the label directions on the label, to stabilize the pool. Stabilized Chlorine Granules should be added daily or as needed at the rate of ½ to ½ oz. per 1,000 gallons of pool water to maintain chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in pail. A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather.

SHOCK TREATMENT


For shock treatment, add 2 oz. of Stabilized Chlorinating Granules per 1,000 gallons of pool water. Swimmer should not be permitted in the pool after shock treatment until the chlorine residual falls to 3 ppm or less. Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super-heavy bathing pools which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. **Pesticide Storage:** Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration.

Pesticide Disposal: In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer.

Container Disposal: Do not reuse empty container but place in trash collection.



Optional Label Claims

- For Sparkling Water
- Fast & Easy

Label text specific to the Alternate Brand Name: Jolt-It-Shock Treatment

To Open: Place coin in groove, pry and lift off.

To close: Place lid on container, press edges down snapping lid on.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The purpose of Jolt-It-Shock Treatment is to provide a shock treatment to pools that are unacceptable for use due to the presence of bacteria, algae, or discolored water because of neglect, or the presence of minerals such as iron or manganese. 2 lbs of Jolt-It-Shock Treatment will impart 11 ppm of chlorine to 13,500 gallons of water. A second treatment may be necessary if pool does not respond to initial dose. 1) Remove as much as possible any floating, suspended and/or suntan matter that may be present by use of a hand skimmer, net, or vacuuming to waste. 2) Adjust pool water pH to 7.2 to 7.6. 3) Start filter and add Jolt-It-Shock Treatment at the rate of 1 lbs. per 6,750 gallons of pool water.

Applications may be made using one of the following methods:

Skimmer: Use this method to avoid bleaching vinyl liner or paint. Empty skimmer of all chemicals and/or debris. Make sure that filter is on and that water is properly circulating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Pour Jolt-It-Shock Treatment slowly into skimmer making sure that the material is drawn into the system at the same rate. Do not allow this material to accumulate as gases generated may cause an explosion.

Dose direct into the pool: Broadcast dosage across surface of water. Allow filter to run continuously being careful to empty strainer basket in front of pump if suction is impeded. Also, there may be a tendency for the filter to clog due to the accumulation of dead algae. Backwash filter if this occurs. Repeat dosage on the second day if necessary. If there is no improvement on the third day, consult your dealer or the manufacturer of this product for further advice. Do not resume regular chlorine dosages until chlorine residual falls to between 1 and 3 ppm. Bathers should not be allowed to enter the pool until chlorine residual falls to 2 ppm of less.

Note on pools treated for algae: If this product is used to shock or superchlorinate an algae infested pool, after treatment it is important to brush the walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residuals. Such protected algae will begin to reproduce again when high chlorine residual falls.

POOL GALLON CALCULATOR (all dimensions in feet): Square or rectangular: Length x Width x Average depth x 7.5 gallons — Round or Oval: Length x Width x Average Depth x 5.9 gallons