

7152-21

08/29/2007

1/10

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

August 29, 2007

Heather Bjornson
Seaboard Industries
185 Van Winkle Avenue
Hawthorne, NJ 07507

Subject: Seaboard Stabilized Chlorinating Granules
EPA Registration No. 7152-21
Application Date: August 01, 2007
Receipt Date: August 03, 2007

Dear Ms. Bjornson:

This acknowledges receipt of notification, submitted under the provision of PR Notice 98-10 FIFRA section 3 (c) 9.

Proposed Notification

- Addition of an Alternate Brand Name "Jolt-It-Shock Treatment"
- Optional Label Claims

General Comments

Based on review of the material submitted, the following comment applies:

This notification application is accepted and a copy has been placed in your file for future reference. If you wish to get a stamped label you have to send in label amendment.

Should you have any questions or comments concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely,

Wanda Y. Henson
Product Reviewer (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

2/10



WASHINGTON

1150 18th Street, N.W.
Suite 1000
Washington, D.C. 20036
Telephone 202 223-4392
Fax 202 872-0745

August 1, 2007

Emily Mitchell
Project Manager 32
Office of Pesticide Programs, EPA
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE: Seaboard Industries, Seaboard Stabilized Chlorinating Granules; EPA Reg. No. 7152-21

Fast-track label amendment

SACRAMENTO

712 Fifth Street
Suite A
Davis, CA 95616
Telephone 530 757-1298
Fax 530 757-1299

Dear Ms. Mitchell:

Technology Sciences Group, on behalf of Seaboard Industries is submitting the enclosed fast track label amendment to:

- Update the first aid statements,
- Update the precautionary statements,
- Update the storage and disposal statements, and
- Add text specific for the alternate brand name Jolt-It –Shock Treatment.

CANADA

275 Slater Street
Suite 900
Ottawa, Ontario
K1P 5H9
Telephone 613 247-6285
Fax 613 236-3754

You will find the following included with this submission:

- 1) EPA Form 8570-1;
- 2) One redline copy of the label (highlighting label changes); and
- 3) Three (3) clean copies of the label.


If you have any questions, please do not hesitate to contact me at (202) 828-8945 or via e-mail: hbjornson@tsgusa.com.

Sincerely,

Heather R. Bjornson
Regulatory Consultant to Seaboard Industries

E-mail tsg@tsgusa.com

<http://www.tsgusa.com>





United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input checked="" type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 7152-21	2. EPA Product Manager Emily Mitchell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Seaboard Stabilized Chlorinating Granules	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Seaboard Industries 185 Van Winkle Avenue Hawthorne, NJ 07507 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input checked="" type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Fast-track label amendment to update first aid, precautionary, and storage and disposal statements. This amendment also adds specific directions for use for the alternate brand name and is not subject to PRIA.

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions C C C C C C C C C C C C C C C C	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____ C C C C C C C C C C C C		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Heather R. Bjornson, Technology Sciences Group, Inc.	Title Regulatory Consultant	Telephone No. (Include Area Code) (202) 828-8945
<p align="center">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Consultant to Seaboard Industries	
4. Typed Name Heather R. Bjornson	5. Date August 1, 2007	

4/10

Seaboard Stabilized Chlorinating Granules

Master Label includes:

- Main Label
- Optional Label Claims
- Label text specific to the Alternate Brand Name: Jolt-It-Shock Treatment

EPA Reg. No. 7152-21
EPA Est. No. 7152-NJ-1

Manufactured for:
Seaboard Industries
185 Van Winkle Ave.
Hawthorne, NJ 07506
Tel.: (201) 427-8500

NOTIFICATION
Date Reviewed: 8/29/07
Reviewed By: D. Pearson

cccc
cccc
cc c
c c c
cc c
c
cccccc
c c c
c c c
cccccc
o c u
cc
cccc
c c c
cccc
cccc
c c c
c c
cccc
cccc
ccc c
c c
cc

5/10

(Front Panel)

[Alternate Brand Name Jolt-It- Shock Treatment]

Seaboard Stabilized Chlorinating Granules

Active Ingredient:
 Sodium Dichloro-s-triazinetrione* 99.0%
 Other Ingredients: 1.0%
 Total: 100.0%

*Provides 63% Available Chlorine

KEEP OUT OF REACH OF CHILDREN


DANGER

See back panel for additional precautionary statements

Net Contents:

**EPA Reg. No. 7152-21
EPA Est. No. 7152-NJ-1**

Manufactured for:
Seaboard Industries
185 Van Winkle Ave.
Hawthorne, NJ 07506
Tel.: (201) 427-8500



FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency assistance involving chemicals call CHEMTREC day or night at: 1-800-424-9300.</p> <p>NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces etc.) will release chlorine gas which is irritation to eyes, lungs and mucous membranes.

7/10

To Open: Place coin in groove, pry and lift off.

To close: Place lid on container, press edges down snapping lid on.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Precaution: Never add directly into pool as it will bleach the liner or painted surface.**

DIRECTIONS FOR NEWLY FILLED POOLS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual value of 1.0 – 1.5 ppm available chlorine. Add 2 oz. of this product per 1,000 gallons which will provide 9.8 ppm available chlorine. Test with a reliable chlorine test kit. Bathers should not be allowed to enter the pool until the chlorine residual has dropped to 3 ppm or less. The next morning add conditioner and stabilizer (cyanuric acid), according to the label directions on the label, to stabilize the pool. Stabilized Chlorine Granules should be added daily or as needed at the rate of ¼ to ½ oz. per 1,000 gallons of pool water to maintain chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in pail. A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather.

SHOCK TREATMENT

For shock treatment, add 2 oz. of Stabilized Chlorinating Granules per 1,000 gallons of pool water. Swimmer should not be permitted in the pool after shock treatment until the chlorine residual falls to 3 ppm or less. Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super-heavy bathing pools which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Pesticide Storage: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration.

Pesticide Disposal: In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer.

Container Disposal: Do not reuse empty container but place in trash collection.

8/10

Optional Label Claims

- For Sparkling Water
- Fast & Easy

9/10

Label text specific to the Alternate Brand Name: Jolt-It-Shock Treatment

To Open: Place coin in groove, pry and lift off.

To close: Place lid on container, press edges down snapping lid on.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The purpose of Jolt-It-Shock Treatment is to provide a shock treatment to pools that are unacceptable for use due to the presence of bacteria, algae, or discolored water because of neglect, or the presence of minerals such as iron or manganese. 2 lbs of Jolt-It-Shock Treatment will impart 11 ppm of chlorine to 13,500 gallons of water. A second treatment may be necessary if pool does not respond to initial dose. 1) Remove as much as possible any floating, suspended and/or suntan matter that may be present by use of a hand skimmer, net, or vacuuming to waste. 2) Adjust pool water pH to 7.2 to 7.6. 3) Start filter and add Jolt-It-Shock Treatment at the rate of 1 lbs. per 6,750 gallons of pool water.

Applications may be made using one of the following methods:

Skimmer: Use this method to avoid bleaching vinyl liner or paint. Empty skimmer of all chemicals and/or debris. Make sure that filter is on and that water is properly circulating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Pour Jolt-It-Shock Treatment slowly into skimmer making sure that the material is drawn into the system at the same rate. Do not allow this material to accumulate as gases generated may cause an explosion.

Dose direct into the pool: Broadcast dosage across surface of water. Allow filter to run continuously being careful to empty strainer basket in front of pump if suction is impeded. Also, there may be a tendency for the filter to clog due to the accumulation of dead algae. Backwash filter if this occurs. Repeat dosage on the second day if necessary. If there is no improvement on the third day, consult your dealer or the manufacturer of this product for further advice. Do not resume regular chlorine dosages until chlorine residual falls to between 1 and 3 ppm. Bathers should not be allowed to enter the pool until chlorine residual falls to 2 ppm or less.

Note on pools treated for algae: If this product is used to shock or superchlorinate an algae infested pool, after treatment it is important to brush the walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residuals. Such protected algae will begin to reproduce again when high chlorine residual falls.

10/10

POOL GALLON CALCULATOR (all dimensions in feet): Square or rectangular:
Length x Width x Average depth x 7.5 gallons – Round or Oval: Length x Width x
Average Depth x 5.9 gallons