1152-2

2/12/2010



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

February 12, 2010

Heather R. Bjornson, Agent for Seaboard Industries Technology Sciences Group, Inc. 1150 18<sup>th</sup> Street NW, Suite 1000 Washington, D.C. 20036

Subject: Seaboard Stabilized Chlorinating Granules EPA Registration Number 7152-21 Application Date: November 13, 2009

Dear Ms. Bjornson:

The Agency has reviewed your submission in accordance with continuing registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as amended, and determined the action to be acceptable with the following conditions: • Under Precautionary Statements add "Wear chemically resistant gloves when handling";

• Under Precautionary Statements add "or using the toilet"; and,

• Under Directions for Use change 2 ppm to 3 ppm;

In summary, you have revised some use directions and updated the storage and disposal directions in accordance with the requirements of PR Notice 2007-4. A copy of your stamped conditionally accepted label is enclosed. Please submit a finished label for our files. Should you have any questions or comments concerning this letter, please contact Tom Luminello at (703) 308-8075.

Sincerely, Wanda Y. Henson

Acting Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510 P)

Enclosure

# **Seaboard Stabilized Chlorinating Granules**

Master Label includes:

- Main Label
- Optional Label Claims

EPA Reg. No. 7152-21 EPA Est. No. 7152-NJ-1

Manufactured for: Seaboard Industries 185 Van Winkle Ave. Hawthorne, NJ 07506 Tel.: (201) 427-8500

> ACCEPTED with COMMENTS m EPA Letter Dated:

## FEB 1 2 2010

Conter the Federal Insecticide, Regulate, and Rodenticide Act as analysical for the pesticide, reported under EPA Reg. No.

Seaboard Stabilized Chlorinating Granules (EPA Reg. No. 7152-21) Master Label version (3) dated February 11, 2010

<ul> <li>Remove containers</li> <li>Call a poison</li> <li>Call a poison</li> <li>Take off containers</li> <li>Rinse skin im</li> <li>Call a poison of</li> <li>Call a poison of</li> <li>Call poison of</li> <li>Have person</li> <li>Do not induce</li> <li>Do not give a</li> <li>If person is n</li> </ul>	n and rinse slowly and gently with water for 15 – 20 minutes. act lenses, if present, after the first 5 minutes, then continue rinsing control center or doctor for treatment advice. aminated clothing.
clothing• Rinse skin im • Call a poisonIf swallowed• Call poison c • Call poison c • Have person • Do not induce • Do not give aIf inhaled• Move person • If person is n	0
<ul> <li>Have person</li> <li>Do not induce</li> <li>Do not give a</li> <li>Move person</li> <li>If person is n</li> </ul>	mediately with plenty of water for 15 – 20 minutes. control center or doctor for treatment advice.
If person is n	ontrol center or doctor immediately for treatment advice. sip a glass of water if able to swallow. e vomiting unless told to do so by the poison control center or doctor. nything by mouth to an unconscious person.
Have the product container or labe treatment. For emergency a	el with you when calling a poison control center or doctor, or going for

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals.

DANGER: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco, br Remove contaminated clothing and wash before reuse.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional Office of the EPA.

#### PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions." Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, product with chemicals (e.g. urine, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes, COMMENT

DDR Letter Dated

1152-21

FEB 1 2 2010

Under the Pederal Instattoid Fundicide, and Rodenworke and the Seaboard Stabilized Chlorinating Granules (EP&rRegdNg, 7052-21)) estimates, Master Label version (3) dated February 11, 2010 DA Reg. No.

Wear chémicallyresistant gloves when handling.

*s*i<sup>n</sup>°

use of a hand skimmer, net, or vacuuming to waste. 2) Adjust pool water pH to 7.2 to 7.6. 3) Start filter and add this product at the rate of 1 lb. per 6,750 gallons of pool water.

Applications may be made using one of the following methods:

**Skimmer:** Use this method to avoid bleaching vinyl liner or paint. Empty skimmer of all chemicals and/or debris. Make sure that filter is on and that water is properly circulating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Pour this product slowly into skimmer making sure that the material is drawn into the system at the same rate. Do not allow this material to accumulate as gases generated may cause an explosion.

**Dose direct into the pool:** Broadcast dosage across surface of water. Allow filter to run continuously being careful to empty strainer basket in front of pump if suction is impeded. Also, there may be a tendency for the filter to clog due to the accumulation of dead algae. Backwash filter if this occurs. Repeat dosage on the second day if necessary. If there is no improvement on the third day, consult your dealer or the manufacturer of this product for further advice. Do not resume regular chlorine dosages until chlorine residual falls to between 1 and 3 ppm. Bathers must not be allowed to enter the pool until chlorine residual falls to \$20ppm or less. 3

**Note on pools treated for algae:** If this product is used to shock or superchlorinate an algae infested pool, it is important to brush the walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residuals. Such protected algae will begin to reproduce again when high chlorine residual falls.

POOL GALLON CALCULATOR (all dimensions in feet): Square or rectangular: Length x Width x Average depth x 7.5 gallons. For Round or Oval: Length x Width x Average Depth x 5.9 gallons.

#### STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. **Pesticide Storage:** Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration.

**Pesticide Disposal:** In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Discard in trash or offer for recycling, if available.

ACCEPTED with COMMENTS m EPA Letter Dated:

FEB 1 2 2010

Under the Federal Insecticide, Intervale, and Rodenticide Act as Intervaled, for the pesticide, Statered under EPA Reg. No. 252-21

Seaboard Stabilized Chlorinating Granules (EPA Reg. No. 7152-21) Master Label version (3) dated February 11, 2010