

7152-21

4/9/2013

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 9, 2013

Ms. Abigail T. Downs
Regulatory Consultant to Seaboard Industries
Technology Sciences Group (TSG) Inc.
1150 18th Street, NW, Suite 1000
Washington, D.C. 20036

SUBJECT: Seaboard Granular Stabilized Chlorine
EPA Registration Number: 7152-21
Application Date: March 7, 2013
Application Receipt: March 11, 2013

Dear Ms. Downs:

This acknowledges receipt of the above notification application, submitted under the provision of PR Notice 98-10, FIFRA 3 (c) 9.

Proposed Notification:

TSG proposes to update the Precautionary Statement and the Storage and Disposal language on the product label.

General Comments:

The Notification application is **acceptable**. The registrant also revised the direction for use to "Bathers must not be allowed to enter the pool until chlorine residual falls to 3 ppm or less." This change was directed by the Agency in a letter dated February 10, 2010.

If you have any questions or comments with regard to this Agency letter, please contact Nathan Mottl via email at mottl.nathan@epa.gov or by telephone at 703-305-0208.

Sincerely,

Monisha Harris
EPA Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510P)

2/10

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	--	-----------------------

Application for Pesticide – Section I

1. Company/Product Number 7152-21	2. EPA Product Manager Monisha Harris	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Seaboard Industries / Seaboard Granular Stabilized Chlorine	PM# 32	
5. Name And Address Of Applicant (Include ZIP Code) SEABOARD INDUSTRIES D/B/A SEABOARD INDUSTRIES, INC. 185 VAN WINKLE AVE. HAWTHORNE, NJ 07506 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section II

<input type="checkbox"/> Amendment – Explain below.	<input type="checkbox"/> Final Printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification – Explain below.	<input type="checkbox"/> Other – Explain Below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


Notification to update Storage and Disposal and Precautionary Statements per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container	If "Yes" Unit Packaging wgt. No. per Container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(S) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label c c c c c <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithographed <input type="checkbox"/> Pager glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Abigail T. Downs, Technology Sciences Group, Inc.	Title Regulatory Consultant	Telephone No. (Include Area Code) (202) 828-8992
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Agent to Seaboard Industries	
4. Typed Name Abigail T. Downs	5. Date March 7, 2013	



Technology Sciences Group Inc.
1150 18th Street, NW, Suite 1000
Washington, D.C. 20036
Direct: (202) 828-8992
Fax: (202) 872-0745
E-Mail: adowns@tsgusa.com

Abigail T. Downs
Regulatory Consultant

Monisha Harris / PM32
Office of Pesticide Products, US EPA
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

March 7, 2013

RE: Notification to Revise Product Label per PR Notice 98-10
Company Name: Seaboard Industries
Product Name: Seaboard Granular Stabilized Chlorine
EPA Reg. No.: 7152-21

Dear Ms. Harris,

Technology Sciences Group Inc., on behalf of Seaboard Industries, is submitting the enclosed notification to revise the aforementioned product label. Per PR Notice 98-10, the purpose of this notification is to update the Precautionary Statement and the Storage and Disposal language on the product label to meet current Agency standards for labeling. This submission is submitted concurrently with similar notifications for the following Seaboard Industries products:

- 7152-5
- 7152-15
- 7152-32
- 7152-33
- 7152-34
- 7152-39
- 7152-65
- 7152-87
- 7152-88
- 7152-89

Please find the following documents submitted in support of this application:

- 8570-1, Application for Pesticide;
- One (1) redline version of the proposed label; and
- Three (3) clean copies of the proposed label.

5/10


Seaboard Stabilized Chlorinating Granules

Master Label includes:

- Main Label
- Optional Label Claims

EPA Reg. No. 7152-21
EPA Est. No. 7152-NJ-1

Manufactured for:
Seaboard Industries
185 Van Winkle Ave.
Hawthorne, NJ 07506
Tel.: (201) 427-8500



(Front Panel)

[Alternate Brand Name Jolt-It- Shock Treatment, Stabilized Chlorinating Granules]

Seaboard Stabilized Chlorinating Granules

Active Ingredient:
 Sodium Dichloro-s-triazinetriene*.....99.0%
 Other Ingredients:.....1.0%
 Total:.....100.0%

*Provides 63% Available Chlorine

KEEP OUT OF REACH OF CHILDREN


DANGER

See back [side] panel for additional precautionary statements


Net Contents:

EPA Reg. No. 7152-21
EPA Est. No. 7152-NJ-1

Manufactured for:
Seaboard Industries
185 Van Winkle Ave.
Hawthorne, NJ 07506
Tel.: (201) 427-8500



FIRST AID	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 – 20 minutes.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency assistance involving chemicals call CHEMTREC day or night at: 1-800-424-9300.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	



8/10

DIRECTIONS FOR USE PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wear chemically resistant gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

To Open: [Twist and turn off lid or] Place coin in groove, pry and lift off.

To close: [Twist and turn lid or] Place lid on container, press edges down snapping lid on.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **Precaution: Never add directly into pool as it will bleach the liner or painted surface.**

DIRECTIONS FOR NEWLY FILLED POOLS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual value of 1.0 – 1.5 ppm available chlorine. Add 2 oz. of this product per 1,000 gallons which will provide 9.8 ppm available chlorine. Test with a reliable chlorine test kit. Bathers should not be allowed to enter the pool until the chlorine residual has dropped to 3 ppm or less. The next morning add conditioner and stabilizer (cyanuric acid), according to the label directions on the label, to stabilize the pool. Stabilized Chlorine Granules should be added daily or as needed at the rate of ¼ to ½ oz. per 1,000 gallons of pool water to maintain chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in pail. A shock treatment should be made every

9/10

week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather.

SHOCK TREATMENT

For shock treatment, add 2 oz. of Stabilized Chlorinating Granules per 1,000 gallons of pool water. Swimmer should not be permitted in the pool after shock treatment until the chlorine residual falls to 3 ppm or less. Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super-heavy bathing pools which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

[OPTIONAL DIRECTIONS FOR USE]

To Open: Place coin in groove, pry and lift off.

To close: Place lid on container, press edges down snapping lid on.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The purpose of this product is to provide a shock treatment to pools that are unacceptable for use due to the presence of bacteria, algae, or discolored water because of neglect, or the presence of minerals such as iron or manganese. 2 lbs of this product is will impart 11 ppm of chlorine to 13,500 gallons of water. A second treatment may be necessary if pool does not respond to initial dose. 1) Remove as much as possible any floating, suspended and/or suntan matter that may be present by use of a hand skimmer, net, or vacuuming to waste. 2) Adjust pool water pH to 7.2 to 7.6. 3) Start filter and add this product is at the rate of 1 lbs. per 6,750 gallons of pool water.

Applications may be made using one of the following methods:

Skimmer: Use this method to avoid bleaching vinyl liner or paint. Empty skimmer of all chemicals and/or debris. Make sure that filter is on and that water is properly circulating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Pour this product is slowly into skimmer making sure that the material is drawn into the system at the same rate. Do not allow this material to accumulate as gases generated may cause an explosion.

Dose direct into the pool: Broadcast dosage across surface of water. Allow filter to run continuously being careful to empty strainer basket in front of pump if suction is impeded. Also, there may be a tendency for the filter to clog due to the accumulation of dead algae. Backwash filter if this occurs. Repeat dosage on the second day if necessary. If there is no improvement on the third day, consult your dealer or the manufacturer of this product for further advice. Do not resume regular chlorine dosages until chlorine residual falls to between 1 and 3 ppm. Bathers should not be allowed to enter the pool until chlorine residual falls to 3 ppm or less.

Note on pools treated for algae: If this product is used to shock or superchlorinate an algae infested pool, after treatment it is important to brush the walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine

residuals. Such protected algae will begin to reproduce again when high chlorine residual falls.

POOL GALLON CALCULATOR (all dimensions in feet): Square or rectangular: Length x Width x Average depth x 7.5 gallons – Round or Oval: Length x Width x Average Depth x 5.9 gallons

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Pesticide Storage: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration.

Pesticide Disposal: In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Discard in trash or offer for recycling, if available.

Optional Label Claims

- For Sparkling Water
- Fast & Easy
- Pool & Spa
- Serving the Tri-State New York are for over 40 years
- 99% Full Strength