

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

Abigail T. Downs, Consultant to Seaboard Industries Technology Sciences Group, Inc. 1150 18th Street. NW. Suite 1000 Washington, D.C. 20036

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Subject:

Seaboard Granular Stabilized Chlorine

EPA Reg.#: 7152-21

Application Date: April 18, 2014 Receipt Date: April 18, 2014 JUN 2 4 2014

Dear Ms. Downs:

This acknowledges the receipt of your Amendment application dated April 18, 2014 in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended.

Proposed Amendment:

Minor amendments to Precautionary Statement and update the Storage & Disposal statement for "Seaboard Granular Stabilized Chlorine" product label (EPA Reg#7152-21). The proposed label dated April 18, 2014.

General Comment:

Based on the review of the material submitted, the amendment for "Seaboard Granular Stabilized Chlorine" product label (EPA Reg# 7152-21) is **acceptable**.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

This latest amended label and a copy of this letter have been inserted in your file for future reference.

If you have any questions or comments concerning this letter, please contact David Liem by email at liem.david@epa.gov or call (703) 305-1285.

Sincerely,

Demson Fuller

Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510P)

Att: Accepted Stamped Label

(Front Panel)

Seaboard Stabilized Chlorinating Granules

[Alternate Brand Name Jolt-It- Shock Treatment, Stabilized Chlorinating Granules]

Active Ingredient:

*Provides 63% Available Chlorine

KEEP OUT OF REACH OF CHILDREN

DANGER

See back [side] panel for additional precautionary statements

Net Contents:

EPA-Reg.-No. 7152-21 **EPA Est. No.** 7152-NJ-1

Manufactured for:

Seaboard Industries 185 Van Winkle Ave. Hawthorne, NJ 07506

Tel.: (201) 427-8500

FIRST AID	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
lf on skin or	Take off contaminated clothing.
clothing	 Rinse skin immediately with plenty of water for 15 – 20 minutes.
	Call a poison control center or doctor for treatment advice.
If swallowed	Call poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control
	center or doctor.
	Do not give anything by mouth to an unconscious person.
If inhaled	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give
	artificial respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or	
doctor, or going for treatment. For emergency assistance involving chemicals call	
CHEMTREC day or night at: 1-800-424-9300	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of	
gastric lavage.	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wear chemically resistant gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this-product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Precaution: Never add directly into pool as it will bleach the liner or painted surface.

The purpose of this product is to provide a shock treatment to pools that are unacceptable for use due to the presence of bacteria, algae, or discolored water because of neglect, or the presence of minerals such as iron or manganese. 2 lbs of this product is will impart 11 ppm of chlorine to 13,500 gallons of water. A second treatment may be necessary if pool does not respond to initial dose. 1) Remove as much as possible any floating, suspended and/or suntan matter that may be present by use of a hand skimmer, net, or vacuuming to waste. 2) Adjust pool water pH to 7.2 to 7.6. 3) Start filter and add this product is at the rate of 1 lbs. per 6,750 gallons of pool water.

Applications may be made using one of the following methods:

Skimmer: Use this method to avoid bleaching vinyl liner or paint. Empty skimmer of all chemicals and/or debris. Make sure that filter is on and that water is properly circulating through skimmer. Remove any chemicals that may be in an in-line automatic chemical dispensing device. Pour this product is slowly into skimmer making sure that the material is drawn into the system at the same rate. Do not allow this material to accumulate as gases generated may cause an explosion.

Dose direct into the pool: Broadcast dosage across surface of water. Allow filter to run continuously being careful to empty strainer basket in front of pump if suction is impeded. Also, there may be a tendency for the filter to clog due to the accumulation of dead algae. Backwash filter if this occurs. Repeat dosage on the second day if necessary. If there is no improvement on the third day, consult your dealer or the manufacturer of this product for further advice. Do not resume regular chlorine dosages until chlorine residual falls to between 1 and 3 ppm. Bathers should not be allowed to enter the pool until chlorine residual falls to 3 ppm of less.

Note on pools treated for algae: If this product is used to shock or superchlorinate an algae infested pool, after treatment it is important to brush the walls and floor to expose algae that may be in cracks or wrinkles that might protect algae from high chlorine residuals. Such protected algae will begin to reproduce again when high chlorine residual falls.

To Open: [Twist and turn off lid or] Place coin in groove, pry and lift off.

To close: [Twist and turn lid or] Place lid on container, press edges down snapping lid

on.

DIRECTIONS FOR NEWLY FILLED POOLS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual value of 1.0 – 1.5 ppm available chlorine. Add 2 oz. of this product per 1,000 gallons which will provide 9.8 ppm available chlorine. Test with a reliable chlorine test kit. Bathers should not be allowed to enter the pool until the chlorine residual has dropped to 3 ppm or less. The next morning add conditioner and stabilizer (cyanuric acid), according to the label directions on the label, to stabilize the pool. Stabilized Chlorine Granules should be added daily or as needed at the rate of ¼ to ½ oz. per 1,000 gallons of pool water to maintain chlorine residual at all times of 1.0 ppm to 1.5 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6. Proper dosage should be broadcast over deep end of pool. Apply dosage directly to pool water. Do not mix in pail. A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather.

SHOCK TREATMENT

For shock treatment, add 2 oz. of Stabilized Chlorinating Granules per 1,000 gallons of pool water. Swimmer should not be permitted in the pool after shock treatment until the chlorine residual falls to 3 ppm or less. Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super-heavy bathing pools which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 1.5 ppm.

[OPTIONAL DIRECTIONS FOR USE]

To Open: Place coin in groove, pry and lift off.

To close: Place lid on container, press edges down snapping lid on.

POOL GALLON CALCULATOR (all dimensions in feet): Square or rectangular: Length x Width x Average depth x 7.5 gallons – Round or Oval: Length x Width x Average Depth x 5.9 gallons

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage, disposal or cleaning of equipment. **Pesticide Storage:** Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration.

Pesticide Disposal: In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Discard in trash or offer for recycling, if available.

Optional Label Claims

- For Sparkling Water
- Fast & Easy
- Pool & Spa
- Serving the Tri-State New York are for over 40 years
- 99% Full Strength