

AC  
7  
UNDER  
FUNCTION  
FOR F  
LD UN

**DIRECTIONS FOR NEWLY FILLED POOLS.**  
SEA/CURE is added directly to the pool water at the rate of one pound per 5000 gallons to establish a residual chlorine value of 1.0-1.5 ppm. This dosage should be repeated until the test results for residual chlorine are in the range of 1.0-1.5 ppm. Sun-Screen protection and Stabilization of chlorine in the pool is provided by stabilizer according to label instructions.

**REGULAR MAINTENANCE TREATMENT**  
One 5.3 ounce SEA CHLOR SLOW DISSOLVING TABLET for each 10,000 gallons is added to an automatic feeder or a floater each week. This dosage will supply an average residual chlorine of 1.2 ppm. The chlorine level should be checked daily with the use of a suitable test kit. Due to the daily changes in weather, temperature and bather load, the frequency and the amount of SEA CHLOR SLOW DISSOLVING TABLETS added will vary. Pool water pH must be adjusted and maintained regularly in the pH range of 7.2-7.8. For each pound of SEA CHLOR SLOW DISSOLVING TABLETS, a half pound of SEABOARD PLUS IS ADDED FOR pH CONTROL.

NET WT. 4 LBS.

# SPARKLING WATER - SIMPLY & EASILY

## SLOW DISSOLVING TABLETS

Active Ingredients: Trichloro-s-Triazinetrione 100% - Available chlorine 85%

**DANGER**

**PRECAUTION:** Never put tablets directly into pool, as they will irritate the liner or paint surface.


EPA REG. NO. 71-10-23

EPA EST. NO. 71-01411

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**PRACTICAL TREATMENT (FIRST AID):** If swallowed and toads appear in pool, followed by irritation or burning of the skin, call a physician immediately. If inhaled, breathe in fresh air and rest. If in contact with eyes, flush with water for at least 15 minutes. If on fabric, flush with cold water for at least 15 minutes. Get medical attention. **SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL.**



**SEABOARD INDUSTRIES**  
HAWTHORNE, NEW JERSEY

**PRECAUTIONS**  
**HAZARD**  
**DANGER**  
eye damage. May irritate eyes, on skin or clothing. Wear eye shield and rubber gloves. Wash face, nose and throat with contaminated water.  
**ENVIRONMENTAL**  
toxic to fish and aquatic life. Do not use in ponds, or public swimming pools.  
**PHYSICAL AND CHEMICAL**  
**OXIDIZING AGENT**  
only with water. Do not mix with product of any other type. Reaction leading to heat and fire with moisture. Start of chemical liberation of heat and fire and explosion.  
**STORAGE AND DISPOSAL**  
Store in tightly closed container. Keep cool, dry, well-ventilated. In case of fire, use water, foam, or dry chemical. Dissolve all material in water and collect in a safe place.

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

BEST DOCUMENT AVAILABLE

92

BEST U

7

ACCEPTED  
7152-23  
MAR 10 1980  
REGISTERED UNDER THE FEDERAL INSECTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO.

# SPARKLING WATER - SIMPLY & EASILY SLOW DISSOLVING TABLETS

Active Ingredients: Trichloro-s-Triazinetrione 100% - Available chlorine 85%

## DANGER

**PRECAUTION:** Never put tablets directly into pool, as they will scratch the interior pool surface.  
EPA REG. NO. 7152-23

## KEEP OUT OF REACH OF CHILDREN DANGER

**PRACTICAL TREATMENT (FIRST AID):** If swallowed: Treat for acidosis. Do not induce vomiting. If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention. If in Eye: Flush with cold water for at least 15 minutes. Get medical attention.  
**SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL.**



**SEABOARD  
INDUSTRIES**  
HAWTHORNE, NEW JERSEY

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance, contact the regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT:** Strong Oxidizing Agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not re-seal container. If possible, seal container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

**STORAGE AND DISPOSAL:** Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container if possible and flush with large amounts of water to remove all material before discarding. Place in trash container to dispose in approved landfill area or bury in safe place.

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

BEST DOCUMENT AVAILABLE

AVAILABLE

92

92

93

93

**DIRECTIONS FOR NEWLY FILLED POOLS:**  
**SEACURE** is added directly to the pool water at the rate of one pound per 8000 gallons to establish a residual chlorine value of 1.0-1.5 ppm. This dosage should be repeated until the test results for residual chlorine are in the range of 1.0-1.5 ppm. Sun Screen protection and Stabilizer of chlorine in the pool is provided by stabilizer according to label instructions.

**REGULAR MAINTENANCE TREATMENT:**  
 One 5.3 ounce **SEA/CHLOR SLOW DISSOLVING TABLET** for each 10,000 gallons is added to an automatic feeder or a float each week. The dosage will supply an average residual chlorine of 1.2 ppm. The chlorine level should be checked daily with the use of a reliable test kit. Due to the change in weather, temperature and bathload, the frequency and the amount of **SEA/CHLOR SLOW DISSOLVING TABLETS** added will vary. Pool water pH must be adjusted and maintained regularly in the pH range of 7.2-7.8. For each pound of **SEA/CHLOR SLOW DISSOLVING TABLETS**, a half pound of **SEABOARD PLUS** is added for pH control.

NET WT. 4 LBS

**SPARKLING WATER - SIMPLY & EASILY**

**SLOW**

**DISSOLVING TABLETS**

Active ingredients: Trichloro-S-Triazinolone 100%, Available Chlorine 85%

**DANGER**

**PRECAUTION:** Never put tablets directly into pool, as they will irritate the lining of your pool.

EPA REG. NO. 7157-21

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**PRACTICAL TREATMENT (FIRST AID):** If swallowed, feed bread or toast in small quantities with the drinking of water. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If in eyes, flush with cold water for at least 15 minutes. Get medical attention. If in fish, flush with cold water for at least 15 minutes. Get medical attention.

**SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL**

**SEABOARD INDUSTRIES**  
 HAWTHORNE, NEW JERSEY

**POOL:**  
 Add water at 75-85°F to establish 1.0-1.5 ppm. The results for 1.5 ppm of chlorine according to

**TREATMENT:**  
 Add to an open pool. The chlorine level should be checked daily to the end of the season. **SEA/CHLOR SLOW DISSOLVING TABLETS** should be added and pH adjusted and maintained regularly in the pH range of 7.2-7.8.

**SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL**

**SPARKLING WATER**

**DISSOLVING TABLETS**

Active ingredients: Trichloro-S-Triazinolone 100%, Available Chlorine 85%

**DANGER**

**PRECAUTION:** Never put tablets directly into pool, as they will irritate the lining of your pool.

EPA REG. NO. 7157-21

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**PRACTICAL TREATMENT (FIRST AID):** If swallowed, feed bread or toast in small quantities with the drinking of water. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.

**SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL**

**SEABOARD INDUSTRIES**  
 HAWTHORNE, NEW JERSEY

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

BEST DOCUMENT AVAILABLE

94

DOCUMENT AVAILABLE

94

EPA REG NO. 7157-73

ACCEPTED  
7152-23  
MAR 10 1980  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND ROENTICIDE ACT  
FOR ECONOMIC POISON REGIS-  
TRATION UNDER NO.

U 2

EASILY

DISSOLVING

TABLETS

NO. 7157-73

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

POOLS:  
Add 1 tablet to 100 gallons of water. This  
amount is for  
0.15 ppm  
of chlorine  
residual in  
water.

TREATMENT  
DISSOLVING  
TABLETS are  
used to  
chlorinate  
water. The  
chlorine  
residual  
should be  
checked  
and  
maintained  
at 0.2 to  
0.5 ppm.

SPARKLING WATER - SIMPLY & EASILY  
**SLOW**  
**DISSOLVING**  
**TABLETS**

Active ingredients: Tris(hydroxymethyl)aminomethane 100% - Anacapsin chloride 85%

**DANGER**

**PRECAUTION:** Never put tablets directly into food, as they will break the surface of the product.

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**PRACTICAL TREATMENT (FIRST AID):** If swallowed, feed or drink immediately with water, or if by other use of sodium salt. Call a physician immediately.  
If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.  
SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL.



**SEABOARD  
INDUSTRIES**  
HAWTHORNE, NEW JERSEY

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER** Highly Corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to skin and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters except in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT** Strong Oxidizing Agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, formation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not refill container. If possible, isolate container or open air or well ventilated area. Avoid such large volumes of water, if necessary.

**STORAGE AND DISPOSAL:** Keep product in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from pigs or open flame. In case of decomposition, isolate container if possible. Do not mix with large amounts of water to dilute. Do not discharge into the environment. Place in trash container or other approved disposal unit as early as possible.

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

BEST DOCUMENT AVAILABLE

DOCUMENT AVAILABLE

94

95