




5



# SPARKLING WATER - SIMPLY & EASILY

## SLOW

# DISSOLVING TABLETS

Active Ingredients: Trichloro-s-Triazinetrione 100% Available chlorine 85%

### DANGER

**PRECAUTION** - Never drop tablet directly into glass as this will produce a violent reaction. Surface: EPA Reg. No. 111-112-01-11

### KEEP OUT OF REACH OF CHILDREN DANGER

**PRACTICAL TREATMENT (FIRST AID)** - If swallowed, wash mouth out with water. If in eyes, flush with cold water for at least 15 minutes. If on skin, wash with soap and water. If on clothing, wash with soap and water. If on fabric, wash with soap and water. If on carpet, wash with soap and water. If on wall, wash with soap and water. If on ceiling, wash with soap and water. If on floor, wash with soap and water. If on furniture, wash with soap and water. If on drapery, wash with soap and water. If on curtain, wash with soap and water. If on blind, wash with soap and water. If on shade, wash with soap and water. If on blind, wash with soap and water. If on shade, wash with soap and water. If on blind, wash with soap and water. If on shade, wash with soap and water.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL



**SEABOARD  
INDUSTRIES**  
HAWTHORNE, NEW JERSEY

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER** - Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS** - This product is toxic to fish. Do not use in lakes, streams, ponds or public waters unless in accordance with an NPDES Permit. For guidance, contact the regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS STRONG OXIDIZING AGENT** - Strong Oxidizing Agent. Mix only with water. Use caution utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reuse container. If possible, isolate container in open air or well-ventilated area. If used with large volumes of water, if necessary.

**STORAGE AND DISPOSAL** - Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container if possible and flood with large amounts of water to dissipate all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

ACCEPTED  
7152-24  
MAR 10 1980  
UNDER THE FEDERAL PESTICIDE  
REGISTRATION ACT  
FOR ECONOMIC PESTICIDE  
REGISTRATION

SEABOARD

INDUSTRIES

**DIRECTIONS FOR NEWLY FILLED POOLS**  
SEACURE is added directly to the pool water at the rate of one pound per 8000 gallons to establish a residual chlorine value of 1.0-1.5 ppm. This dosage should be repeated until the test results for residual chlorine are in the range of 1.0-1.5 ppm. Sun-Screen protection and Stabilization of Chlorine in the pool is provided by stabilizer according to label instructions.

**REGULAR MAINTENANCE TREATMENT**  
One Ten-Ounce SEACHLOR SLOW DISSOLVING TABLET for each 4000 gallons is added to an automatic feeder or a floater each week. This dosage will supply an average residual chlorine of 1.2 ppm. The chlorine level should be checked daily with the use of a suitable test kit. Due to the daily changes in weather, temperature, and bather load, the frequency and the amount of SEACHLOR SLOW DISSOLVING TABLETS added will vary. Pool water pH must be adjusted and maintained regularly in the pH range of 7.2-7.8. For each pound of SEACHLOR SLOW DISSOLVING TABLETS, a half-pound of SEABOARD PLUS IS ADDED FOR pH CONTROL.

NET WT. 4 LBS.

SPARKLING WATER - SIMPLY & EASILY

**SLOW DISSOLVING TABLETS**

Active Ingredients: Trichloro S-Triazinobenzene 100% Available Chlorine 65%

**PRECAUTION** - For use in swimming pools only. Do not use in hot tubs, spas, or other enclosed water systems.

**KEEP OUT OF REACH OF CHILDREN**

**PRACTICAL TREATMENT (FIRST AID)** - If swallowed, do not induce vomiting. Drink plenty of water. If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If on clothing, remove and wash separately. For more information, see the label or call 1-800-368-5272.

**SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL**  
**SEABOARD INDUSTRIES**  
HANTON, N.J.

**PRECAUTIONS**

**DANGER**  
Eye Damage May Result. Avoid Contact with Eyes, Skin or Clothing. Wash Contaminated Areas Thoroughly with Soap and Water. Avoid Contact with Fish, Shellfish, or Ponds or Public Places. For more information, see the label or call 1-800-368-5272.

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

SPARKLING WATER

T

S

# SPARKLING WATER - SIMPLY & EASILY SLOW DISSOLVING TABLETS

Active ingredients: Trisodium Phosphate 100% - Ascorbic acid 85%

## DANGER

PRECAUTION: Keep out of reach of children. Do not use if the seal is broken or the container is damaged.

KEEP OUT OF REACH OF CHILDREN  
DANGER

PRACTICAL TREATMENT (FIRST AID): If swallowed, take a glass of water and drink slowly. If in eyes, flush with water for at least 15 minutes. See additional precautions on side panel.



SEABOARD  
INDUSTRIES  
NANTUCKET, MASS. 01905

**PRECAUTIONARY STATEMENTS**  
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

**DANGER** Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothes. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust, fumes and vapors. Contaminated clothing should be removed.

**ENVIRONMENTAL HAZARDS** This product is toxic to aquatic organisms. Do not discharge into streams, rivers, lakes, ponds, or other bodies of water. Do not mix with other chemicals.

**PHYSICAL AND CHEMICAL HAZARDS** **STRONG OXIDIZING AGENT** Strong Oxidizing Agent. May react with water. Use clean equipment. Do not add the product to any equipment which contains contents of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction, with evolution of heat, liberation of flammable gases, and possible generation of fire and explosion. In case of contamination or decomposition, its metal container if possible should be kept in open air or well ventilated area. Rinse in large volumes of water, if necessary.

**STORAGE AND DISPOSAL** Keep in original or tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, replace container if possible and flush with large amounts of water to dilute and neutralize before disposal. Place in such container in case of spill or leak. Do not reuse.

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON SIDE PANEL

72

73