STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

2. PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

- (a) Reseal container and offer for reconditioning, if more than 30 gal. or
- (b) Triple rinse (or equivalent) and: offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

4. GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures.

CHEMPORVOS TECHNICAL

An Insecticide for Formulating Use

Active Ingredients: 2,2-Dichlorovinyl Dimethyl

Total 100.0%



EPA Reg. No. 7173-56 EPA Est. No.

PRECAUTIONS IN USING:

CHEMPORVOS is a rapid contact, respiratory and stomach poison of short but powerful action. Chemporvos insecticide concentrate and the diluted emulsion are poisonous. Therefore, precautions must be observed when handling them. (See Antidote and warnings on this label.)

Store the concentrate in a safe place. Children or animals must not be able to reach or handle the concentrate or diluted emulsion.

Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Wear natural rubber gloves, protective clothing, and goggles. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for DDVP protection. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not reuse container. Destroy when empty. Do not contaminate feed, water or foodstuffs.

FISH AND/OR WILDLIFE

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

EMPORVOS TECHNICAL

An Insecticide for Formulating Use

ctive Ingredients:

2,2-Dichlorovinyl Dimethyl

Phosphate 97.0% elated Compounds 3.0%

Total 100.0%

GEEP OUT OF REACH OF CHILDREN



EPA Reg. No. 7173-56 EPA Est. No.

ECAUTIONS IN USING:

EMPORVOS is a rapid contact, respiratory and stomach con of short but powerful action. Chemporvos insecticide centrate and the diluted emulsion are poisonous. Thereprecautions must be observed when handling them. (See idote and warnings on this label.)

re the concentrate in a safe place. Children or animals it not be able to reach or handle the concentrate or diluted ision.

sonous if swallowed, inhaled or absorbed through skin or s. Do not get on skin or eyes. Do not breathe fumes. Wear ral rubber gloves, protective clothing, and goggles. Wear ask or respirator of a type passed by the U.S. Department griculture for DDVP protection. Keep all unprotected persout of operational area. In case of contact, wash immedity with soap and water. Wash hands, arms, and face oughly with soap and water before eating or smoking. In all contaminated clothing with soap and hot water re reuse. Do not reuse container. Destroy when empty. Do contaminate feed, water or foodstuffs.

H AND/OR WILDLIFE

product is toxic to fish, birds and other wildlife. Keep out kes, streams or ponds. Do not contaminate water by ning of equipment or disposal of wastes.

ANTIDOTE AND FIRST AID TREATMENT

Atropine is the emergency antidote for DDVP insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING.

INTERNAL. If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger in the throat or by giving warm salt water (1 tablespoon of salt to a glass of water) NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL. If the material has been spilled on the skin, immediately remove patient from the vicinity of the Irisecticide, remove all contaminated ciothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below).

Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician. Never administer milk, oil, or other substances containing fats, to persons poisoned by this product.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptons include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred.

Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours repeated exposure to cholinestarase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinestarase inhibitor. Allow no further exposure until time for cholinestarase regeneration has been allowed as determined by blood test.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured for— Chempar Chemical Co., Inc. 260 Madison Avenue New York, N.Y. 10016

8.76

E/4