

1. NALPON - A THERAPEUTIC AGENT

STORAGE AND DISPOSAL:

Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse can equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

INDOOR PESTS: For spot application in industrial plants, municipal buildings, schools, motels, hotels, apartment, non-food areas of food handling establishments, hospitals and health care institutions.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

To control cockroaches (including strains resistant to certain other insecticides), ants, clovermites, crickets, firebrats, silverfish, spiders: Use 1 part DICHLORON II with 11 parts of water to control light infestations and 1 part DICHLORON II to 5 parts of water to quickly reduce heavy infestations. For spot treatment, apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets; cracks and crevices along walls, along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. For clovermites, use the 1 to 5 dilution only.

NOTE: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD PLACES - WELFARE FACILITIES, CLINICS AND RELATED INSTITUTIONS ONLY: Includes restaurants, service stations, patient wards, hospitals, laundries, packing, wrapping, boxing, processing, eating, washing, storage, handling and transportation facilities, mills, dairies, meat markets, grocery stores, restaurants, food service facilities. If facility is in operation, do not use around food areas. Mix 1 part DICHLORON II with 11 parts water to control light infestations, mix 1 part DICHLORON II with 5 parts water to quickly reduce heavy infestations. Use a paint brush or coarse spray to cracks and crevices using a pump-up sprayer or following a pattern of insecticides in paint latex, emulsion, oil, film, friction, between equipment and floors, opening and closing doors, and walls, spots, cracks, walls, equipment, equipment houses, where cockroaches, spiders, fleas, ticks, firebrats, silverfish, and spiders occur. Do not apply this product to condensate, water tanks, roofs, trees and lawns, trees, shrubs, electrical equipment, fixtures, or pipes, or steel structures.

Clinical Areas: Where patients are exposed to the product, do not apply to patient rooms, laundry, or areas where patients are present.

Care should be taken to avoid poisoning the product to exposed surfaces or attracting the attention of patients and contaminating food or food preparation surfaces.

DO NOT USE ON HUMAN SKIN OR EYES. Avoid contact with skin and eyes. Avoid breathing vapors. Avoid breathing vapors.

BEST DOCUMENT AVAILABLE