

PM14

7173-80

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

AUG 14 1995

1 of 3

5490433 301 / 18

Edward F. Marshall
LiphaTech, Inc.
3101 West Custer Ave.
Milwaukee, WI 53209

Subject: Rozol Ready-to-Use Rat and Mouse Bait
EPA Reg. No. 7173-80
Response to PR Notice 94-7
Resubmission of Amended Labeling Dated June 14, 1995

Dear Mr. Marshall,

We have reviewed the labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, and pursuant to PR Notice 94-7. The subject amended labeling is acceptable provided that you:

1. Amend the "USE RESTRICTIONS" subsection under the "DIRECTIONS FOR USE" as indicated below.
 - a. Change the first sentence under "USE RESTRICTIONS" to read

"This product may be used to control Norway rats, roof rats, and house mice in and around homes, industrial buildings, and similar man-made structures."
 - b. Separate the last two sentences under "USE RESTRICTIONS" into a separate paragraph from the first sentence.
2. Change the "ENVIRONMENTAL HAZARDS" statement to read

"This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark."
3. Amend the "STORAGE AND DISPOSAL" statement, specifically the "PESTICIDE DISPOSAL" directions, to read

| CONCURRENCES | | | | | | | |
|--------------|-----------|--|--|--|--|--|--|
| SYMBOL | 7505c | | | | | | |
| SURNAME | Perreault | | | | | | |
| DATE | 8/11/95 | | | | | | |

Perreault C:\LiphaTech\7173-80.ltr

1.1

"PESTICIDE DISPOSAL: Wastes resulting from the use of this product should be securely wrapped in several layers of newspaper and then disposed of onsite or at an approved waste disposal facility."


- 4. Submit one copy of your final printed labeling before you release the product for shipment. We caution you to refrain from adding any claims or directions to the final printed label that were not part of the stamped accepted label.

In addition, for future reference, note that this product is registered as a "loose bait." It is illegal to ship this product or offer it for sale in placepacks or any other type of use-related convenience packaging.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records. If you have any questions regarding this letter, please contact Peg Perreault at (703) 305-5412 or (703) 305-6600.

Sincerely yours,



Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (7505C)

3 of 3

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC
ANIMALS**

CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL:

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. STORE IN ORIGINAL CONTAINER IN LOCKED STORAGE AREA.

STORAGE: Store in original container in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product should be securely wrapped in several layers of newspaper and then disposed of in a sanitary landfill or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

KEEP AWAY FROM FOODSTUFFS

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA REG. NO. 7173-80

EPA EST. NO. 7173-WI-1

**ROZOL
READY-TO-USE
RAT AND MOUSE BAIT**

| | |
|---|-----------------|
| ACTIVE INGREDIENT: | |
| 2-[(p-CHLOROPHENYL) PHENYLACETYL]-1,3-INDANDIONE* | 0.005% |
| INERT INGREDIENTS | 99.995% |
| TOTAL: | 100.000% |

*Chlorophacinone-Liphadione

KEEP OUT OF REACH OF CHILDREN

CAUTION

See left panel for additional precautionary statements.

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 14 1995

Under the Federal Insecticide,
Fungicide and Rodenticide Act

7173-80

MANUFACTURED BY:

LiphaTech, Inc.
3101 West Custer Ave.
Milwaukee, WI 53209

NET WEIGHT: 45 lb (20.45 KG)

DIRECT

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read and follow all directions and use precautions.

IMPORTANT: Do not expose domestic animals to rodenticides. To protect animals, do not use in areas where animals are present.

1. Store product not in use in a secure container inaccessible to children and pets.
2. Apply bait in locations out of reach of domestic animals and nontarget wildlife. These stations must be resistant to tampering by children under six years of age. To prevent such children from obtaining bait, if bait can be obtained by lifting, units must be secured with tamper-resistant stronger bait stations are necessary in areas where raccoons, bears, or other predators are prone to vandalism.
3. Dispose of product containing bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, mice, and house mice in homes, industrial buildings, and other structures. Do not place bait in areas where it may contaminate food or surfaces. Do not broadcast bait.

SELECTION OF TREATMENT: Determine areas where rats and mice are likely to consume the bait. Generally, bait should be placed in openings, in or beside burrows, and in other areas where signs have been seen. Protect bait from being eaten by much food as possible.

APPLICATION DIRECTION

RATS: Apply 4 to 16 ounces per station. Space bait placements 15 feet apart. Maintain an uninterrupted supply of fresh signs of rat activity cease.

MICE: Apply 1/4 - 1/2 ounce per station. Typical placement. Larger placements at points of extremely high infestation. Repeat treatment at intervals of 8-12 feet. Maintain bait for 15 days or until fresh signs of activity cease.

RATS AND MICE: Remove bait immediately. Collect and dispose of leftover bait, and any bait that has been consumed by animals. To prevent reinfestation, clean up water, and harborage as much as possible. If infestation occurs, repeat treatment. Where infestation is present, establish permanent bait stations as needed.