

7173-113

09-29-2008

1/3



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:

7173-113

Date of Issuance:

SEP 29 2008

NOTICE OF PESTICIDE:

Registration
[X] Reregistration
(under FIFRA, as amended)

Name of Pesticide Product:

Rozol Tracking Powder

Name and Address of Registrant (include ZIP Code):

Liphatech. Inc.
3600 W. Elm Street
Milwaukee, WI 53209

Attention: Ms. Rachel M. Callies

Handwritten notes: 676, 5-583964, 1275, Decision 320871

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Based on your response to the Rodenticide Cluster Reregistration Eligibility Decision, EPA has reregistered the product listed above.

Generic data requirements that have been identified in the RED as confirmatory data for the active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you submit one (1) copy of your final printed labeling, with the changes below, before you release the product for shipment:

Signature of Approving Official:

Handwritten signature of Meredith F. Laws

Meredith F. Laws, Chief
Insecticide-Rodenticide Branch
Registration Division (7504P)

Date:

SEP 29 2008

Page 2

EPA Reg. No. 7173-113

1. Add this last sentence under "**READ THIS LABEL**":

Apply only for the sites, pests, and application methods specified on this label.

You may delete this sentence at the end of the "**USE RESTRICTIONS**":

Do not apply this product by any method not specified on this label.

2. Under "**STORAGE AND DISPOSAL**", revise "**Container Disposal**" to "**Container Handling**" followed by instructions for each type of container. In general, you will be adding the new text required by the "Container Regulations" (40 CFR 156.140 – .159) and explained in PRN 2007-4 to the existing container disposal instructions. Contact us if you need assistance in developing correct text. Also, all products distributed or sold in nonrefillable containers will need batch codes on the label or the container.
3. Follow Enclosure 2, "Minimum Type Sizes for Final Printed Label".

The acceptable Confidential Statement of Formula (CSF) for this product is dated August 8, 2000, provided that, within 30 days of receipt of this letter, you submit a revised CSF that reflects the current nominal concentration of your source material. All other versions are obsolete.

Stocks of product with existing labels may be used for eighteen (18) months.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), or E-Mail (peacock.dan@epa.gov).

- Enclosures:
1. Stamped Label
 2. Minimum Type Sizes for Final Printed Label

Dan Peacock, Flash Drive, J:\4G Dan\Documents\Word, WP, Excel, etc\Chlorophacinone\Re-Reg\7173-113\Notice of Re-Reg, 7173-113, 9-25-2008.doc

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION: May be harmful if swallowed, inhaled or absorbed through skin, because it may reduce the clotting ability of blood and cause bleeding. Causes moderate eye irritation. Do not get in eyes, on skin or on clothing. Wash arms, hands and face before eating, drinking, chewing gum, using tobacco or using the toilet. All handlers, including mixers/loaders and applicators, must wear:

- long sleeve shirt and long pants,
- shoes plus socks,
- gloves,
- protective eyewear,
- a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Any person who retrieves carcasses or unused bait following application of this product must wear gloves. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains chlorophacinone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or lowered prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of product when such use and/or handling is contrary to label instructions.

EPA Reg. No. 7173-113 EPA Est. No. 7173-WI-1

Alternate warranty statements:

Satisfaction guaranteed or your money back.

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NON-TARGET ANIMALS

For retail sale and use by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certificate.



TRACKING POWDER

FOR INDOOR USE ONLY

Active ingredient: chlorophacinone	0.2%
Other ingredients	99.8%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See side panel for additional precautionary statements.

LIPHA TECH 3101 W. Custer Avenue Milwaukee, WI 53209

With COMMENTS

NET WEIGHT: 1 lb EPA Letter Dated 476 pounds

SEP 29 2008

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

7173-113

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions. For information on this product (including health concerns, medical emergencies or pesticide incidents) call the National Pesticide Telecommunications Network at 1-800-858-7378.

USE RESTRICTIONS: Use to control Norway rats, roof rats and house mice inside of homes, industrial and agricultural buildings, and similar man made structures. Tracking powder must be placed in locations not accessible to children, pets, domestic animals or non-target wildlife. In agricultural buildings where where livestock feeds are stored, or in commercial food service, food manufacturing or food processing establishments, limit treatments to concealed, inaccessible places such as spaces between floors and walls. Do not apply tracking powder along walls, in corners or in open areas of rooms in which food or feed is handled or stored. Do not place tracking powder in areas where there is a possibility of contaminating water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment, or surfaces that come in direct contact with food. Do not place near or inside ventilation duct openings. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Keep all other person out of the treated area during application. Do not apply this product by any method not specified on this label.

SELECTION OF TREATMENT AREAS: Determine dry areas where rats and mice will most likely pick up the powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls, or in locations where rodents or their signs have been observed. Tracking powder may also be dusted into rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures. Remove goods piled directly on the floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas. Give special attention to the climbing ability of roof rats. For this species, use suitable cardboard tubes or wooden tunnels securely attached to rafters or other horizontal surfaces where rats will pass. Employ tubes long enough to prevent spillage of powder through the ends.

APPLICATION DIRECTIONS: For mice, apply 1 ounce of tracking powder per 2.5 sq. ft. of runway area. For rats, apply 2 ounces of tracking powder per 2.5 sq. ft. of runway area. Apply with a hand bulb or similar duster - do not use power dusting devices. Sprinkle tracking powder in patches in a manner that will expose it to rodents. Patch size may be (but not limited to) 6 inches x 12 inches and should be adapted to each situation. Maintain tracking powder in treated areas for at least 20 days.

For burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures, place about 5 grams of tracking powder in each burrow with foot-pump duster (about 15 pumps). Close burrows with soil, loose leaves or paper. Retreat if burrows are reopened.

Follow-up: Collect and dispose of all visible dead animals and leftover tracking powder properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent tracking powder stations and replenish the powder as needed.

*Product label for
EPA Reg. No. 7173-113
Submitted November 7, 2002*

[label enlarged by 10%]