

ROZOL®

KILLS RATS AND HOUSE MICE

PARAFFIN BLOCKS

ONLY ROZOL BAITS ARE ACTUALLY IMPREGNATED BY THE TOXICANT


BLOCKEAG CENT

7173-134

7173-134

JUL 19 1974

UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT
FUNGICIDE AND RODENTICIDE ACT
POISON REGISTERED UNDER NO.



ONLY ROZOL BAITS ARE OIL IMPREGNATED!

To ensure the most effective and highest quality bait, this product has been prepared in a two-step operation:

- 1) The active ingredient was dissolved in oil to form an oil concentrate.
- 2) The bait was impregnated with this oil concentrate and the toxic material completely penetrated the grain.

This process provides the following advantages:

- a) The lethal action begins when the rodent consumes the bait. Impregnation reduces the possibility of the toxic material to detach itself.
- b) The USP grade mineral oil itself enhances bait acceptance and promotes absorption in the rodent's system.
- c) The oil aids in the preservation of the bait even under humid conditions, thus reducing the possibility of rancidity that may cause bait rejection.

These advantages, coupled with the effectiveness of the compound on rats and mice, makes this a highly desirable product, as:

ONLY ROZOL BAITS PROVIDE ALL THESE EXCLUSIVE FEATURES. LOOK FOR THE ROZOL SYMBOL ON THE LABEL FOR A SUPERIOR PRODUCT.

CONTENTS LBS.

Active Ingredient:	
2-[p-chlorophenyl] phenylacetyl]- 1,3-indandione*	0.005%
Inert Ingredient	99.995%
	<hr/>
	100.00%

*Chlorophacione-Liphadione —
Patented in the U.S.A.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Keep away from humans, domestic animals and pets. If swallowed or absorbed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In that case, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. Call a physician immediately.

Baits should be placed in areas inaccessible to children, pets, wildlife and domestic animals or in tamper proof bait boxes.

Place blocks next to burrows, in runways, feeding areas and water supplies, preferably behind boards next to wall, between walls or other protected areas. May be used indoors and outdoors as well as in sewers, wet and damp areas.

FOR RATS: Place 3 to 9 blocks per placement. Maintain constant supply of bait at stations for at least 10 days as long as there is evidence of rat population.

FOR HOUSE MICE: Place 1 to 2 blocks per placement with stations located at 8 to 12 ft. intervals. Maintain constant supply of bait for at least 15 days.

Do not reuse empty container. Destroy when empty.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes. Do not allow treated bait to be exposed on bare ground. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**KEEP AWAY FROM FOODSTUFFS
STORE IN A COOL PLACE**

**CHEMPAR
CHEMICAL CO., INC.**

260 MADISON AVENUE
NEW YORK, N. Y. 10016

EPA Reg. No. 7173-134