

# ROZOL R PARAFFINIZED PELLETS

## FOR INDOOR AND OUTDOOR USE KILLS HOUSE MICE AND NORWAY AND ROOF RATS

ONLY ROZOL BAITS ARE ACTUALLY IMPREGNATED BY THE TOXICANT



#### **CONTENTS:**

LBS.

#### ONLY ROZOL BAITS ARE OIL IMPREGNATED!

To ensure the most effective and highest quality bait, this product has been prepared in a two-step operation.

- 1) The active ingredient was dissolved in oil to form an oil concentrate.
- 2) The bait was impregnated with this oil concentrate and the toxic material completely penetrated the grain.

This process provides the following advantages:

- a) The lethal action begins when the rodent consumes the bait. Impregnation reduces the possibility of the toxic material to detach itself.
- b' The USP grade mineral oil itself enhances bait acceptance and promotes absorption in the rodent's system.
- c) The oil aids in the preservation of the bait even under humid conditions, thus reducing the possibility of rancidity that may cause bait rejection.

These advantages, coupled with the effective ness of the compound on rats and mice, makes this a highly desirable product, as:

ONLY ROZOL BAITS PROVIDE ALL THESE EX-CLUSIVE FEATURES. LOOK FOR THE ROZOL SYM-BOL ON THE LABEL FOR A SUPERIOR PRODUCT

Active Ingredient:	
2- p-chlorophenyl phenylacetyl]-	
1,3-indandione*	0.005%
Inert Ingredient	99.995%
1	00 000 %

\*Chlorophacinone-Liphadione Patented in the U.S.A.

#### **CAUTION**

#### KEEP OUT OF REACH OF CHILDREN

Keep away from n mans abmest an mais and pets. If swa loved or absorbed by h mans domestic animals or pets this material may reduce the ciothna ability of the blood and cause bleeding. In that ase intravenous and oral administration of Vitamin k combined with blood transfusions are indicated as in the ase of hemorrhage caused by overdoses of bishydroxy n man. Call a physical immediately

Bots should be place. Great marries be to children puls
wild thing a formation of marries to the place of the con-

The retail the refer of the problem of the speed of the s

GENERAL DIRECTIONS: Place baits in locations where rats and mice feed, water, and or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. Contaminated or spoiled baits should be replaced promptly.

Protect bait against access of children, pets, livestock and wildlife.

FOR RATS Each station should contain at least 4 ounces of bait. Maintain constant supply of bait at stations for at least 10 days

FOR HOUSE MICE: Tablespoon amounts ( $\frac{1}{4}$  to  $\frac{1}{2}$  sunce) of bait should be placed 8 to 12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith

KEEP AWAY FROM FOODSTUFFS

### CHEMPAR CHEMICAL CO., INC.

260 MADISON AVENUE NEW YORK, N Y 10016