

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

1114 1173-151

1043

NOV 23 1992

5420879 345  
17

Mr. Stephen Smith  
LiphaTech, Inc.  
3600 West Elm Street  
Milwaukee, WI 53209

Dear Mr. Smith:

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, subject to the following provisions:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit one copy of your final printed labeling before you release the product for shipment.
3. The rat efficacy study performed with fresh bait is acceptable. It has been assigned the MRID Number 423677-06. Contrary to the conclusion reached by your laboratory, however, we found that bait acceptance by the sexes was significantly different ( $p < 0.05$ , "t" test using two means;  $p < 0.002$ , Mann-Whitney U Test).

The mouse efficacy study performed with fresh bait is acceptable. It has been assigned the MRID Number 423677-07. The mouse study with weathered bait (MRID# 423677-05) also is acceptable. In future mouse efficacy trials, cage subjects individually or in single-sex subgroups of 5 or 10 animals. The enclosed draft protocol (1.204) indicates procedures to use in future mouse tests with anticoagulant dry baits.

4. The proposed revised label submitted on June 16, 1992, is acceptable. When you print labels, be sure to center the heading "DIRECTIONS FOR USE" in the left panel. The other headings in that panel (e.g., "IMPORTANT", "USE RESTRICTIONS", "APPLICATION DIRECTIONS", etc.) all are supposed to be subordinant to "DIRECTIONS FOR USE".

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

The heading "PRECAUTIONARY STATEMENTS" should also be centered above the precautionary statements block and above the subordinant subheading "HAZARD TO HUMANS AND DOMESTIC ANIMALS".

Because there is no application equipment for this product, delete ". . . into application equipment" from the first sentence under "CONTAINER DISPOSAL".

5. The label accepted on October 23, 1991, may be used until December 16, 1993, or until supplies are exhausted, whichever comes first.
6. Submit data on Storage Stability (GRN 63-17) when completed, no later than 15 months from the date of this letter.

This registration will be subject to cancellation in accordance with FIFRA sec. 6(e) if you do not comply with these conditions. Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Robert A. Forrest  
Product Manager (14)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)


Enclosures: 1) Stamped label  
2) Protocol 1.204

7173-151

with CORRECTION  
in EPA Letter

NOV 73

Under the Federal  
Fungicide, and Rodenticide  
Act as amended, for use as  
registered under EPA  
7173-1



# rozol<sup>®</sup> PELLETS

FOR INDOOR AND OUTDOOR USE.  
KILLS HOUSE MICE AND NORWAY  
AND ROOF RATS.

ACTIVE INGREDIENT	
2 [(P-CHLOROPHENYL) PHENYLACETYL]-1,3-INDANDIONE*	0.005%
INERT INGREDIENTS	99.995%
TOTAL:	100.000%

\*Chlorophacinone-Liphadione

KEEP OUT OF REACH OF CHILDREN

## CAUTION

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

MANUFACTURED BY

LiphaTech, Inc.  
3101 West Custer Ave.  
Milwaukee, WI 53209

EPA Reg. No. 7173-151  
EPA Est. No. 7173-WI-001

NET WEIGHT: 50 lbs.

### PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

This product should be handled with gloves. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking. If swallowed, call a physician immediately.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times.

#### ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### STORAGE AND DISPOSAL

**DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.**

**STORAGE:** Store in original container in a cool, dry place inaccessible to children and pets.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the product label. Buyer assumes all risk of such use and/or handling of this material when such use and/or handling is contrary to label instructions.

**DIRECTIONS FOR USE:** It is to be used in a manner inconsistent with the label.

**READ THIS LABEL:** Read and follow all directions and use precautions.

- IMPORTANT:** Do not expose animals to rodenticides. To help protect animals and nontarget wildlife, these stations must be resistant to children under six years of age, prevents such children from reaching bait. If a bait can be secured, stronger bait stations are needed for raccoons, bears, or other potential vandals.
1. Store product not in use in a secure place.
  2. Apply bait in locations out of reach of animals and nontarget wildlife. These stations must be resistant to children under six years of age, prevents such children from reaching bait. If a bait can be secured, stronger bait stations are needed for raccoons, bears, or other potential vandals.
  3. Dispose of product container as directed on this label.

**USE RESTRICTIONS:** For use on house mice in and around human-made structures. Do not use in areas where there is possibility of contaminating food. Do not broadcast.

**SELECTION OF TREATMENT:** Where rats and or mice will move. Generally, these are along walls, burrows, in corners and concealed walls, or in locations where rodents are active. Protect bait from rain or snow, as possible.

**APPLICATION DIRECTIONS:**  
**RATS:** Apply 4 to 16 ounces of uninterrupted supply of fresh bait.  
**MICE:** Apply 1/4 to 1/2 oz. (1-12-foot intervals). Larger place at points of very high mouse activity. Supply of fresh bait for at least 12-14 days.  
**RATS/MICE:** Replace container and dispose of all dead animals. To prevent reinfestation, limit harborage as much as possible. Where a continuous treatment is required, establish permanent bait stations.