4/25/2006

age 13

PRECAUTIONARY STATEMENTS lazard to Humans and Domestic Animats

7173-151

CAUTION: Keep away from children, domestic anmals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with scap and water after applying and before eating and smoking.

FIRST AID

Have this label with you when obtaining treatment advice. If swallowed: Call a poison control center or doctor immediately for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water or 15-20 minutes. Remove contact lenses, if present,

water for 15-20 minutes. Remove contact fenses, it present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinses skin with plenty of cool water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Note to Physician or Veterinarian: Contains chlorophacinone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K, by intramiscular or oral administration. Check prothrombin time every 3 days until values return to normat. ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water, or to areas and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal Storage: Store in original container in a cool, dry place inaccessible to children and pets. Pesicide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste

disposal facility

orsposal activity. Container Disposal: Dispose of empty container in a sanitary landill, or by incineration, or if allowed by state and local authorities, by burning. Il burned, stay out of smoke.

WARRANTY: Selier makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

EPA Reg. No. 7173-151 EPA Est. No. 7173-WI-1

Product No. Label No.


Alternate "Storage and Disposal" statement for packaging intended solely for household use:

STORAGE AND DISPOSAL

Storage: Store in original container in a dry place inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposed instantage. disposal instructions. Never place unused product dowr any indoor or outdoor drain.

Alternate warranty statements:

Satisfaction guaranteed or your money back.



PELLETS

FOR INDOOR AND OUTDOOR USE

KILLS HOUSE MICE. NORWAY RATS, AND ROOF RATS

Active Ingredient: chlorophacinone 0.005% Total


KEEP OUT OF REACH OF CHILDREN CAUTION: See side panel for additional precautionary statements.



3600 W. Elm Street Milwaukee, WI 53209 (414) 351-1476 Net Weight:

Liphatech, Inc.

12 ounces or bulk package containing 1 pound up to 50 pounds



(Qualifier statement only for 12 ounce package;) This package contains enough bail (12 oz.) to kill 3 to 12 rats

signs are seen. Remove as much alternative food as possible

APPLICATION DIRECTIONS:

use in wet or damp areas, including river banks, gullies, imgalion ditches, rainoad tracks, loading areas, under granaries, along lence lines and buller strips, garbage dumps and landilis. Do not place bait where it may contaminate lood or surfaces that come in direct contact with food. Do not apoly bait directly to ground surface or in grass or other ground cover. Where necessary, apply in tamper-resistanct bait stations to prevent non-target animals from accessing the bait. Do not broadcast bait. Selection of Treatment Areas: Determine areas where rats or mice are likely to find and consume bait, such as along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors or walls, or locations where rodents or their sins are seen. Hemove as much alternative food as possible.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets. 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlifle, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under pit used of and must be used to a product batt matched

under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be

secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.

 Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label. USE RESTRICTIONS: This product may be used to control Norway Use thest thic flows: The product may be used to control Norway rats, root rats and house mice in and around homes, industrial, commercial, agricultural and public buildings. It may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product is especially well suited for use in wet or damp areas, including river banks, guilles, imgation

This package contains enough data (12.02.) to an 3 at 12 has Mice: Apply 1/4 to 1/2 ounce of bait (1-2 level tablespoons) per placement. Larger amounts (up to 2 ounces) may be needed at points of extremely high mouse activity. Space placements 8 to 12 teet apart. Mantain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease Rats: Apply 4 to 16 ounces of bait per placement, usually spaced 15 to 30 feet apart. Maintain a constant supply of fresh bait for 10 days or until fresh signs of rat activity cease. For rat burrows, insert 1/2 to 1 ounce of bait deep into each active burrow. Check treated burrows each moming and evening to make sure that bas not been oushed out of burrows.

Source that has not been suched out of burrows. Follow-up: Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage einfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (2000)

ACC	E	P	TED
APR	2	5	2006
Fungicide,	d, f(or t	Insecticide, denticide Act, he pesticide 173-151