

7173-151

7/30/2012

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

JUL 30 2012

Michele Brunlinger  
Liphatech Inc  
3600 W Elm Street  
Milwaukee WI 53209

Subject Amendment to add the new 100 restriction to the label and to update container handling statements  
EPA Registration No /Primary Brand Names

7173 239	<b>Difethalone Block</b>
7173 151	<b>Rozol Pellets</b>
7173 288	<b>Difethalone Block 0707</b>
7173 238	<b>Generation Meal</b>
7173 258	<b>Difethalone Paste Place Packs</b>
7173 240	<b>Generation Blue Pellets Bait Packs</b>
7173 226	<b>Generation Block</b>
7173 229	<b>Generation Blue Pellets</b>

Submission Date March 14, 2012

Dear Ms Brunlinger

The labels referred to above submitted under FIFRA as amended are **acceptable** Please submit one final printed copy for the above mentioned labels before releasing the products for shipment If you have any questions please contact Gene Benbow at (703) 347 0235 or via email at [benbow\\_gene@epa.gov](mailto:benbow_gene@epa.gov)

Sincerely

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, stylized loop.

John Hebert  
Product Manager 07  
Insecticide Rodenticide Branch  
Registration Division (7505P)

Center/Front Panel

# Rozol Pellets

OPTIONAL [ALL WEATHER BAIT FOR WET OR DRY AREAS]

FOR INDOOR AND OUTDOOR USE

KILLS NORWAY RATS ROOF RATS AND HOUSE MICE

Active Ingredient chlorophacinone	0.005%
Inert Ingredients	<u>99.995%</u>
Total	100.000%


KEEP OUT OF REACH OF CHILDREN

## CAUTION

See [side][back][inner][outer] [panel][carton][label] for additional precautionary statements

(Liphatech Logo)  
 Liphatech Inc  
 3600 W Elm Street  
 Milwaukee WI 53209  
 414 351 1476

**Net Weight**  
 4 lbs up to 2000 lbs



**PRECAUTIONARY STATEMENTS**  
Hazard to Humans and Domestic Animals

**CAUTION** Harmful if swallowed absorbed through the skin or if inhaled Avoid contact with eyes skin or clothing Avoid breathing dust Keep away from children domestic animals and pets All handlers (including applicators) must wear long sleeved shirt long pants shoes socks and waterproof gloves Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves

**User Safety Requirements** Follow manufacturer s instructions for cleaning/maintaining PPE If no such instructions for washables use detergent and hot water Keep and wash PPE separately from other laundry Remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible wash hands thoroughly after applying bait and before eating drinking chewing gum using tobacco or using the toilet and change into clean clothing

**FIRST AID** Have this label with you when obtaining treatment advice

**If swallowed** Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor

**If in eyes** Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor immediately for treatment advice

**If on skin or clothing** Take off contaminated clothing Rinse skin with plenty of cool water for 15 20 minutes Call a poison control center or doctor immediately for treatment advice

**If inhaled** Move person to fresh air If person is not breathing call an ambulance then give artificial respiration preferably mouth to mouth if possible Call a poison control center or doctor immediately for treatment advice

**TREATMENT FOR PET POISONING** If animal eats bait call veterinarian at once

**NOTE TO PHYSICIAN OR VETERINARIAN** Contains the anticoagulant chlorophacinone If swallowed this material may reduce the clotting ability of blood and cause bleeding For humans or animals ingesting bait and/or showing obvious poisoning symptoms (bleeding or prolonged prothrombin times) give Vitamin K<sub>1</sub> intramuscularly or orally

**ENVIRONMENTAL HAZARDS** This product is extremely toxic to mammals and birds Dogs cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark Do not contaminate water when disposing of equipment wash water or rinsate

**STORAGE AND DISPOSAL** Do not contaminate water food or feed by storage or disposal

**Pesticide Storage** Store in original container in a cool dry place inaccessible to children and pets

**Pesticide Disposal** Wastes resulting from the use of this product may be disposed of in trash or at an approved waste disposal facility

**Container Handling** Nonrefillable container Do not reuse or refill this container **[Plastic ]** Completely empty container then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill **[Paper ]** Completely empty container then dispose of empty container in trash or at an approved waste disposal facility

**WARRANTY** To the extent consistent with applicable law seller makes no warranty expressed or implied concerning the use of this product other than indicated on the label Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

**READ THIS LABEL** and follow all use directions and precautions Use only for the sites pests and application methods described on this label

**IMPORTANT** Do not expose children pets or other nontarget animals to rodenticides To help prevent accidents

- 1 Store product not in use in a location out of reach of children and pets
- 2 Apply bait in locations out of reach of children pets domestic animals and nontarget wildlife or in tamper resistant bait stations These stations must be resistant to destruction by dogs and children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait If bait can be shaken from stations when they are lifted units must be secured or otherwise immobilized Even stronger bait stations are needed in areas open to hoofed livestock raccoons bears other potentially destructive animals or in areas prone to vandalism

- 3 Dispose of product container unused spoiled and unconsumed bait as specified on this label

**Note** Bait stations are mandatory for outdoor above ground use Tamper resistant bait stations must be used if children pets non target mammals or birds may access the bait

**USE RESTRICTIONS** This product can only be used to control Norway rats roof rats and house mice in and within 100 feet of man made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations Examples of such structures include homes and other permanent or temporary residences food processing facilities industrial and commercial buildings trash receptacles agricultural and public buildings transport vehicles (ships trains aircraft) docks and port or terminal buildings and related structures around and associated with these sites Fence and perimeter baiting beyond 100 feet from a structure as defined above is prohibited Do not sell this product in individual containers holding less than 4 pounds of bait Do not place near or inside ventilation duct openings Do not contaminate water food feedstuffs food or feed handling equipment or milk or meat handling equipment Do not apply directly to food or feed crops Do not broadcast bait

**Selection of Treatment Areas** Determine areas where rats and/or house mice will most likely find and consume bait Generally these are along walls by gnawed openings in corners and concealed places between floors or walls in or beside burrows or in locations where rats and/or house mice or their signs have been observed Remove as much alternative food as possible

#### APPLICATION DIRECTIONS

**House Mice** Apply 1/4 to 1/2 ounces per placement usually spaced 8 to 12 feet apart Up to 2 ounces may be needed at points of very high house mouse activity Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease

**Rats** Apply 4 to 16 ounces per placement usually spaced 15 to 30 feet apart Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease This product may be applied to active rodent burrows to control Norway rats and roof rats within or beyond 100 feet of buildings and man made structures provided that infestations of these rodents have been confirmed Bait must be placed no less than 6 inches into active Norway/roof rat burrows Because Norway/roof rat infestations may occur in areas farther than 100 feet from buildings and man made structures when the rodents have ample supplies of food and cover efforts should be made to remove food trash garbage clutter and debris Do not broadcast bait

**Follow up** Replace contaminated or spoiled bait immediately Wearing waterproof gloves collect and dispose of all visible dead animals and leftover bait as well as any bait that has become accessible to non target animals To discourage reinfestation limit sources of rodent food water and harborage as much as possible If reinfestation does occur repeat treatment For a continuous infestation set up permanent bait stations and replenish bait as needed

EPA Reg No 7173 151  
EPA Est No 7173 WI 1

Product No  
Label No

#### Optional Statements

Satisfaction guaranteed or your money back