[7273-143]

DIRECTIONS FOR USE

FOR HOUSEFLIES, MOSQUITÕES AND INDOORS GNATS: Apply as a space spray. Mix well before using. Fill spray tank with undiluted "FLYACIDE". Adjust pressure and nozzle to deliver a fine mist spray. Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet from fabrics to avoid wetting or staining. Fill the room with mist at the dosage rate of one fluid ounce per 1000 cubic feet...... of space. Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before reentry.

INDOORS — FOR CRAWLING INSECTS: Apply as a contact spray. Mix well before using. Fill spray tank with undiluted "FLYACIDE". Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse spray with particle size larger than that of the average aerosol. When possible, spray directly on roaches, earwigs, grain mites, sow bugs, spiders and centipedes to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects when possible.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Protect dogs and cats from fleas by spraying their resting areas. Hold spray nozzle about 18 inches from area to be treated. Apply spray at the rate of two seconds per linear foot. Direct spray on cesting areas and floor around these areas. Treat bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Remove animals before spraying.

Also treat dogs and cats with a registered product before they re-enter the area just treated with this product.

. T TES 🕶





CHECK
PEST

ACTIVE INGRÉDIENTS:

*+(5-Benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate . . . 0.250% w/w Related Compounds 0.034% INERT INGREDIENT: 99.716%

TOTAL 100.000% w/w

*Cis/trans isomers ratio: max 30% (±) cis and min. 70% (±) trans. +U.S. Patent No. 3,465,007.

USE ONLY AS DIRECTED

CAUTION

KEEP OUT OF REACH OF CHILDREN See additional cautions on side panel.

MANUFACTURED BY

CROWN CHEMICALS

Rockford, IL 61101

NET CONTENTS

GAL.

OCIDCORS TO COLUMNICATE Selection of the control of

SPIDERS Direct short burst of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aduariums before spraying. Do not use on edible crops.

of food processing plants, restaurants or other areas while food is being commercially prepared or processed. Do not use in serving areas while food is exposed.

This product is toxic to fish and birds. Keep out of lakes, streams or pends. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only is some field on this label.

CONTAINER DISPOSAL. Do not reuse enaity container. Destroy container by perforating or crossing and bury in a safe place away free, water

STORE AT TEMPERATURES ABOVE 4000 MY BEFORE USING.

NOTICE OF WARRANTY

thrown from a plantale same darkers to be a selected and a selecte