

ROZOL
ROZOL

OIL IMPREGNATED
RODENTICIDE
READY TO USE MEAL
OIL IMPREGNATED MEAL

GENERAL DIRECTIONS Use in areas where rats and mice are present and damp areas are most effective.

INDOORS Place in a dry, well-ventilated area, away from water, and watering areas, open windows, doors, walls, and other openings.

OUTDOORS Place in a dry, well-ventilated area, away from high water areas.

FOR NORWAY AND ROOF RATS Use 15 pounds of product per acre, as a continuous supply of bait, or 10 pounds per acre as there is no continuous supply.

FOR HOUSE MICE Use 15 pounds of product per acre, as a continuous supply, or 10 pounds per acre as there is no continuous supply. Must be applied at least 10 days.

Contact your local health department promptly. Do not use in areas where children, pets, or other animals are present. Do not use in areas where animals are present. Do not use in areas where animals are present. Do not use in areas where animals are present.

NOTICE Do not use in areas where children, pets, or other animals are present. Do not use in areas where animals are present. Do not use in areas where animals are present.

KEEP AWAY FROM CHILDREN
STORE IN A COOL, DRY PLACE
NET WEIGHT ONE POUND

CHEMPAR
ROZOL

IMPREGNATED
RAT AND MOUSE
KILLER

To insure the complete penetration of the bait into the food chain, this product has been prepared for easy operation.

The active ingredient is dissolved in a carrier which is normally impregnated.

This impregnated bait was then used to impregnate the bait.

The impregnated bait has the following advantages:

The impregnated bait is easy to handle and does not require special equipment for application.

The impregnated bait is easy to handle and does not require special equipment for application.

CHEMPAR CHEMICAL COMPANY
NEW YORK, N.Y.
EST. 1912

TUCK IN
FOR RE-CLOSURE
THE IMPREGNATED
rat & mouse
KILLER

ROZOL

READY TO USE MEAL

U.S. PAT. NO. 3,153,612



READY TO USE MEAL
OIL IMPREGNATED GRAINS
FOR USE IN HOUSES, BARS, RESTAURANTS,
GARDENS, WAREHOUSES, ETC.

CAN BE PLACED IN ANY TYPE OF BAIT
CAUTION
KEEP OUT OF REACH OF CHILDREN

NET WEIGHT
ONE POUND

ROZOL

RAT AND MOUSE
KILLER
READY TO USE MEAL

- Oil impregnated grains
- Works up better in moisture than dry loose baits
- Easy to handle and use
- Effective and fast-acting in Europe and in the U.S.

CAUTION

Keep away from children, pets, and other animals. Do not use in areas where children, pets, or other animals are present. Do not use in areas where animals are present. Do not use in areas where animals are present.

ROZOL
THE IMPREGNATED
rat & mouse
KILLER

ROZOL

ROZOL

OIL IMPREGNATED
RODENTICIDE
READY TO USE MEAL
OIL IMPREGNATED MEAL

GENERAL DIRECTIONS: Can be used in wet and damp areas as specified below.

INDOORS: Place bait in runways, at feeding and watering areas, behind boards along walls, between walls, and behind gnawed openings.

OUTDOORS: Place bait in burrows, in sewers above high water line, and agricultural premises.

FOR NORWAY AND ROOF RATS: Place at least 4 to 16 ounces of bait per placement. Maintain constant supply of bait at stations for at least 15 days as long as there is evidence of rat population.

FOR HOUSE MICE: Place 1/4 to 1/2 oz. (tablespoon amounts) per placement with stations located at 8 to 12 ft. intervals. Maintain constant supply of bait for at least 15 days.

Contaminated or spoiled baits should be replaced promptly. Do not reuse empty container. Destroy when empty. Treated baits must be placed in locations not accessible to children, pets, wildlife, and other animals, or in tamper-proof bait boxes. Do not use treated bait to be exposed to the weather. Do not contaminate water by use of this product. Proper disposal of wastes. Keep out of reach of children.



ROZOL

IMPREGNATED
RAT AND MOUSE
KILLER

To insure the complete penetration of the bait by the toxicant, this product has been prepared in a two-step operation:

1. The active ingredient was dissolved in mineral oil to form a concentrate.

2. This mineral oil concentrate was then used to impregnate the bait.

This process provides the following advantages:

The mineral oil aids in the preservation of the bait, thus reducing the possibility of rancidity that may cause bait rejection.

Impregnation reduces the possibility of the bait being taken up by the weather.

TUCK IN
FOR RECLOSING

THE IMPREGNATED

rat & mouse
KILLER

ROZOL

READY-TO-USE MEAL

U.S. PAT. NO. 3,153,612

rat & mouse
KILLER

READY TO USE MEAL

OIL IMPREGNATED GRAINS

For use in Homes, Farms, Boats, Vacation
Cabins, Warehouses, Institutions
ALL OTHER PLACES WHERE RATS AND MICE ARE FOUND



RAT AND MOUSE
KILLER
READY TO USE MEAL

- Oil Impregnated Grains
- Holds up better in moisture than dry, loose baits
- Easy to handle and place
- Effectiveness demonstrated in Europe and in the U.S.A.

CAUTION

Keep away from humans, domestic animals, and pets. If swallowed or absorbed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In that case, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated. In the case of hemorrhage caused by overdoses, the use of Vitamin K is indicated.



**OIL IMPREGNATED
RODENTICIDE
READY TO USE MEAL
OIL IMPREGNATED MEAL**

GENERAL DIRECTIONS: Can be used in wet and damp areas as specified below

INDOORS: Place bait in runways, at feeding and watering areas, behind boards along walls, between walls, and behind gnawed openings

OUTDOORS: Place bait in burrows, in sewers above high water line, and agricultural premises

FOR NORWAY AND ROOF RATS: Place at least 4 to 16 ounces of bait per placement. Maintain constant supply of bait at stations for at least 10 days as long as there is evidence of rat population.

FOR HOUSE MICE: Place 1/4 - 1/2 oz. (tablespoon amounts) per placement with stations located at 8 to 12 ft. intervals. Maintain constant supply of bait for at least 15 days

Contaminated or spoiled baits should be replaced promptly. Do not reuse empty container. Destroy when empty. Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes. Do not allow treated bait to be exposed on bare ground. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of lakes, streams or ponds. Apply this product only as specified on this label.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**KEEP AWAY FROM FOODSTUFFS
STORE IN A COOL PLACE
THE RAT AND MOUSE KILLER
FROM FRANCE**

**IMPREGNATED
RAT AND MOUSE
KILLER**

To insure the complete penetration of the bait by the toxicant, this product has been prepared in a two step operation:

1) The active ingredient was dissolved in mineral oil to form a concentrate

2) This mineral oil concentrate was then used to impregnate the bait

This process provides the following advantages:

a) The mineral oil aids in the preservation of the bait, thus reducing the possibility of rancidity that may cause bait rejection

b) Impregnation reduces the possibility of the toxicant detaching itself from the bait

CHEMPAR CHEMICAL CO., INC.
260 MADISON AVENUE
NEW YORK, N.Y. 10016
EST. No. 5234-L-1
EPA REG. NO. 7173-159

L-124-75



**READY TO USE MEAL
OIL IMPREGNATED GRAINS**
For use in: Homes, Farms, Boats, Vacation
Cabins, Warehouses, Institutions
CAN BE PLACED IN WET OR DRY AREAS

**CAUTION
KEEP OUT OF REACH OF CHILDREN**

ACTIVE INGREDIENT
DIPHACINONE 20.0%
1,3-INDANOLONE 29.3%
INERT INGREDIENTS 50.7%

CHLOROPHACINONE-EPHADRINE
Patented in the U.S.A.

RODOL

THE IMPREGNATED

**rat &
mouse
KILLER**

**NET WEIGHT:
ONE POUND**

**RAT AND MOUSE
KILLER**

READY TO USE MEAL

- Oil Impregnated Grains
- Holds up better in moisture than dry, loose baits
- Easy to handle and place
- Effectiveness demonstrated in Europe and in the U.S.A

CAUTION

Keep away from humans, domestic animals and pets. If swallowed or absorbed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In that case, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of diphacynone. Call a physician immediately.

Baits must be placed in areas inaccessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes.



10-100

170-9087