

TUCK IN  
FOR RE-CLOSING

THE IMPREGNATED

# RAT & MOUSE KILLER


FOR INDOOR - OUTDOOR USE

FOR INDOOR - OUTDOOR USE

# ROZOL

U.S. PAT. NO. 3,153,612

RAT & MOUSE PELLETS



WEATHER RESISTANT PELLETS

EASY TO HANDLE



RAT AND MOUSE  
KILLER

PARAFINIZED  
PELLETS

- *Weather resistant*
- *Easy to handle and place*
- *Used in Europe and in the U.S.A.*

### CAUTION

Keep away from humans, domestic animals and pets. If swallowed or absorbed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In that case, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by

THE IMPREGNATED


# pat & mouse KILLER

FROM FRANCE

WEATHER RESISTANT PELLETS  
EASY TO HANDLE  
CAN BE PLACED IN WET OR DRY AREAS

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
SEE OTHER CAUTIONS ON SIDE AND BACK PANELS

ACTIVE INGREDIENT  
21% PHOSPHORIC ACID  
13% BIPHENYL  
INERT INGREDIENTS 66%



NET WT. 12 OZ.

# ROZOL

THE IMPREGNATED

## pat & mouse PELLS

### KILLER PARAFINIZED PELLETS

- Weather resistant
- Easy to handle and place
- Used in Europe and in the U.S.A.

**CAUTION**

Keep away from humans, domestic animals and pets. If swallowed or absorbed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In that case, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. Call a physician immediately.

Baits should be placed in areas inaccessible to children, pets, wildlife and domestic animals or in tamper-proof bait boxes.

**ACCEPTED**

JUN 2 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the following pesticide has been registered under EPA Reg. No. 7173-161

**ROZOL**

**ROZOL**

**WAXED PELLETS**

**OIL IMPREGNATED • WEATHER RESISTANT  
RODENTICIDE**

**IMPREGNATED WITH ROZOL**

**GENERAL DIRECTIONS:** Can be used in wet and damp areas as specified below.

**INDOORS:** Place bait on runways, at feeding and watering areas, behind boards along walls, between walls, and behind gnawed openings.

**OUTDOORS:** Place bait in burrows, in sewers above high water line, and agricultural premises.

**FOR NORWAY AND ROOF RATS:** Place at least 4 to 16 ounces of bait per placement. Maintain constant supply of bait at stations for at least 10 days as long as there is evidence of rat population.

**FOR HOUSE MICE:** Place 1/4 - 1/2 oz. (tablespoon amounts) per placement with stations located at 8 to 12 ft. intervals. Maintain constant supply of bait for at least 15 days.

Contaminated or spoiled baits should be replaced promptly. Do not reuse empty container. Destroy when empty. Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not allow treated bait to be exposed on bare ground. Do not



**ROZOL**

**IMPREGNATED  
RAT AND MOUSE  
KILLER**

To insure the complete penetration of the bait by the toxicant, this product has been prepared in a two-step operation:

1) The active ingredient was dissolved in mineral oil to form a concentrate.

2) This mineral oil concentrate was then used to impregnate the bait.

This process provides the following advantages:

a) The mineral oil aids in the preservation of the bait, thus reducing the possibility of rancidity that may cause bait rejection.

b) Impregnation reduces the

# ROZOL

WAXED PELLETS

OIL IMPREGNATED • WEATHER RESISTANT  
RODENTICIDE

IMPREGNATED WITH ROZOL

**GENERAL DIRECTIONS:** Can be used in wet and damp areas as specified below.

**INDOORS:** Place bait on runways, at feeding and watering areas, behind doors along walls, between walls, and behind gnawed openings.

**OUTDOORS:** Place bait in burrows, in sewers above high water line, and agricultural premises.

**FOR NORWAY AND ROOF RATS:** Place at least 4 to 16 ounces of bait per placement. Maintain constant supply of bait at stations for at least 10 days as long as there is evidence of rat population.

**FOR HOUSE MICE:** Place 1/4 - 1/2 oz. (tablespoon amounts) per placement with stations located at 8 to 12 ft. intervals. Maintain constant supply of bait for at least 15 days.

Contaminated or spoiled baits should be replaced promptly. Do not reuse empty container. Destroy when empty. Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait boxes. Do not allow treated bait to be exposed on bare ground. Do not contaminate water by cleaning of equipment, or disposal of baits. Keep out of lakes, streams or ponds. Do not use in areas where baited on to crops.

Do not use in areas where baits are used for pest control. Do not use in areas where baits are used for pest control. Do not use in areas where baits are used for pest control.

KEEP AWAY FROM FOODSTUFFS  
STORE IN A COOL PLACE  
THE RAT AND MOUSE KILLER  
FROM FRANCE

CHEMPAR

# ROZOL

IMPREGNATED  
RAT AND MOUSE  
KILLER

To insure the complete penetration of the bait by the toxicant, this product has been prepared in a two-step operation.

1) The active ingredient was dissolved in mineral oil to form a concentrate.

2) This mineral oil concentrate was then used to impregnate the bait.

This process provides the following advantages:

a) The mineral oil aids in the preservation of the bait, thus reducing the possibility of rancidity that may cause bait rejection.

b) Impregnation reduces the possibility of the toxicant detaching itself from the bait.

CHEMPAR CHEMICAL CO., INC.  
26 MADISON AVENUE  
NEW YORK, N.Y. 10016  
EPA REG. NO. 7173-1-1  
EPA NO. 7112-0-1