

RAT AND MOUSE
KILLER PELLETS

ROZOL

Reg # 7173-161

PM-14

18!

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be shaken in a manner that prevents such children from reaching into bait compartments and obtaining bait. If a bait can be shaken from stations when they are tilted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial buildings and similar manmade structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beneath burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

RATS: Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE: Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8- to 12-foot intervals. Larger placements (up to two ounces) may be needed at points of very high infestation activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATSMICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and litter properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

Product No. 84101

EPA Reg. No. 7173-161 EPA Est. No. 7173 WI 001



ROZOL



ROZOL®



ROZOL

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE: Store only in original container in a dry place inaccessible to children and pets.

CONTAINER DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the product label. Buyer assumes all risk of such use and/or handling of this material when such use and handling is contrary to label instructions.

Manufactured by
LiphaTech, Inc.
3101 W. Custer Ave.
Milwaukee, WI 53209



Rat and Mouse Killer Pellets

Easy to handle pellets.
For indoor and outdoor use.

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See Side Panel For Additional
Precautionary Statements

| | |
|------------------------------------|-----------------|
| Active Ingredient: | |
| 2-[(p-chlorophenyl) phenylacetyl]- | |
| 1,3-indandione* | 0.005% |
| Inert Ingredients | 99.995% |
| TOTAL | 100.000% |

*Chlorophacinone-Liphadione

NET CONTENTS: 12 OUNCES (340 GRAMS)

PRECAUTIONARY STATEMENTS:

**HAZARD TO HUMANS
AND DOMESTIC
ANIMALS**

CAUTION

Keep away from humans, domestic animals and pets. Keep away from feed or food-stuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of blood and cause bleeding.

This product should be handled with gloves. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking. If swallowed, call a physician immediately.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxy coumarin overdose. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

ACCEPTED

on No. 120-3101-0190

MAR 30 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7173-161

BEST AVAILABLE COPY